

[Public/PubDocs/
bcdocs/361042/2007/2007_November/
sealice_contents.htm]

BCSFA Sea Lice Monitoring Results

Salmon farms report lice levels on all farms within specific fish health zones/areas as part of the [Sea Lice Management Strategy](#). Monitoring began in October 2003.


In British Columbia, lice from wild salmon returning from the ocean to spawn can result in an increase in the levels of lice on fish farms in the fall and early winter. Veterinarians treat these fish to reduce lice levels.

The program uses internationally accepted standards for sea lice monitoring.

- [Map of Fish Health Zones \(165 kb\)](#) .pdf

• [Top](#)

Atlantic Salmon Farms

For each zone there is a graph for salmon one year or less in seawater (year class 1) and another for salmon two years or more in seawater (year class 2). The graphs and the tables are in .pdf format.


Zone	Nov. 2005 - Dec..2006	Oct. 2003 - Dec. 2004
2.3	Graphs UPDATED	Graphs
2.4	Graphs UPDATED	Graphs
3.1	Graphs UPDATED	Graphs
3.2	Graphs UPDATED	Graphs
3.3	Graph UPDATED	Graphs
3.4	Graphs UPDATED	Graphs

3.5	Graphs UPDATED	Graphs
All Zones	Monthly Summary Tables UPDATED	Monthly Summary Tables

Zone	Nov. 2004 - Oct.2005	Nov. 2007
2.3	Graphs UPDATED	Graphs UPDATED
2.4	Graphs UPDATED	Graphs UPDATED
3.1	Graphs UPDATED	
3.2	Graphs UPDATED	Graphs UPDATED
3.3	Graphs UPDATED	Graphs UPDATED
3.4	Graphs UPDATED	Graphs UPDATED
3.5	Graphs UPDATED	Graphs UPDATED
All Zones	Monthly Summary Tables UPDATED	Graphs UPDATED

[• Top](#)

Pacific Salmon Farms

Sea lice on Pacific salmon are reported quarterly. The graphs and the tables are in  .pdf format.

Zone	Quarter 4, 2003 - Quarter 3, 2004
2	Graphs
3	Graphs
All Zones	Quarterly Summary Tables

Updated: November 22, 2005

[• Top](#) [• Copyright](#) [• Disclaimer](#) [• Privacy](#)

[• Feedback](#)