
The Vertebrates of British Columbia: Scientific and English Names

Standards for Components of British
Columbia's Biodiversity No. 2

Prepared by
Ministry of Sustainable Resource Management
Terrestrial Information Branch
for the Terrestrial Ecosystems Task Force
Resources Inventory Committee

Year 2002

Version 3.0

© The Province of British Columbia
Published by the
Resources Inventory Committee

National Library of Canada Cataloguing in Publication Data

Main entry under title:

The vertebrates of British Columbia [electronic resource] -- Version 3.0

(Standards for components of British Columbia's biodiversity ; no. 2)

Previously issued by Ministry of Environment, Lands and Parks, Resources Inventory Branch.

Issued also in printed format on demand.

Available through the Internet.

Includes bibliographical references: p.

ISBN 0-7726-4687-2

1. Vertebrates - British Columbia - Nomenclature.

2. Vertebrates - Nomenclature. I. British Columbia. Ministry of Sustainable Resource Management. Terrestrial Information Branch. II. Resources Inventory Committee (Canada). Terrestrial Ecosystems Task Force. III. British Columbia. Ministry of Environment, Lands and Parks. Resources Inventory Branch. IV. Series.

QL606 .52 .C3V47 2002

596 ' .09711

C2002-960000-6

Additional Copies of this publication can be purchased from:

Government Publication Services

Phone: (250) 387-6409 or

Toll free: 1-800-663-6105

Fax: (250) 387-1120

www.publications.gov.bc.ca

Digital Copies are available on the Internet at:

<http://www.for.gov.bc.ca/ric>

Preface

This version of *The Vertebrates of British Columbia: Scientific and Common Names* contains current lists as of September 2001 of the scientific and common names for the vertebrates of British Columbia, as well as scientific names for subspecies. These lists are intended to reach a wide readership and to stimulate co-operation among those interested in British Columbia's biology. They are the accepted standard nomenclature for the province's vertebrates. As lists go out of date quickly, updated versions of *The Vertebrates of British Columbia* will continue to be produced frequently.

Previous to this publication the Royal British Columbia Museum had published lists of names for the vertebrates of British Columbia (excluding fishes). In 1985, the Wildlife Habitat Handbook program in a joint effort by three agencies of the provincial government (Wildlife Branch, Ministry of Environment; Research Branch, Ministry of Forests; and the Royal BC Museum) produced lists of taxonomic names and species codes for the amphibians, reptiles, birds and mammals of the province (Campbell and Harcombe 1985). In 1990, the first edition of *The Vertebrates of British Columbia* (Cannings and Harcombe 1990) was produced as a cooperative initiative by the Royal British Columbia Museum and the Ministry of Environment, Lands and Parks, Wildlife Branch. This publication updated our knowledge and added a significant dimension--the fishes of British Columbia.

The Vertebrates of British Columbia was compiled by the Terrestrial Ecosystems Task Force, under the auspices of the Resources Inventory Committee (RIC). This manual is one of the Standards for Components of British Columbia's Biodiversity (CBCB) series, which presents protocols for species population inventory in the province. Thirty-six manuals are available which outline inventory techniques for different species groups. In addition, an introductory manual (Species Inventory Fundamentals No. 1) describes the history and objectives of RIC, and outlines the general process of conducting a wildlife inventory according to RIC standards, including selection of inventory intensity, sampling design, sampling techniques, and statistical analysis. RIC standards are also available for animal capture and handling (No. 3) and radio-telemetry (No.5).

Taxonomic codes contained within this manual are required for all RIC data forms and for use in the provincial data system. For more information please visit the species inventory website at: <http://srmwww.gov.bc.ca/rib/cbs/>

Comments and suggestions can be forwarded to the Elements Working Group by contacting:

Conservation Data Centre
Ministry of Sustainable Resource Management
P.O. Box 9993, Station Prov Govt
Victoria, BC
spi_mail@victoria1.gov.bc.ca

Acknowledgments

Funding of the Resources Inventory Committee work, including the preparation of this document, is provided by the Corporate Resource Inventory Initiative (CRII) and by Forest Renewal BC (FRBC). Preliminary work of the Resources Inventory Committee was funded by the Canada-British Columbia Partnership Agreement of Forest Resource Development FRDA II.

The Resources Inventory Committee consists of representatives from various ministries and agencies of the Canadian and the British Columbia governments as well as from First Nations peoples. RIC objectives are to develop a common set of standards and procedures for the provincial resources inventories, as recommended by the Forest Resources Commission in its report “The Future of our Forests”.

For further information about the Resources Inventory Committee and its various Task Forces, please access the Resources Inventory Committee Website at:
<http://www.for.gov.bc.ca/ric>.

Terrestrial Ecosystems Task Force

All decisions regarding standards are the responsibility of the Resources Inventory Committee. This publication is an update to the previous version (2.1) of this manual. This standard was created by summarizing information provided by Alex E. Peden (Marine Fishes and Freshwater Fishes); David M. Green (Amphibians); Linda A. Gregory and Patrick T. Gregory (Reptiles); Richard J. Cannings (Birds); and David Nagorsen (Mammals). These people are the scientific authorities for their respective groups and have made all decisions regarding appropriate taxonomic standard and taxa known to be present in British Columbia.

This manual was compiled by Leah Westereng.

Table of Contents

Preface	iii
Acknowledgments	v
Introduction	1
Marine Fishes.....	5
Freshwater Fishes.....	29
Amphibians	37
Reptiles.....	39
Birds.....	41
Mammals	67
Alphabetical Sequence by English Names.....	81
Alphabetical Sequence by Scientific Names.....	125
Alphabetical Sequence by Species Codes	169
Deviations from the Standard Species Codes	213
Selected Domestic Animals	215
References.....	217

List of Figures

Figure 1. Elements of a typical portion of the taxonomic lists.....	2
---	---

List of Tables

Table 1. Symbols used as descriptors in species lists.....	4
--	---

Introduction

British Columbia is an ecologically diverse province of about 95 million hectares. As of September 2001 records indicate that the vertebrate fauna comprised 466 fish, 22 amphibians, 18 reptiles, 488 birds, and 133 native (plus 9 introduced) mammals. In fishes, 409 species are marine, about 83 (including undescribed taxa) are freshwater and 24 occur in both fresh and salt water. With the increase in the number of research, management and public programs dealing with vertebrates, a need has evolved for reference lists of vertebrate species names and species codes.

These lists will be the standard for nomenclature in the Royal British Columbia Museum's collections, publications and exhibits. These names will also be adopted as Resources Inventory Committee (RIC) taxonomic standards and used by all government agencies and biologists in the province.

This publication includes the names of all vertebrate species known to occur, or to have occurred, in the province of British Columbia and the adjacent Pacific Ocean to the 200 mile limit during historical times. No distinction is made between resident and migratory species or between those that occur regularly, casually or accidentally. The occurrence of these species has been documented by specimens, photographs or other acceptable evidence. Species introduced by humans are marked †; this includes species introduced directly into British Columbia and those that entered the province from introductions elsewhere in North America. Names for selected domestic species are listed separately. Taxonomy, the naming and classifying of organisms, is a dynamic science -- names will change. The compilation of species lists is also a dynamic process; these lists will be revised to incorporate new records and taxonomic changes.

We give the scientific names and English names of taxa (class, order, family and species). English (common) names may vary regionally and among authors. Moreover, many species have names in languages other than English and some species lack generally accepted English names. In an attempt to establish standard English names for the province's vertebrates, we provide a single common name for each species. Nonetheless, the reader should be aware that the "common" names for some groups and species (e.g., in fish) are contrived and are rarely used. It should be recognized that specialists in different disciplines use different standards. For example, by convention, English names for birds are capitalized (American Ornithologists' Union 1983), but names for fish are written in lower case (Robins *et al.* 1980; Jean *et al.* 1981). Scientific names only are given for subspecies in taxonomic listings in each of the major sections. However, in the alphabetical listings, English names for subspecies have been derived by taking the species' English (common) name and adding the scientific subspecies name to it.

These lists indicate biological relationships among species and higher categories. The categories listed here are Class, Order, Family and Genus (see Figure 1).

Vertebrates of British Columbia




Figure 1. Elements of a typical portion of the taxonomic lists.

Classifications may vary from author to author, but we have followed the treatments of major references applicable to North America and British Columbia. These works are noted in the preamble to each list.

For each species the scientific species name and its author are given (e.g., *Canis lupus* Linnaeus). For the genus (e.g., *Canis*) the first letter is always capitalized; in the specific name (e.g., *lupus*) the first letter is always lower case. Both names are italicized. The author (e.g., Linnaeus) is the person who first described the species. The author's name is not italicized. If the species was named originally in another genus, the author's name is in parenthesis. There can be more than one author.

Species codes for species names were developed to facilitate quick and orderly record-keeping, initially for bird records. The system has been widely adopted in the province, mostly by naturalists as a convenience in field recording. Recent developments in computerized databases have stimulated the use of such species codes for other groups of vertebrates.

Species codes were derived from scientific names for all groups except birds, for which the accepted English names (American Ornithologists' Union 1998) were used. Each species code consists of five upper case letters. The first letter of the code designates the major vertebrate group: marine and freshwater fishes (F), amphibians (A), reptiles (R), birds (B) and mammals (M). It is separated with a hyphen (-) from the other four letters of the species code. Because inventories are often multi-class, the class code becomes necessary to eliminate concerns for duplicate codes between classes. Rules for developing the remainder of the species code were the same for all vertebrate groups except birds.

1. Fish, Amphibians, Reptiles and Mammals

- From scientific names the first two letters of the *genus* and first two letters of the *species* were combined (e.g., *Ambystoma tigrinum* = A-AMTI; *Aplodontia rufa* = M-APRU).

2. Birds

Rules were modified from Klimkiewicz and Robbins (1978) to suit British Columbia species as follows:

- If the common name is a single word the first four letters were used (e.g., Bufflehead = B-BUFF; Bushtit = B-BUSH).
- If the English name consists of two words, the first two letters of the first word were combined with the first two letters of the second word (e.g., Common Loon = B-COLO; Solitary Vireo = B-SOVI).
- If the English name consists of three words (with or without hyphens), the first letter of the first word was combined with the first letter of the second word and the first *two* letters of the third word (e.g., Pied-billed Grebe = B-PBGR; Great Gray Owl = B-GGOW).
- If the English name consists of four words (with or without hyphens), the first letter of each word was used (e.g., Black-crowned Night-Heron = B-BCNH; Black-and-white Warbler = B-BAWW).

Occasionally, because of duplications in species codes (e.g., B-TRSW would equal both Tree Swallow and Trumpeter Swan), some codes had to be altered. These are listed in the section Deviations from the Standard Species Code.

Subspecies (ssp) codes are listed when more than one subspecies exists in the province for a given species (if only one subspecies exists in the province for a given species, then the species code is used). Subspecies codes consist of the five letter species code followed by a hyphen (-) and two additional upper case letters. For all groups, subspecies codes were derived from the first two letters of the subspecies scientific name.

Occasionally, some subspecies codes had to be altered to avoid duplications (e.g., M-MACA-CA would equal both subspecies *Marmota caligata caligata* and *M. caligata cascadenis*). Altered subspecies codes are listed in the section Deviations from the Standard Species Code. The first duplicate alphabetically follows the rules, the second (and any subsequent duplicate) uses the next letter of the subspecies' name that makes it a unique code.

Table 1. Symbols used as descriptors in species lists.

Symbol	Description
†	species introduced to British Columbia
?	species improperly documented for British Columbia
#	fish species that may occur in both fresh and salt water
*	taxa endemic to British Columbia. In the bird section it refers to species that are endemic breeders.

Marine Fishes

Scientific Authority: Alex E. Peden

With the pressure to expand world fisheries and exploitation of new stocks, attention off western Canada has expanded into deeper waters, with additional species being added to our known fauna, especially those from deep waters off the Continental Slope (Gillespie, pers. comm.). Compared to 408 species noted in the 2000 list (Resources Inventory Committee 2000), the following raises known fauna to 409 marine fish species within the 200-mile Canadian fishery zone in the eastern North Pacific Ocean. Of these, six require better documentation (*Bathyraja aleutica*, *Nansenia crassa*, *Notoscopelus resplendens*, *Sebastes polyspinis*, and *Heterostichus rostratus*) and are not all included in this total. Species such as *Barbourisia rufa* represent a new taxon for Canadian waters but require additional investigation as to final identification (marked “?”). An additional 16 species are known to be close to, but not within the Canadian fisheries boundary. At least another ten are known north and south of, but not within Canadian waters. Twenty-five species (indicated by “#”) have been found in both fresh and salt water indicated by “#” on both the marine and freshwater lists. Classification is adapted from Nelson (1994). Nomenclature changes of species names were also adapted from the new publication, *Fishes of Alaska*, by Mecklenburg *et al.* (2002). Four introduced species are indicated by a “f”.

There are a number of fish records on Love’s fish list (WEBB page 2001) including subtropical fish species in British Columbia. Some of these coincide with years of El Nino and are included for completeness (see Percy and Schoener 1987). In general, lists covering the north-eastern Pacific are often imprecise in defining objective faunal boundaries, with those listed west of Cape Flattery often considered American despite the south-westward orientation of the international fishery boundary.

The following species are removed from previous lists of marine fishes: *Squatina californica*¹ is not known in Canadian waters; and *Occella impi* is not a valid species².

¹ *Squatina* record from Howe Sound based on SCUBA observation and publication of a photograph and was included in previous lists (Resources Inventory Committee 2000). This photograph proved to be from American waters, and thus not documentation of a Canadian record.

² Evidence to be published will place *Occella impi* Gruchy as a junior synonym of *Stellerina xyosterna*.

SUPERCLASS AGNATHA: Jawless Fishes

CLASS MYXINI: Hagfishes

ORDER MYXINIFORMES: Hagfishes

FAMILY MYXINIDAE: Hagfishes

<i>Eptatretus deani</i> (Evermann and Goldsborough)	Black Hagfish	F-EPDE
<i>Eptatretus stouti</i> (Lockington)	Pacific Hagfish	F-EPST

ORDER CEPHALASPIDOMORPHI

FAMILY PETROMYXONTIDAE: Lampreys

# <i>Lampetra ayresi</i> (Gunther)	River Lamprey	F-LAAY
# <i>Lampetra tridentata</i> (Gairdner)	Pacific Lamprey	F-LATR

CLASS CHONDRICHTHYS: Cartilaginous Fishes

ORDER CHIMAERIFORMES: Modern Chimaeras

FAMILY CHIMAERIDAE: Chimaeras

<i>Hydrolagus colliei</i> (Lay and Bennett)	Spotted Ratfish	F-HYCO
---	-----------------	--------

ORDER HEXANCHIFORMES: Sixgill and Sevengill Sharks

FAMILY HEXANCHIDAE: Cow Sharks

<i>Hexanchus griseus</i> (Bonnaterre)	Sixgill Shark	F-HEGR
<i>Notorynchus cepedianus</i> (Peron)	Sevengill Shark	F-NOCE

ORDER LAMNIFORMES: Lamniform Sharks

FAMILY ALOPIIDAE: Thresher Sharks

<i>Alopias vulpinus</i> (Bonnaterre)	Thresher Shark	F-ALVU
--------------------------------------	----------------	--------

FAMILY LAMNIDAE: Mackerel Sharks

<i>Carcharodon carcharias</i> (Linnaeus)	White Shark	F-CACA
<i>Isurus oxyrinchus</i> Rafinesque ³	Shortfin Mako	F-ISOX
<i>Lamna ditropis</i> Hubbs and Follett	Salmon Shark	F-LADI

FAMILY CETORHINIDAE: Basking Sharks

<i>Cetorhinus maximus</i> (Gunnerus)	Basking Shark	F-CEMA
--------------------------------------	---------------	--------

³ Added to known British Columbia fauna (Gillespie 1993). First photographed by the late Frank Bernard of the Pacific Biological Station, but lost in transfer between ships at sea. Teeth catalogued at Royal BC Museum 93-39 are taken from a specimen off Cape St. James.

ORDER CARCHARHINIFORMES: Ground Sharks

FAMILY SCYLIORHINIDAE: Cat Sharks

Apristurus brunneus (Gilbert) Brown Cat Shark F-APBR

FAMILY CARCHARHINIDAE: Requiem Sharks

Prionace glauca (Linnaeus) Blue Shark F-PRGL

FAMILY TRIAKIDAE: Houndsharks

Galeorhinus zyopterus Jordan and Gilbert⁴ Soupfin Shark F-GAZY

ORDER SQUALIFORMES: Dogfishes and Sleeper Sharks

FAMILY SQUALIDAE: Dogfish Sharks

Squalus acanthias Linnaeus Spiny Dogfish F-SQAC

FAMILY DALATIIDAE: Sleeper Sharks

Somniosus pacificus Bigelow and Schroeder Pacific Sleeper Shark F-SOPA

ORDER RAJIFORMES: Skates and Rays

FAMILY TORPEDINIDAE: Electric Rays

Torpedo californica Ayres Pacific Electric Ray F-TOCA

FAMILY RAJIDAE: Skates

Bathyraja abyssicola (Gilbert) Deepsea Skate F-BAAB

?*Bathyraja aleutica* (Gilbert)^{5, 6} Aleutian Skate F-BAAE

Bathyraja interrupta (Gill and Townsend) Sandpaper Skate F-BAIT

Raja parmifera Bean⁷ Alaska Skate F-RAST

Bathyraja trachura (Gilbert) Roughtail Skate F-BATR

Raja badia Garman Broad Skate F-RABA

Raja binoculata Girard Big Skate F-RABI

Raja rhina (Jordan and Gilbert) Longnose Skate F-RARH

FAMILY DASYATIDAE: Stingrays

Dasyatis violacea (Bonaparte)⁸ Pelagic Stingray F-DAVI

⁴ Mecklenburg *et al.* (2002) used name *Galeorhinus galeus*.

⁵ Change of generic name (Mecklenburg *et al.* (2002).

⁶ Known in Bering Sea and Gulf of Alaska (Eschmeyer *et al.* 1983). Possibly recorded from southeastern Alaska (Wilimovsky 1954). [Further study on Royal B.C. Museum specimens courtesy of Graham Gillespie, DFO, may document record for British Columbia.] National Marine Fisheries Service (NMFS) 1998 data for North Pacific Fisheries Commission [north of Border off Cape Flattery] records "trace" of Aleutian skate. Ship-board documentation-identifications require verification.

⁷ *Raja stellulata* ranges as far north as Eureka, California, with northern specimens appearing to be *R. parmifera* (Mecklenburg *et al.* 2002)

⁸ Previous literature (Hart 1973) refers to *Dasyatis dipterura* which, has yet to be documented with voucher specimens.

CLASS ACTINOPTERYGII: Bony Fishes

ORDER ACIPENSERIFORMES: Sturgeons

FAMILY ACIPENSERIDAE: Sturgeons

# <i>Acipenser medirostris</i> Ayres	Green Sturgeon	F-ACME
# <i>Acipenser transmontanus</i> Richardson	White Sturgeon	F-ACTR

ORDER ANGUILLIFORMES: Eels

FAMILY *UNKNOWN*: Transparent Eels ⁹

<i>Thalassenchelys coheni</i> Castle and Raju	Transparent Eel	F-THCO
---	-----------------	--------

FAMILY CONGRIDAE: Conger Eels

<i>Xenomystax atrarius</i> Gilbert	Twinpored Eel	F-XEAT
------------------------------------	---------------	--------

FAMILY SERRIVOMERIDAE: Sawpalates

<i>Serrivomer jespersenii</i> Bauchot-Boutin	Crossthorat Sawpalate	F-SEJE
--	-----------------------	--------

FAMILY NEMICHTHYIDAE: Snipe Eels

<i>Avocettina infans</i> (Gunther)	Close-Spine Snipe Eel ¹⁰	F-AVIN
<i>Nemichthys scolopaceus</i> Richardson	Slender Snipe Eel	F-NESC

ORDER NOTACANTHIFORMES: Halosaurs and Spiny Eels

FAMILY NOTACANTHIDAE: Spiny Eels

<i>Notacanthus chemnitzii</i> Bloch ¹¹	Snubnosed Spinyeel	F-NOCH
<i>Polyacanthonotus challengerii</i> (Vaillant)	Longnose Tapirfish	F-POCH

ORDER CLUPEIFORMES: Herrings

FAMILY CLUPEIDAE: Herrings

# <i>Alosa sapidissima</i> (Wilson)	American Shad	F-ALSA
<i>Clupea pallasii</i> Valenciennes	Pacific Herring	F-CLPA
<i>Sardinops sagax</i> (Jenyns)	Pacific Sardine	F-SASG

⁹ Adult of these *Leptocephalus* larvae unknown, classification uncertain (see Castle and Raju 1975). Eschmeyer *et al.* (1983) notes ova within *leptocephalus*, suggesting neoteny. British Columbia records based on two specimens taken by the Pacific Biological Station and Institute of Ocean Sciences, collection records retained by the Royal B.C. Museum.

¹⁰ Mecklenburg *et al.* (2002) uses name "Blackline Snipe Eel".

¹¹ Gillespie (2001 pers. comm.) has a frozen specimen at DFO, Biological Station, Nanaimo, BC (48° 58.23' N, 126° 52.5' W, 756m).

FAMILY ENGRAULIDAE: Anchovies

<i>Engraulis mordax</i> Girard	Northern Anchovy	F-ENMO
--------------------------------	------------------	--------

ORDER CYPRINIFORMES: Minnows and Suckers

(Typically freshwater species but strays from Fraser River plume in Georgia Strait.)

FAMILY CYPRINIDAE: Minnows and Carps

#† <i>Cyprinus carpio</i> Linnaeus	Common Carp	F-CYCA
# <i>Mylocheilus caurinus</i> (Richardson) ¹²	Peamouth	F-MYCA

ORDER OSMERIFORMES: Smelts**FAMILY MICROSTOMATIDAE:** Pencilsmelts¹³

<i>Nansenia candida</i> Cohen	Bluethroat Argentine	F-NACA
? <i>Nansenia crassa</i> Lavenberg ¹⁴	Giant Bluethroat	F-NACR

FAMILY BATHYLAGIDAE: Deepsea Smelts

<i>Bathylagus milleri</i> Jordan and Gilbert ¹⁵	Stout Blacksmelt	F-BAMI
<i>Bathylagus ochotensis</i> Schmidt ¹⁶	Popeye Blacksmelt	F-BAOC
<i>Bathylagus pacificus</i> Gilbert	Slender Blacksmelt	F-BAPA
<i>Leuroglossus schmidti</i> Rass ¹⁷	Northern Smoothtongue	F-LESC
<i>Leuroglossus stilbius</i> Gilbert ^{17, 18}	California Smoothtongue	F-LEST

FAMILY OPISTHOPROCTIDAE: Spookfishes

<i>Bathylchnops exilis</i> Cohen	Javelin Spookfish	F-BAEX
<i>Macropinna microstoma</i> Chapman	Barreleye	F-MAMI

FAMILY ALEPOCEPHALIDAE: Slickheads

<i>Alepocephalus tenebrosus</i> Gilbert ¹⁹	Slickhead	F-ALTE
<i>Talismania bifurcata</i> (Parr)	Threadfin Slickhead	F-TABI

¹² Typically freshwater, marine bycatch records include Peamouth apparently taken near mouth of Fraser River and elsewhere.

¹³ Common name adapted from Mecklenburg *et al.* (2002), not Argentines as used in previous lists (Resources Inventory Committee 2000).

¹⁴ Peden (1975) unable to differentiate *Nansenia crassa* amongst *N. candida*, although Lavenberg differentiated species.

¹⁵ Mecklenburg *et al.* (2002) used name *Pseudobathylagus milleri* (Jordan and Gilbert).

¹⁶ Mecklenburg *et al.* (2002) used name *Lipolagus ochotensis* (Schmidt).

¹⁷ Previous list (Resources Inventory Committee 2000) refers to *Bathylagus*, but *Leuroglossus* now retained by Mecklenburg *et al.* (2002).

¹⁸ Documentation based on eggs south of 51° N, not larvae or adults (Dunn 1983, Gillespie 1993). Many records from British Columbia to the Bering Sea, but *L. stilbius* is not included in Mecklenburg *et al.* (2002).

¹⁹ Documentation based on a dozen specimens taken off Barkley Canyon (see Peden 1997b).

Vertebrates of British Columbia

FAMILY PLATYTROCTIDAE: Tubeshoulders

<i>Holtbyrnia latifrons</i> Sazonov	Teardrop Tubeshoulder	F-HOLA
<i>Maulisia argipalla</i> Matsui and Rosenblatt	Pitted Tubeshoulder	F-MAAR
<i>Sagamichthys abei</i> Parr	Shining Tubeshoulder	F-SAAB

FAMILY OSMERIDAE: Smelts

<i>Allosmerus elongatus</i> (Ayres)	Whitebait Smelt	F-ALEL
<i>Hypomesus pretiosus</i> (Girard)	Surf Smelt	F-HYPR
ssp: <i>pretiosus</i> (Girard)		
<i>Mallotus villosus</i> (Muller)	Capelin	F-MAVI
# <i>Osmerus mordax</i> (Mitchill)	Rainbow Smelt	F-OSMO
<i>Spirinchus starksi</i> (Fisk)	Night Smelt	F-SPST
# <i>Spirinchus thaleichthys</i> (Ayres)	Longfin Smelt	F-SPTH
# <i>Thaleichthys pacificus</i> (Richardson)	Eulachon	F-THPA

ORDER SALMONIFORMES: Salmoniform Fishes

FAMILY SALMONIDAE: Salmons and Trouts

# <i>Oncorhynchus clarki</i> (Richardson)	Cutthroat Trout	F-ONCL
ssp: <i>clarki</i> (Richardson) ²⁰		
# <i>Oncorhynchus gorbuscha</i> (Walbaum)	Pink Salmon	F-ONGO
# <i>Oncorhynchus keta</i> (Walbaum)	Chum Salmon	F-ONKE
# <i>Oncorhynchus kisutch</i> (Walbaum)	Coho Salmon	F-ONKI
# <i>Oncorhynchus mykiss</i> (Walbaum)	Rainbow Trout ²¹	F-ONMY
# <i>Oncorhynchus nerka</i> (Walbaum)	Sockeye Salmon	F-ONNE
# <i>Oncorhynchus tshawytscha</i> (Walbaum)	Chinook Salmon	F-ONTS
#† <i>Salmo salar</i> Linnaeus	Atlantic Salmon	F-SASA
#† <i>Salmo trutta</i> Linnaeus	Brown Trout	F-SATR
# <i>Salvelinus malma</i> (Walbaum)	Dolly Varden	F-SAMA

ORDER STOMIIFORMES: Stomiiform Fishes

FAMILY GONOSTOMATIDAE: Bristlemouths

<i>Cyclothone atraria</i> Gilbert ²²	Yellow Bristlemouth	F-CYAT
<i>Cyclothone pallida</i> Brauer	Tan Bristlemouth	F-CYPL
<i>Cyclothone pseudopallida</i> Mukhacheva	Phantom Bristlemouth	F-CYPS
<i>Cyclothone signata</i> Garman	Showy Bristlemouth	F-CYSI

²⁰ Included to indicate distinction from Yellowstone Cutthroat (*O. c. lewisi*), a freshwater population. Coastal Cutthroat Trout is often used as the English name for this subspecies.

²¹ Rainbow Trout includes sea-run Steelhead.

²² *Cyclothone pacificus* Mukhacheva was originally described as *C. microdon* (Gunther) the name used by Hart (1973) off British Columbia. Referred to as *C. pacificus* (Peden 1975) and named *C. atraria* by Mecklenburg *et al.* (2002).

FAMILY STERNOPTYCHIDAE: Silvery Hatcherfishes

<i>Argyropelecus sladeni</i> Regan ²³	Silvery Hatcherfish ²⁴	F-ARSL
<i>Danaphos oculatus</i> (Garman)	Bottlelight	F-DAOC
<i>Sternoptyx pseudobscura</i> Baird	Highlight Hatcherfish	F-STPS

FAMILY PHOSICHTHYIDAE: Lightfishes

<i>Ichthyococcus elongatus</i> Imai	Slim Lightfish	F-ICEL
-------------------------------------	----------------	--------

FAMILY STOMIIDAE: Barbeled Dragonfishes²⁵

<i>Aristostomias scintillans</i> (Gilbert) ²⁶	Shining Loosejaw	F-ARSC
<i>Bathophilus flemingi</i> Aron and McCrery	Highfin Dragonfish	F-BAFL
<i>Chauliodus macouni</i> Bean ²⁷	Pacific Viperfish	F-CHMA
<i>Idiacanthus antrosomus</i> Gilbert ²⁸	Pacific Dragonfish	F-IDAN
<i>Opostomias mitsuii</i> Imai	Pitgum Dragonfish	F-OPMI
<i>Tactostoma macropus</i> Bolin	Longfin Dragonfish	F-TAMA

ORDER AULOPIFORMES: Aulopiform**FAMILY SCOPELARCHIDAE:** Pearleyes

<i>Benthalbella dentata</i> (Chapman)	Northern Pearleye	F-BEDE
---------------------------------------	-------------------	--------

FAMILY NOTOSUDIDAE: Waryfishes

<i>Scopelosaurus harryi</i> Mead	Scaly Waryfish	F-SCHA
----------------------------------	----------------	--------

FAMILY SYNODONTIDAE: Lizard Fishes

<i>Synodus lucioceps</i> (Ayres) ²⁹	Smallscale Lizardfish	F-SYLU
--	-----------------------	--------

FAMILY PARALEPIDAE: Barracudinas

<i>Lestidiops ringens</i> (Jordan and Gilbert)	Slender Barracudina	F-LERI
<i>Notolepis rissoi</i> (Bonaparte) ³⁰	White Barracudina ³¹	F-NORI
<i>Paralepis atlantica</i> Kroyer ³²	Duckbill Barracudina	F-PAAT

²³ *Argyropelecus lychnus* repeatedly recorded from British Columbia (Eschmeyer 1983, Matarese *et al.* 1989, Gillespie 1993). Comparative material needed before confirmation of two *Argyropelecus* species off British Columbia.

²⁴ Mecklenburg *et al.* (2002) used name "Lowcrest Hatcherfish."

²⁵ Mecklenburg *et al.* (2002) synonymises family Chauliodontidae with family Stomiidae.

²⁶ Mecklenburg *et al.* (2002) demoted family Malacosteidae to a subfamily within family Stomiidae.

²⁷ Mecklenburg *et al.* (2002) places *Chauliodus* in family Stomiidae.

²⁸ Preserved specimen with photo in possession of Graham Gillespie (DFO, Nanaimo, BC), observed by Peden and destined for deposition at Royal BC Museum.

²⁹ Attributed to El Nino occurrence (Fulton and LaBrasseur 1985, Percy and Schoener 1987).

³⁰ Mecklenburg *et al.* (2002) used name *Arctozenus risso*.

³¹ Change of English name (Robins *et al.* 1991).

³² Mecklenburg *et al.* (2002) used name *Magnisudis atlantica* (Kroyer).

Vertebrates of British Columbia

FAMILY ANOPTERIDAE: Daggertoosths

Anopterus pharao Zugmayer³³ Daggertooth³⁴ F-ANPH

FAMILY ALEPISAURIDAE: Lancetfishes

Alepisaurus ferox Lowe Longnose Lancetfish F-ALFE

ORDER MYCTOPHIFORMES: Myctophiform Fishes

FAMILY NEOSCOPELIDAE: Blackchins

Neoscopelus macrolepidotus Johnson Glowingfish F-NEMA

FAMILY MYCTOPHIDAE: Lanternfishes

Ceratospilus townsendi Dogtooth Lanternfish F-CETO

Eigenmann and Eigenmann

Diaphus theta Eigenmann and Eigenmann California Headlightfish F-DITH

Lampadena urophaos Paxton Taillight Lanternfish F-LAUR

Lampanyctus regalis (Gilbert) Pinpoint Lanternfish F-LARE

Lampanyctus ritteri Gilbert Broadfin Lanternfish F-LARI

Notoscopelus japonicus (Tanaka) Spiny Lanternfish F-NOJA

?*Notoscopelus resplendens* (Richardson)³⁵ Patchwork Lampfish F-NORE

Protomyctophum crockeri (Bolin) California Flashlightfish³⁶ F-PRCR

Protomyctophum thompsoni (Chapman) Northern Flashlightfish³⁷ F-PRTH

Stenobrachius leucopsarus Northern Lanternfish F-STLE

(Eigenmann and Eigenmann)

Stenobrachius nannochir (Gilbert) Garnet Lanternfish F-STNA

Symbolophorus californiensis Bigfin Lanternfish F-SYCA

(Eigenmann and Eigenmann)

Tarletonbeania crenularis Southern Blue Lanternfish F-TACR

(Jordan and Gilbert)³⁸

Tarletonbeania taylori Mead³⁸ Northern Blue Lanternfish F-TATA

³³ Mecklenburg *et al.* (2002) used name, *Anopterus nilparini*.

³⁴ Mecklenburg *et al.* (2002) used name, "North Pacific Daggertooth".

³⁵ Though recorded off British Columbia, voucher specimens are needed to verify that records are not *N. japonicus* (see Gillespie 1993).

³⁶ Change of English name (Robbins *et al.* 1991), but inconsistent with name used by Mecklenburg *et al.* (2002).

³⁷ Inconsistent with English name used by Mecklenburg *et al.* (2002), but must await American Fisheries Society-American Society of Ichthyologists and Herpetologists names anticipated in 2002.

³⁸ *Tarletonbeania crenularis* and *T. taylori* frequently recognized as a single species (*T. crenulus*). Males off British Columbia recognized by length of caudal luminescent glands. *T. crenulus* from California Current System, *T. taylori* abundant in the Subarctic Domain, both forms sympatric off British Columbia (Peden *et al.* 1985). Mecklenburg *et al.* (2002) only recognize *T. crenularis*.

ORDER OPHIDIIFORMES: Ophidiiform Fishes

FAMILY OPHIDIIDAE: Cusk Eels

<i>Spectrunculus grandis</i> (Gunther)	Giant Cuskeel	F-SPGR
--	---------------	--------

FAMILY BYTHITIDAE: Viviparous Brotulas

<i>Brosomphycis marginata</i> (Ayres)	Red Brotula	F-BRMA
---------------------------------------	-------------	--------

ORDER GADIFORMES: Gadiform Fishes

FAMILY MACROURIDAE: Grenadiers

<i>Albatrossia pectoralis</i> (Gilbert)	Giant Grenadier ³⁹	F-ALPE
<i>Coryphaenoides acrolepis</i> (Bean)	Roughscale Grenadier ⁴⁰	F-COAC
<i>Coryphaenoides armatus</i> (Hector)	Smooth Abyssal Grenadier ⁴¹	F-COAM
<i>Coryphaenoides cinereus</i> (Gilbert)	Popeye ⁴²	F-COCI
<i>Coryphaenoides filifer</i> (Gilbert)	Filamented Grenadier ⁴³	F-COFI
<i>Coryphaenoides leptolepis</i> Gunther	Ghostly Grenadier	F-COLE
<i>Nezumia stelgidolepis</i> (Gilbert)	California Grenadier ⁴⁴	F-NEST

FAMILY MORIDAE: Moras

? <i>Halargyreus johnsoni</i> Gunther ⁴⁵	Dainty Mora	F-HAJO
<i>Antimora microlepis</i> Bean	Pacific Flatnose	F-ANMI

FAMILY MELANONIDAE: Coalfishes

<i>Melanonus zugmayeri</i> Norman	Coalfish	F-MEZU
-----------------------------------	----------	--------

FAMILY MERLUCCIIDAE: Hakes

<i>Merluccius productus</i> (Ayres)	Pacific Hake	F-MEPR
-------------------------------------	--------------	--------

FAMILY GADIDAE: Cods

<i>Gadus macrocephalus</i> Tilesius	Pacific Cod	F-GAMA
<i>Microgadus proximus</i> Girard	Pacific Tomcod	F-MIPR
<i>Theragra chalcogramma</i> (Pallas) ⁴⁶	Walleye Polloch	F-THCH

³⁹ Change of English name (Robbins *et al.* 1991).

⁴⁰ Mecklenburg *et al.* (2002) used name "Pacific Grenadier".

⁴¹ Mecklenburg *et al.* (2002) used name "Smooth Abyssal Grenadadger."

⁴² Mecklenburg *et al.* (2002) used name "Popeye Grenadier".

⁴³ Mecklenburg *et al.* (2002) used name "Threadfin Grenadeier".

⁴⁴ Records from British Columbia are old. Voucher specimens are required for verification of current status.

⁴⁵ *Halargyreus* listed in earlier editions of marine fish at Ocean Station Papa (Resources Inventory Committee 2000). Gillespie (pers. comm.) has a frozen specimen from Canadian waters that is probably *Halargyreus*. Confirmation needed, however it is definitely an addition to known fishes off British Columbia.

⁴⁶ Placed in family Gadidae by Robbins *et al.* (1991).

ORDER BATRACHOIDIFORMES: Batrachoidiform Fishes

FAMILY BATRACHOIDIDAE: Toadfishes

Porichthys notatus Girard Plainfin Midshipman F-PONO

ORDER LOPHIIFORMES: Angler Fishes

FAMILY ONEIRODIDAE: Dreamers

Chaenophryne melanorhabdus Smooth Dreamer F-CHME

Regan and Trewavas

Oneirodes bulbosus Chapman Bulbous Dreamer F-ONBU

Oneirodes thompsoni (Schultz) Spiny Dreamer⁴⁷ F-ONTH

FAMILY CERATIIDAE: Seadevils

Ceratias holboelli Kroeyer⁴⁸ Northern Seadevil⁴⁹ F-CEHO

ORDER ATHERINIFORMES: Atheriniform Fishes

FAMILY ATHERINIDAE: Silversides

Atherinops affinis (Ayres) Topsmelt F-ATAF

FAMILY SCOMBERESOCIDAE: Sauries

Cololabis saira (Brevoort) Pacific Saury F-COSA

ORDER LAMPRIFORMES: Lampriform Fishes

FAMILY LAMPRIDAE: Opahs

Lampris guttatus (Brunnich) Opah F-LAGU

FAMILY TRACHIPTERIDAE: Ribbonfishes

Trachipterus altivelis Kner King-of-the-Salmon F-TRAL

ORDER STEPHANOBERYCIFORMES: Stephanoberyciform Fishes

FAMILY MELAMPHAEIDAE: Ridgeheads

Melamphaes lugubris Gilbert Highsnout Ridgehead⁵⁰ F-MELU

Poromitra crassiceps (Gunther) Crested Ridgehead⁵¹ F-POCR

Scopelogadus mizolepis Gunther Flabby Ridgehead F-SCMI

⁴⁷ Mecklenburg *et al.* (2002) uses name "Alaska Dreamer". Occurrence off British Columbia requires retention of existing name.

⁴⁸ Specimens deposited at Royal B.C. Museum and recorded by Anonymous (1993) and (Peden 1997a).

⁴⁹ Change of English name (Mecklenburg 2002).

⁵⁰ Mecklenburg *et al.* (2002) used name "Highsnout Bigscale".

⁵¹ Mecklenburg *et al.* (2002) used name "Crested Bigscale".

FAMILY BARBOURISIIDAE: Whalefishes ⁵²
?Barbourisia rufa Parr ⁵³ Velvet Whale Fish F-BARU

ORDER BERYCIFORMES: Beryciform Fishes

FAMILY ANOFLAGASTERIDAE: Fangtooths
Anoplogaster cornuta (Valenciennes) ⁵⁴ Fangtooth ⁵⁵ F-ANCO

ORDER ZEIFORMES: Zeiform Fishes

FAMILY OREOSOMATIDAE: Oreos
Alloctytus verrucosus (Gilchrist) Oreo F-ALVE

ORDER GASTEROSTEIFORMES: Gasterosteiform Fishes ⁵⁶

FAMILY GASTEROSTEIDAE: Sticklebacks ^{57, 58}
Aulorhynchus flavidus Gill ⁵⁸ Tubesnout F-AUFL
 #*Gasterosteus aculeatus* Linnaeus Threespine Stickleback F-GAAC

FAMILY SYNGNATHIDAE: Pipefishes ⁵⁹
Syngnathus leptorhynchus Girard Bay Pipefish F-SYLE

⁵² See comments for species below.

⁵³ Tentative identity based on two specimens courtesy Archipelago Marine Research: First specimen from “Nitinat Canyon” (48° 12.2’ N, 125° 59.3’ W) caught by vessel “*Jeanne Marie*” with a nonclosing trawl in 520 – 566 fathoms depth (950 – 1034m), July 3, 1997; second specimen from “Nitinat Canyon” (48° 12.4’ N, 125° 58.2’ W) caught by vessel “*Viking Moon*” with a nonclosing trawl in 504 – 580 fathoms (921 – 1060m), October 5, 1998. Specimens transferred to Nanaimo Biological Station (DFO) before final deposition at Royal B.C. Museum. Initially identified as *Rondeletia* (family Rondeletiidae). Peden viewed excellent colour photos (courtesy of Kelly Sendall, Royal B.C. Museum and Graham Gillespie, DFO). The pinkish red colouration and sub-abdominal pelvic excluded family Cetomimidae. Body/head shape plus faint images in photo suggesting pelvic fins and lateral line pores consistent with family Barbourisiidae (Fish Base: <http://www.fishbase.org/search.cfm>). Spines embedded in skin would exclude family Rondeletiidae, but direct observation required before confirming *Barbourisia* or *Rondeletia* as part of the western Canadian fauna.

⁵⁴ Specimens deposited at Royal B.C. Museum and recorded by Anonymous (1996a, 1996b).

⁵⁵ Mecklenburg *et al.* (2002) used name “Longhorn Fangtooth”.

⁵⁶ Robins *et al.* (1991) placed Syngnathiformes with order Gasterosteiformes.

⁵⁷ Love’s WEBB site (2001) falsely gives the impression that *Pungitius pungitius* occurs in Pacific drainages of Canada. *Pungitius* occurs along the Pacific Rim bordering the Bering Sea, Aleutians and Asia, but only Arctic drainages and not Pacific drainages of British Columbia.

⁵⁸ Robins *et al.* (1991) placed Aulorhynchidae (Tubesnouts) with family Gasterosteidae.

⁵⁹ Thomson *et al.* (1979) listed two species related to Pipefishes from British Columbia. Reprints (to 2000) do not repeat records (possibly caused by uncritical bibliophile research mistaking B.C. for Baja California).

ORDER SCORPAENIFORMES: Mail-Cheeked Fishes

FAMILY SCORPAENIDAE: Scorpionfishes

<i>Sebastes aleutianus</i> (Jordan and Evermann)	Rougheye Rockfish	F-SEAL
<i>Sebastes alutus</i> (Gilbert)	Pacific Ocean Perch	F-SEAT
<i>Sebastes auriculatus</i> Girard	Brown Rockfish	F-SEAU
<i>Sebastes aurora</i> (Gilbert)	Aurora Rockfish	F-SEAR
<i>Sebastes babcocki</i> (Thompson)	Redbanded Rockfish	F-SEBA
<i>Sebastes borealis</i> Barsukov	Shorthead Rockfish	F-SEBO
<i>Sebastes brevispinis</i> (Bean)	Silvergray Rockfish	F-SEBR
<i>Sebastes caurinus</i> Richardson	Copper Rockfish	F-SECA
<i>Sebastes ciliatus</i> (Tilesius)	Dusky Rockfish	F-SECI
<i>Sebastes crameri</i> (Jordan)	Darkblotched Rockfish ⁶⁰	F-SECR
<i>Sebastes diploprora</i> (Gilbert)	Splitnose Rockfish	F-SEDI
<i>Sebastes elongatus</i> Ayres	Greenstriped Rockfish ⁶¹	F-SEEL
<i>Sebastes emphaeus</i> (Starks)	Puget Sound Rockfish	F-SEEM
<i>Sebastes entomelas</i> (Jordan and Gilbert)	Widow Rockfish	F-SEEN
<i>Sebastes flavidus</i> (Ayres)	Yellowtail Rockfish	F-SEFL
<i>Sebastes goodei</i> (Eigenmann and Eigenmann)	Chilipepper	F-SEGO
<i>Sebastes helvomaculatus</i> Ayres	Rosethorn Rockfish	F-SEHE
<i>Sebastes jordani</i> (Gilbert)	Shortbelly Rockfish	F-SEJO
<i>Sebastes maliger</i> (Jordan and Gilbert)	Quillback Rockfish	F-SEMA
<i>Sebastes melanops</i> Girard	Black Rockfish	F-SEME
<i>Sebastes melanostomus</i> Eigenmann and Eigenmann ⁶²	Blackgill Rockfish	F-SEML
<i>Sebastes miniatus</i> (Jordan and Gilbert)	Vermilion Rockfish	F-SEMI
<i>Sebastes mystinus</i> (Jordan and Gilbert)	Blue Rockfish	F-SEMY
<i>Sebastes nebulosus</i> Ayres	China Rockfish	F-SENE
<i>Sebastes nigrocinctus</i> Ayres	Tiger Rockfish	F-SENI
<i>Sebastes paucispinis</i> Ayres	Bocaccio	F-SEPA
<i>Sebastes pinniger</i> (Gill)	Canary Rockfish	F-SEPI
? <i>Sebastes polypsinis</i> (Taranetz and Moiseev) ⁶³	Northern Rockfish	F-SEPL
<i>Sebastes proriger</i> (Jordan and Gilbert)	Redstripe Rockfish	F-SEPR
<i>Sebastes reedi</i> (Westrheim and Tsuyuki)	Yellowmouth Rockfish	F-SERE
<i>Sebastes ruberrimus</i> (Cramer)	Yelloweye Rockfish	F-SERU
<i>Sebastes rufus</i> Eigenman and Eigenmann ⁶⁴	Bank Rockfish	F-SERF

⁶⁰ Change of "Darkblotch" to "Darkblotched" Rockfish (Robbins *et al.* 1991).

⁶¹ Change of "Greenstripe" to "Greenstriped" Rockfish (Robbins *et al.* 1991).

⁶² Graham Gillespie (DFO Biological Station, Nanaimo, BC) confirmed identification via photos with K. Mecklenburg and M. Love. Fish was caught on "Ricker II", July 24, 1999 at 428 - 534 m depth, 49°10.64' N, 127° 2.65' W and 49°8.97' N, 127°1.10' W.

⁶³ Reported in catch data from Dixon Entrance (Allen and Smith 1988). Voucher specimens still required from British Columbia.

⁶⁴ Frozen specimens identified and in possession of Graham Gillespie (DFO Biological Station, Nanaimo, BC). Photo and verifier, Scott Anderson (Archipelago Marine Research, Victoria, BC). Dark cheek blotch, pinkish lateral line, blackish dorsal and anal fins confirms identification (see Eschmeyer 1983). Specimens captured February 28, 2000 at Goose Gully, with one fish expelling larvae.

<i>Sebastes saxicola</i> (Gilbert)	Stripetail Rockfish	F-SESA
<i>Sebastes variegatus</i> Quast	Harlequin Rockfish	F-SEVA
<i>Sebastes wilsoni</i> (Gilbert)	Pygmy Rockfish	F-SEWI
<i>Sebastes zacentrus</i> (Gilbert)	Sharpchin Rockfish	F-SEZA
<i>Sebastolobus alascanus</i> Bean	Shortspine Thornyhead	F-SEAS
<i>Sebastolobus altivelis</i> Gilbert	Longspine Thornyhead	F-SEAI

FAMILY ANOPLPOMATIDAE: Sablefishes

<i>Anoplopoma fimbria</i> (Pallas)	Sablefish	F-ANFI
<i>Erilepis zonifer</i> (Lockington)	Skilfish	F-ERZO

FAMILY HEXAGRAMMIDAE: Greenlings⁶⁵

<i>Hexagrammos decagrammus</i> (Pallas)	Kelp Greenling	F-HEDE
<i>Hexagrammos lagocephalus</i> (Pallas)	Rock Greenling	F-HELA
<i>Hexagrammos octogrammus</i> (Pallas)	Masked Greenling	F-HEOC
<i>Hexagrammos stelleri</i> Tilesius	Whitespotted Greenling	F-HEST
<i>Ophiodon elongatus</i> Girard	Lingcod	F-OPEL
<i>Oxylebius pictus</i> Gill	Painted Greenling	F-OXPI
<i>Pleurogrammus monopterygius</i> (Pallas)	Atka Mackerel	F-PLMO
<i>Zaniolepis latipinnus</i> Girard ⁶⁵	Longspine Combfish	F-ZALA

FAMILY RHAMPHOCOTTIDAE Grunt Sculpins⁶⁶

<i>Rhamphocottus richardsonii</i> Gunther ⁶⁷	Grunt Sculpin	F-RHRI
---	---------------	--------

FAMILY COTTIDAE: Sculpins

<i>Artedius fenestralis</i> Jordan and Gilbert	Padded Sculpin	F-ARFE
<i>Artedius harringtoni</i> (Starks)	Scalyhead Sculpin	F-ARHA
<i>Artedius lateralis</i> (Girard)	Smoothhead Sculpin	F-ARLA
<i>Ascelichthys rhodorus</i> Jordan and Gilbert	Rosylip Sculpin	F-ASRH
<i>Asemichthys taylori</i> Gilbert	Spinynose Sculpin	F-ASTA
<i>Chitonotus pugetensis</i> (Steindachner)	Roughback Sculpin	F-CHPU
<i>Clinocottus acuticeps</i> (Gilbert)	Sharpnose Sculpin	F-CLAC
<i>Clinocottus embryum</i> (Jordan and Starks)	Calico Sculpin	F-CLEM
<i>Clinocottus globiceps</i> (Girard)	Mosshead Sculpin	F-CLGL
# <i>Cottus aleuticus</i> Gilbert ⁶⁸	Coastrange Sculpin	F-COAL
# <i>Cottus asper</i> Richardson ⁶⁸	Prickly Sculpin	F-COAS
<i>Enophrys bison</i> (Girard)	Buffalo Sculpin	F-ENBI
<i>Enophrys lucasi</i> (Jordan and Gilbert)	Leister Sculpin	F-ENLU
<i>Gymnocanthus galeatus</i> Bean	Armorhead Sculpin	F-GYGA
<i>Hemilepidotus hemilepidotus</i> (Tilesius)	Red Irish Lord	F-HEHE
<i>Hemilepidotus spinosus</i> (Ayres)	Brown Irish Lord	F-HESP
<i>Icelinus borealis</i> Gilbert	Northern Sculpin	F-ICBO

⁶⁵ Zaniolepididae combined with family Hexagrammidae (Robbins *et al.* 1991)⁶⁶ Mecklenburg *et al.* (2002) recognized family Rhamphocottidae split from family Cottidae.⁶⁷ Extra "i" added by Mecklenburg *et al.* (2002).⁶⁸ Normally found in freshwater, and rarely in marine waters near estuaries.

Vertebrates of British Columbia

<i>Icelinus burchami</i> Evermann and Golbsborough	Dusky Sculpin	F-ICBU
<i>Icelinus filamentosus</i> Gilbert	Threadfin Sculpin	F-ICFI
<i>Icelinus fimbriatus</i> Gilbert	Fringed Sculpin	F-ICFM
<i>Icelinus tenuis</i> Gilbert	Spotfin Sculpin	F-ICTE
<i>Icelus spiniger</i> Gilbert	Thorny Sculpin	F-ICSP
<i>Jordania zonope</i> Starks	Longfin Sculpin	F-JOZO
# <i>Leptocottus armatus</i> Girard	Staghorn Sculpin	F-LEAR
<i>Myoxocephalus polyacanthocephalus</i> (Pallas)	Great Sculpin	F-MYPO
<i>Myoxocephalus verrucosus</i> (Bean) ⁶⁹	Warty Sculpin ⁷⁰	F-MYVE
<i>Oligocottus maculosus</i> Girard	Tidepool Sculpin	F-OLMA
<i>Oligocottus rimensis</i> (Greeley)	Saddleback Sculpin	F-OLRI
<i>Oligocottus snyderi</i> Greeley	Fluffy Sculpin	F-OLSN
<i>Paricelinus hopliticus</i> Eigenmann and Eigenmann	Thornback Sculpin	F-PAHO
<i>Radulinus asprellus</i> Gilbert	Slim Sculpin	F-RAAS
<i>Radulinus boleoides</i> Gilbert	Darter Sculpin	F-RABO
<i>Ruscarius meanyi</i> Jordan and Starks ⁷¹	Puget Sound Sculpin	F-RUME
<i>Scorpaenichthys marmoratus</i> (Ayres)	Cabezon	F-SCMA
<i>Synchirus gilli</i> Bean	Manacled Sculpin	F-SYGI
<i>Triglops macellus</i> (Bean)	Roughspine Sculpin	F-TRMA
<i>Triglops pingeli</i> Reinhardt	Ribbed Sculpin	F-TRPI
FAMILY HEMITRIPTERIDAE: Sailfin Fishes⁷²		
<i>Blepsias bilobus</i> Cuvier	Crested Sculpin	F-BLBI
<i>Blepsias cirrhosus</i> (Pallas)	Silverspot Sculpin	F-BLCI
<i>Hemitripterus bolini</i> (Myers)	Bigmouth Sculpin	F-HEBO
<i>Nautichthys oculoasciatus</i> (Girard)	Sailfin Sculpin	F-NAOC
<i>Nautichthys robustus</i> Peden	Shortmast Sculpin	F-NARO

⁶⁹ Renamed *M. verrucosus* (Bean) in Alaskan literature [see Allen and Smith (1988) and Mecklenburg *et al.* (2002)].

⁷⁰ English name used by Robins *et al.* (1991) may differ to Mecklenburg *et al.* (2002).

⁷¹ Robbins *et al.* (1991) referred *Artedius meanyi* to genus *Ruscarius*.

⁷² Mecklenburg *et al.* (2002) recognized family Hemitripterae, split from family Cottidae.

FAMILY PSYCHROLUTIDAE: Tadpole Fishes

<i>Dasycottus setiger</i> Bean	Spinyhead Sculpin	F-DASE
<i>Malacocottus kincaidi</i> Gilbert and Thompson ⁷³	Blackfin Sculpin	F-MAKI
<i>Malacocottus zonurus</i> Bean ^{73, 74}	Darkfin Sculpin	F-MAZO
<i>Psychrolutes paradoxus</i> Gunther	Tadpole Sculpin	F-PSPA
<i>Psychrolutes phrictus</i> Stein and Bond	Giant Blobsculpin	F-PSPH
<i>Psychrolutes sigalutes</i> (Jordan and Starks)	Soft Sculpin	F-PSSI

FAMILY AGONIDAE: Poachers ⁷⁵

<i>Agonopsis vulsa</i> (Jordan and Gilbert)	Northern Spearnose Poacher	F-AGVU
<i>Anoplagonus inermis</i> (Gunther)	Smooth Alligatorfish	F-ANIN
<i>BathYGONUS alascanus</i> (Gilbert)	Gray Starsnout	F-BAAL
<i>BathYGONUS infraspinus</i> (Gilbert)	Spinycheek Starsnout	F-BAIN
<i>BathYGONUS nigripinnis</i> Gilbert	Blackfin Poacher	F-BANI
<i>BathYGONUS pentacanthus</i> (Gilbert)	Bigeye Poacher	F-BAPE
<i>BothrAGONUS swani</i> (Steindachner)	Rockhead	F-BOSW
<i>HypsAGONUS mozinoi</i> (Wilimovsky and Wilson) ⁷⁶	Kelp Poacher	F-HYMO
<i>HypsAGONUS quadricornis</i> (Cuvier)	Fourhorn Poacher	F-HYQU
<i>ChesNONA verrucosa</i> (Lockington) ⁷⁷	Warty Poacher	F-CHVE
<i>OdontOPYXIS trispinosa</i> Lockington	Pygmy Poacher	F-ODTR
<i>Pallasina barbata</i> (Steindachner)	Tubenose Poacher	F-PABA
<i>PodothECUS acipenserinus</i> (Pallas) ⁷⁸	Sturgeon Poacher	F-POAC
<i>LeptAGONUS frenatus</i> (Gilbert) ⁷⁹	Sawback Poacher	F-LEFR
<i>Stellerina xyosterna</i> (Jordan and Gilbert) ⁸⁰	Pricklebreast Poacher	F-STXY
<i>Xeneretmus latifrons</i> (Gilbert)	Blacktip Poacher	F-XELA
<i>Xeneretmus leiops</i> Gilbert	Smootheye Poacher	F-XELE
<i>Xeneretmus triacanthus</i> (Gilbert)	Bluespotted Poacher	F-XETR

FAMILY CYCLOPTERIDAE: Lump-suckers ⁸¹

<i>Aptocyclus ventricosus</i> (Pallas)	Smooth Lump-sucker	F-APVE
<i>Eumicrotremus orbis</i> (Gunther)	Pacific Spiny Lump-sucker	F-EUOR

⁷³ *M. zonurus* differs from *M. kincaidi* by presence of extra cheek spine. Recognition of two species questionable, however, British Columbia collections suggest *M. kincaidi* is abundant in Strait of Georgia area and *M. zonurus* is more common along exposed coast and to the north.

⁷⁴ Placed in family Cottidae by Robbins *et al.* (1991). Change of English name.

⁷⁵ Evidence to be published will place *Ocella impi* Gruchy as a junior synonym of *Stellerina xyosterna*.

⁷⁶ Recent review by Mecklenburg *et al.* (2002) places *Agonomalus mozinoi* within *Hypsagonus*.

⁷⁷ Change of generic name (Mecklenburg *et al.* 2002).

⁷⁸ Mecklenburg *et al.* (2002) changed generic name of *Agonus* back to *Podothecus*.

⁷⁹ Species moved from *Sarritor* to *Leptagonus* (Mecklenburg *et al.* 2002).

⁸⁰ Includes synonym of *Ocella impi* as junior synonym.

⁸¹ Family Liparidae (Snailfishes) split from family Cyclopteridae (Lump-suckers) by Mecklenburg *et al.* (2002).

Vertebrates of British Columbia

FAMILY LIPARIDAE: Snailfishes

<i>Acantholiparis opercularis</i> Gilbert and Burke	Spiny Snailfish	F-ACOP
<i>Careproctus</i> sp. (undescribed) ⁸²	Obscure Snailfish	F-CACO
<i>Careproctus cypselurus</i> Jordan and Gilbert ⁸³	Falcate Snailfish	F-CACY
<i>Careproctus gilberti</i> Burke	Smalldisk Snailfish	F-CAGI
<i>Careproctus melanurus</i> Gilbert	Blacktail Snailfish	F-CAME
<i>Careproctus oregonensis</i> Stein	Smallfin Snailfish	F-CAOR
<i>Careproctus ovigerum</i> (Gilbert)	Abyssal Snailfish	F-CAOV
<i>Liparis callyodon</i> (Pallas)	Spotted Snailfish	F-LICA
<i>Liparis cyclopus</i> Gunther	Ribbon Snailfish	F-LICY
<i>Liparis dennyi</i> Jordan and Starks	Marbled Snailfish	F-LIDE
<i>Liparis florae</i> (Jordan and Starks)	Tidepool Snailfish	F-LIFL
<i>Liparis fucensis</i> Gilbert	Slipskin Snailfish	F-LIFU
<i>Liparis gibbus</i> Bean	Variegated Snailfish ⁸⁴	F-LIGI
<i>Liparis greeni</i> (Jordan and Starks)	Lobefin Snailfish	F-LIGR
<i>Liparis mucosus</i> Ayres	Slimy Snailfish	F-LIMU
<i>Liparis pulchellus</i> Ayres	Showy Snailfish	F-LIPU
<i>Liparis rutteri</i> (Gilbert and Snyder)	Ringtail Snailfish	F-LIRU
<i>Lipariscus nanus</i> Gilbert	Pygmy Snailfish	F-LINA
<i>Nectoliparis pelagicus</i> Gilbert and Burke	Tadpole Snailfish	F-NEPE
<i>Osteodiscus cascadiae</i> Stein	Bigtailed Snailfish	F-OSCA
<i>Paraliparis cephalus</i> Gilbert	Swellhead Snailfish	F-PACE
<i>Paraliparis deani</i> Burke	Prickly Snailfish	F-PADE
<i>Paraliparis latifrons</i> Garman	Bigpored Snailfish	F-PALA
<i>Paraliparis melanobranchus</i> Gilbert and Burke ⁸³	Phantom Snailfish	F-PAME
<i>Paraliparis paucidens</i> Stein	Toothless Snailfish	F-PAPA
<i>Paraliparis pectoralis</i> Stein	Pectoral Snailfish	F-PAPE
<i>Paraliparis rosaceus</i> Gilbert	Pink Snailfish	F-PARO
<i>Rhinoliparis attenuatus</i> Burke	Slim Snailfish	F-RHAT

ORDER PERCIFORMES: Perciform Fishes

FAMILY PERCICHTHYIDAE: Temperate Basses

† <i>Morone saxatilis</i> (Walbaum)	Striped Bass	F-MOSA
-------------------------------------	--------------	--------

FAMILY MALACANTHIDAE: Tilefishes

<i>Caulolatilus princeps</i> (Jenyns)	Ocean Whitefish	F-CAPR
---------------------------------------	-----------------	--------

⁸² First identified as *C. melanurus*, caught west of Vancouver Island in 1964 at 1200 fathoms, with only one specimen known. Shares similar counts and size of gill opening as *C. melanurus*. Specimen is female, not possessing ovipositor as to be expected in *C. melanurus* having fewer, very large eggs (Peden and Sendall 2001 ms).

⁸³ Specimens are at Royal B.C. Museum (Peden and Sendall 2001ms).

⁸⁴ English name changed to conform to Robbins *et al.* (1991).

FAMILY ECHENEIDAE: Remoras

<i>Remora australis</i> (Bennett)	Whalesucker	F-REAU
-----------------------------------	-------------	--------

FAMILY CARANGIDAE: Jacks

<i>Naucrates ductor</i> (Linnaeus)	Pilotfish	F-NADU
<i>Seriola lalandi</i> Valenciennes	Yellowtail	F-SELA
<i>Trachurus symmetricus</i> (Ayres)	Jack Mackerel	F-TRSY

FAMILY BRAMIDAE: Pomfrets

<i>Brama japonica</i> Hilgendorf	Pacific Pomfret	F-BRJA
<i>Taractes asper</i> Lowe	Rough Pomfret	F-TAAS

FAMILY CARISTIIDAE: Manefishes

<i>Caristius macropus</i> (Bellotti)	Bigmouth Manefish	F-CAMC
--------------------------------------	-------------------	--------

FAMILY SCIAENIDAE: Drums

<i>Atractoscion nobilis</i> (Ayres)	White Seabass	F-ATNO
<i>Genyonemus lineatus</i> (Ayres)	White Croaker	F-GELI
<i>Seriphus politus</i> Ayres	Queenfish	F-SEPO

FAMILY PENTACEROTIDAE: Armorheads

<i>Pentaceros wheeleri</i> Hardy ^{85, 86}	North Pacific Pelagic Armorhead	F-PEWH
--	---------------------------------	--------

FAMILY KYPHOSIDAE: Seachubs

<i>Medialuna californiensis</i> (Steindachner)	Halfmoon	F-MECA
--	----------	--------

FAMILY EMBIOTOCIDAE: Surfperches

<i>Amphistichus rhodoterus</i> (Agassiz)	Redtail Surfperch	F-AMRH
<i>Brachyistius frenatus</i> Gill	Kelp Perch	F-BRFR
<i>Cymatogaster aggregata</i> Gibbons	Shiner Perch	F-CYAG
<i>Embiotoca lateralis</i> Agassiz	Striped Seaperch	F-EMLA
<i>Hyperprosopon argenteum</i> Gibbons	Walleye Surfperch	F-HYAR
<i>Hyperprosopon ellipticum</i> (Gibbons)	Silver Surfperch	F-HYEL
<i>Phanerodon furcatus</i> Girard ⁸⁷	White Seaperch	F-PHFU
<i>Rhacochilus vacca</i> (Girard)	Pile Perch	F-RHVA

⁸⁵ Mecklenburg *et al.* (2002) used name *Pseudopentaceros* as did Clemens and Wilby (1961). Robbins *et al.* (1991) used *Pentaceros*. Gillespie (1993) notes *P. richardsoni* Smith is confined to the southern hemisphere.

⁸⁶ Mecklenburg *et al.* (2002) used name "North Pacific Pelagic Armorhead". For sake of consistency, the English name used in previous lists is maintained (Resources Inventory Committee 2000). Name will be changed if needed after Mecklenburg *et al.* (2000 *in press*) is published.

⁸⁷ Records from British Columbia are old. Voucher specimens required for verification of current status.

FAMILY BATHYMASTERIDAE: Ronquils

<i>Bathymaster caeruleofasciatus</i> Gilbert and Burke	Alaskan Ronquil ⁸⁸	F-BACA
<i>Bathymaster signatus</i> Cope	Searcher	F-BASI
<i>Ronquilus jordani</i> (Gilbert)	Northern Ronquil	F-ROJO

FAMILY ZOARCIDAE: Eelpouts

<i>Bothrocara brunneum</i> (Bean)	Twoline Eelpout	F-BOBR
? <i>Bothrocara molle</i> Bean ⁸⁹	Soft Eelpout	F-BOMO
<i>Bothrocara pusillum</i> (Bean)	Alaska Eelpout	F-BOPU
<i>Bothrocara remigerum</i> Gilbert ⁸⁹	Longsnout Eelpout	F-BORE
<i>Derepodichthys alepidotus</i> Gilbert	Cuskpout	F-DEAL
<i>Lycenchelys camchaticus</i> Gilbert and Burke ⁹⁰	Kamchatka Eelpout ⁹¹	F-LYCA
<i>Lycenchelys crotalinus</i> (Gilbert)	Snakehead Eelpout	F-LYCR
<i>Lycenchelys jordani</i> (Evermann and Goldsborough)	Shortjaw Eelpout	F-LYJO
<i>Lycenchelys micropora</i> Andriashev ⁹²	Pale Eelpout	F-LYMI
<i>Lycodapus endemoscotus</i> Peden and Anderson	Deepwater Eelpout ⁹³	F-LYEN
<i>Lycodapus fierasfer</i> Gilbert	Blackmouth Eelpout	F-LYFI
<i>Lycodapus mandibularis</i> Gilbert	Pallid Eelpout	F-LYMA
<i>Lycodapus pachysoma</i> Peden and Anderson	Stout Eelpout	F-LYPA
<i>Lycodapus parviceps</i> Gilbert	Smallhead Eelpout	F-LYPR
<i>Lycodes brevipes</i> Bean	Shortfin Eelpout	F-LYBR
<i>Lycodes cortezianus</i> (Gilbert)	Bigfin Eelpout	F-LYCO
<i>Lycodes diapterus</i> Gilbert	Black Eelpout	F-LYDI
<i>Lycodopsis pacificus</i> Collett	Blackbelly Eelpout	F-LYPC
<i>Lycodes palearis</i> Gilbert	Wattled Eelpout	F-LYPL
<i>Melanostigma pammelas</i> Gilbert	Pacific Softpout	F-MEPA
<i>Pachycara bulbiceps</i> (Garman)	Abyssal Eelpout	F-PABU
<i>Pachycara gymninium</i> Anderson and Peden	Nakedneck Eelpout	F-PAGY
<i>Pachycara lepinium</i> Anderson and Peden	Scalyneck Eelpout	F-PALE
<i>Taranetzella lyoderma</i> Andriashev	Ghostly Eelpout	F-TALY

FAMILY STICHAEIDAE: Pricklebacks

<i>Allolumpenus hypochromus</i> Hubbs and Schultz	Y-Prickleback	F-ALHY
<i>Anoplarchus insignis</i> Gilbert and Burke	Slender Cockscomb	F-ANIS
<i>Anoplarchus purpurescens</i> Gill	High Cockscomb	F-ANPU

⁸⁸ English name changed (Robbins *et al.* 1991).⁸⁹ Anderson (1994) synonymized *B. molle* with *B. remigerum*.⁹⁰ Many unrecorded specimens catalogued at Royal B.C. Museum.⁹¹ Change of English name (Mecklenburg *et al.* 2002).⁹² Specimen located in collections at Oregon State University, record soon to be published.⁹³ Peden used name "Slipskin" in previous lists (Resources Inventory Committee 2000), however Robbins *et al.* (1991) and Mecklenburg *et al.* (2002) retained use of "Eelpout" for all family Zoarcidae.

<i>Bryozaichthys marjorius</i> McPhail	Pearly Prickleback	F-BRMR
<i>Chirolophis decoratus</i> (Jordan and Snyder)	Decorated Warbonnet	F-CHDE
<i>Chirolophis nugator</i> (Jordan and Williams)	Mosshead Warbonnet	F-CHNU
<i>Chirolophis tarsodes</i> (Jordan and Snyder)	Matcheck Warbonnet	F-CHTA
<i>Lumpenella longirostris</i> (Evermann and Goldsborough)	Longsnout Prickleback	F-LULO
<i>Lumpenus maculatus</i> (Fries) ⁹⁴	Daubed Shanny ⁹⁵	F-LUMA
<i>Lumpenus sagitta</i> Wilimovsky	Snake Prickleback ⁹⁶	F-LUSA
<i>Phytichthys chirus</i> (Jordan and Gilbert)	Ribbon Prickleback	F-PHCH
<i>Plectobranthus evides</i> Gilbert	Bluebarred Prickleback	F-PLEV
<i>Poroclinus rothrocki</i> Bean	Whitebarred Prickleback	F-PORO
<i>Stichaeus punctatus</i> (Fabricius)	Arctic Shanny	F-STPU
<i>Xiphister atropurpureus</i> (Kittlitz)	Black Prickleback	F-XIAT
<i>Xiphister mucosus</i> (Girard)	Rock Prickleback	F-XIMU
FAMILY CRYPTACANTHODIDAE: Wrymouths		
<i>Cryptacanthodes aleutensis</i> (Gilbert) ⁹⁷	Dwarf Wrymouth	F-CRAL
<i>Cryptacanthodes giganteus</i> (Kittlitz) ⁹⁹	Giant Wrymouth	F-CRGI
FAMILY PHOLIDAE: Gunnels		
<i>Apodichthys flavidus</i> Girard	Penpoint Gunnel	F-APFL
<i>Apodichthys fucorum</i> Jordan and Gilbert ⁹⁸	Rockweed Gunnel	F-APFU
<i>Pholis clemensi</i> Rosenblatt ⁹⁹	Longfin Gunnel	F-PHCL
<i>Pholis laeta</i> (Cope) ⁹⁹	Crescent Gunnel	F-PHLA
<i>Pholis ornata</i> (Girard) ⁹⁹	Saddleback Gunnel	F-PHOR
<i>Pholis schultzi</i> Hubbs ¹⁰⁰	Red Gunnel	F-PHSC
FAMILY ANARRHICHADIDAE: Wolffishes		
<i>Anarrhichthys ocellatus</i> Ayres	Wolf-eel	F-ANOC
FAMILY PTILICHTHYIDAE: Quillfishes		
<i>Ptilichthys goodei</i> Bean	Quillfish	F-PTGO
FAMILY SCYTALINIDAE: Graveldivers		
<i>Scytalina cerdale</i> Jordan and Gilbert	Graveldiver	F-SCCE

⁹⁴ Though Mecklenburg *et al.* (2002) reverts back to usage of *Leptoclinus*, *Lumpenus* is retained here.

⁹⁵ Name changed to conform to Robbins *et al.* (1991).

⁹⁶ Change of English name (Mecklenburg *et al.* 2002 and Robbins *et al.* 1991).

⁹⁷ Mecklenburg *et al.* (2002) and Robbins *et al.* (1991) placed *Delolepis* and *Lyconectes* into *Cryptacanthodes*.

⁹⁸ See Yatsu (1981) for change from *Xerperes* to *Apodichthys* (note removal of parentheses for authors).

⁹⁹ Yatsu (1981) places *P. clemensi*, *P. laeta* and *P. ornata* in *Allopholis*.

¹⁰⁰ Robbins *et al.* (1991) cite *Pholis shultzi* "Schultz" rather than "Hubbs in Schultz" as reported in earlier literature.

Vertebrates of British Columbia

FAMILY ZAPRORIDAE: Prowfishes

Zaprora silenus Jordan Prowfish F-ZASI

ORDER GOBIESOCIFORMES: Gobiesociform Fishes

FAMILY GOBIESOCIDAE: Clingfishes

Gobiesox maeandricus (Girard) Northern Clingfish F-GOMA
Rimicola muscarum (Meek and Pierson) Kelp Clingfish F-RIMU

FAMILY SPHYRAENIDAE: Barracudas

Sphyraena argentea Girard Pacific Barracuda F-SPAR

FAMILY TRICHODONTIDAE: Sandfishes

Trichodon trichodon (Tilesius) Pacific Sandfish F-TRTR

FAMILY CLINIDAE: Clinids

Gibbonsia metzi Hubbs Striped Kelpfish F-GIME
Gibbonsia montereyensis Hubbs Crevice Kelpfish F-GIMO
?Heterostichus rostratus Girard¹⁰¹ Giant Kelpfish F-HERO

FAMILY AMMODYTIDAE: Sand Lances

Ammodytes hexapterus Pallas Pacific Sand Lance F-AMHE

FAMILY GOBIIDAE: Gobies

Clevelandia ios (Jordan and Gilbert) Arrow Goby F-CLIO
Coryphopterus nicholsi (Bean) Blackeye Goby F-CONI
Lepidogobius lepidus (Girard) Bay Goby F-LELE

FAMILY TRICHIURIDAE: Hairtails

Aphanopus carbo Lowe Black Scabbardfish F-APCA
Benthodesmus elongatus (Clarke) Frostfish¹⁰² F-BEEL
Benthodesmus tenuis (Gunther) Javelinfin F-BETE

FAMILY SCOMBRIDAE: Mackerels

Katsuwonus pelamis (Linnaeus)¹⁰³ Skipjack Tuna F-KAPE
Sarda chiliensis (Cuvier) Pacific Bonito F-SACH
Scomber japonicus Houttuyn Chub Mackerel F-SCJA
Thunnus alalunga (Bonnaterre) Albacore F-THAL
Thunnus thynnus (Linnaeus) Bluefin Tuna F-THTH

FAMILY XIPHIIDAE: Swordfishes

Xiphias gladius Linnaeus Swordfish F-XIGL

¹⁰¹ Old record of Halkett (1913) often repeated in literature, however, voucher specimens required.

¹⁰² Change in English name from previous list (Resources Inventory Committee 2000).

¹⁰³ Change of generic name (Robbins *et al.* 1991).

FAMILY STROMATEIDAE: Butterfishes

<i>Icichthys lockingtoni</i> Jordan and Gilbert ¹⁰⁴	Medusafish	F-ICLO
<i>Peprilus simillimus</i> (Ayres)	Pacific Pompano	F-PESI
<i>Tetragonurus cuvieri</i> Risso ¹⁰⁴	Smalleye Squaretail	F-TECU

FAMILY ICOSTEIDAE: Ragfishes

<i>Icosteus aenigmaticus</i> Lockington	Ragfish	F-ICAE
---	---------	--------

ORDER PLEURONECTIFORMES: Flatfishes**FAMILY BOTHIDAE:** Lefteye Flounders

<i>Citharichthys sordidus</i> (Girard)	Pacific Sanddab	F-CISO
<i>Citharichthys stigmaeus</i> Jordan and Gilbert	Speckled Sanddab	F-CIST

FAMILY PLEURONECTIDAE: Righteye Flounders ¹⁰⁵

<i>Atheresthes stomias</i> (Jordan and Gilbert)	Arrowtooth Flounder	F-ATST
<i>Clidoderma asperrimum</i> (Temminck and Schlegel)	Roughscale Sole	F-CLAS
<i>Embassichthys bathybius</i> (Gilbert)	Deepsea Sole	F-EMBA
<i>Eopsetta exilis</i> (Jordan and Gilbert)	Slender Sole	F-EOEX
<i>Eopsetta jordani</i> (Lockington)	Petrale Sole	F-EOJO
<i>Errex zachirus</i> (Lockington)	Rex Sole	F-ERZA
<i>Hippoglossoides elassodon</i> Jordan and Gilbert	Flathead Sole	F-HIEL
<i>Hippoglossus stenolepis</i> Schmidt	Pacific Halibut	F-HIST
<i>Microstomus pacificus</i> (Lockington)	Dover Sole	F-MIPA
# <i>Platichthys stellatus</i> Pallas	Starry Flounder	F-PLST
<i>Limanda asper</i> Pallas	Yellowfin Sole	F-PLAS
<i>Lepidopsetta bilineatus</i> (Ayres) ¹⁰⁶	Southern Rock Sole	F-LEBI
<i>Lepidopsetta polyxystra</i> (Orr and Materese) ¹⁰⁷	Northern Rock Sole	F-LEPO
<i>Pleuronectes isolepis</i> (Lockington)	Butter Sole	F-PLIS
<i>Pleuronectes vetulus</i> (Girard)	English Sole	F-PLVE
<i>Pleuronichthys coenosus</i> Girard	C-O Sole	F-PLCO
<i>Pleuronichthys decurrens</i> Jordan and Gilbert	Curlfin Sole	F-PLDE
<i>Psettichthys melanostictus</i> Girard	Sand Sole	F-PSME
<i>Reinhardtius hippoglossoides</i> (Walbaum)	Greenland Halibut	F-REHI

¹⁰⁴ Placed into family Stromateidae by Robbins *et al.* (1991).

¹⁰⁵ Because it is a hybrid, *Inopsetta ischyra* Jordan and Gilbert, is not listed.

¹⁰⁶ Change of generic name (Mecklenburg *et al.* 2002).

¹⁰⁷ New species of flounder published by Orr and Matarese (2000).

ORDER **TETRAODONTIFORMES**: Tetraodontiform Fishes

FAMILY **MOLIDAE**: Molas

Mola mola (Linnaeus)

Ocean Sunfish

F-MOMO

Fishes Occurring Just Outside Canadian Waters, but Not Within Canadian Waters.

Though the following fish species are not recorded within the Western Canadian Fishery Boundary, they were either captured by the Canadian Weathership at Ocean Station Papa (50°N, 145°W)¹⁰⁸, or from localities just outside the fishery boundary. They are listed here for their potential representation in British Columbia's marine fauna, however such occurrences have yet to be documented. Note: the family name is provided in the last column.

<i>Raja inornata</i> Jordan and Gilbert ¹⁰⁹	California Skate	F-RAIN	Rajidae
@ <i>Dolichopteryx</i> sp. ¹¹⁰	Spookfish		Opisthoproctidae
@ <i>Holtbyrnia innesi</i> (Fowler) ¹¹¹	Innes Tubeshoulder	F-HOIN	Platyroctidae
@ <i>Gonostoma gracile</i> Gunther	Slender Fangjaw	F-GOGR	Gonostomatidae
@ <i>Malacosteus danae</i> (Regan and Trewavas)	Shortnose Loosejaw	F-MADA	Stomiidae
@ <i>Benthabella linguoides</i> (Mead and Bohlke)	Longfin Pearleye	F-BELI	Scopelarchidae
@ <i>Lampanyctus jordani</i> Gilbert	Brokenline Lanternfish	F-LAJO	Myctophidae
@ <i>Gyrinomimus</i> sp.	Flabby Whalefish		Cetomimidae
<i>Artedius corallinus</i> (Hubbs) ¹¹²	Coralline Sculpin	F-ARCO	Cottidae
<i>Artedius notospilotus</i> Girard ¹¹³	Bonyhead Sculpin	F-ARNO	Cottidae
<i>Remora remora</i> (Linnaeus) ¹¹⁴	Sharksucker	F-RERE	Echeneidae
<i>Amphistichus koelzi</i> (Hubbs) ¹¹⁵	Calico Surfperch	F-AMKO	Embiotocidae
<i>Luvaris imperialis</i> Rafinesque ¹¹⁶	Louvar	F-LUIM	Luvaridae
<i>Symphurus atricauda</i> (Jordan and Gilbert) ¹¹⁷	California Tonguefish	F-SYAT	Cynogossidae

¹⁰⁸ Specimens from Ocean Station Papa (Peden *et al.* 1985) indicated by “@”.

¹⁰⁹ Known in Strait of Juan de Fuca (Eschmeyer *et al.* 1983, Gillespie 1993). Not yet recorded in British Columbia.

¹¹⁰ Known from Ocean Station Papa, 50°N, 145°W (Hart 1973) and Gulf of Alaska (University of Washington specimens).

¹¹¹ Specimen from Ocean Station Papa identified as *H. macrops* by Peden *et al.* (1985). Peden later verified identification of McAllister (1990).

¹¹² Recorded from Orcas Island, Washington (Miller and Lea 1972, Eschmeyer *et al.* 1983).

¹¹³ Recorded to Puget Sound, Washington (Miller and Lea 1972, Eschmeyer *et al.* 1983).

¹¹⁴ Known just outside southwestern Canadian Fishery boundary (Hughes 1985).

¹¹⁵ Though listed from Cape Flattery, Washington (Hart 1973), it is not documented in British Columbia.

¹¹⁶ Taken within 30 miles of Canada's southwestern most Fishery boundary (Peden and Jamieson 1988).

¹¹⁷ Attributed to El Nino occurrence to Puget Sound, Washington (Percy and Schoener 1987).

Vertebrates of British Columbia

The following species are known off Alaska and the southern 48 United States and are hypothetically close enough to Canadian waters to possibly occur in Canadian waters. Voucher records are required. Note: the family name is provided in the last column.

? <i>Conocara salmoneum</i> (Gill & Townsend) ¹¹⁸	Salmon Slickhead	F-COSL	Alepocephalidae
<i>Dicroline filamentosa</i> Garman ¹¹⁹	Threadfin Cusk-Eel	F-DIFI	Ophidiidae
<i>Zesticulus profundorum</i> (Gilbert) ¹²⁰	Flabby Sculpin	F-ZEPR	Cottidae
<i>Elassodiscus caudatus</i> (Gilbert) ¹²⁰	Humpback Snailfish	F-ELCA	Cyclopteridae
? <i>Liparis tunicatus</i> Reinhardt ¹²¹	Kelp Snailfish	F-LITU	Cyclopteridae
<i>Paraliparis ulochir</i> (Gilbert) ¹²⁰	Broadfin Snailfish	F-PAUL	Cyclopteridae
<i>Rhinoliparis barbulifer</i> Gilbert ¹²⁰	Longnose Snailfish	F-RHBA	Cyclopteridae
<i>Lycodapus dermatinus</i> Gilbert ¹²²	Looseskin Eelpout	F-LYDE	Zoarcidae
<i>Lycodapus psarostomatus</i> Peden and Anderson ¹²³	Specklemouth Eelpout	F-LYPS	Zoarcidae
<i>Balistes polylepis</i> Steindachner ¹²⁴	Finescale Triggerfish	F-BAPO	Balistidae

¹¹⁸ Mecklenburg *et al.* (2002) uses name “*Conocara*” for *Ericara*, the generic name historically used (see Fitch and Lavenberg 1968).

¹¹⁹ Noted off Cape Flattery, Washington, 48°19' N (Love 2000 WEBB page), close to Canadian border.

¹²⁰ See Stein (1978) and Eschmeyer *et al.* (1983).

¹²¹ Likely an erroneous record off California (Love 2001 WEBB page), normally occurs between Bering Sea and Atlantic Ocean.

¹²² Known off Washington State and Welker Seamount in Alaska (Peden and Anderson 1981). The species can be anticipated to occur off British Columbia.

¹²³ Described by Peden and Anderson (1981). Anderson (1989) later recorded the species from California.

¹²⁴ Known in Southeast Alaska (Mecklenberg *et al.* 2002) and Washington (Percy and Schoener 1987) during El Nino.

Freshwater Fishes

Scientific Authority: Alex E. Peden

This list includes 83 populations believed to have species status, not all of them with new scientific names: 73 are indigenous to the province; 14 are alien (i.e. introduced into British Columbia); 22 are populations having morphological and behavioural characters approaching definitions of biologically or geographically isolated species, and deserve recognition in management and conservation policy even though not formally described with scientific names. Twenty-four species occur in both fresh and salt water and are included on both marine and freshwater lists. The list is complete as known to the author in August 2001. Fresh water can be defined as waters less than 15/000 (Jean *et al.* 1981). Names and classification follow Nelson (1994). The latter reference reflects a new classification that places order cypriniformes before order salmoniformes. Taxonomic categories above the level of genus are arranged phylogenetically; genera and species, and subspecies are arranged alphabetically within each family. Subspecies are indicated where distinct geographic barriers to their distribution (i.e., mountain range, water basins, etc.) occur. “†” refers to introduced (alien) species. “#” refers to anadromous species or marine fish that venture into mouths of streams and rivers or freshwater species found on occasion in the province’s marine waters.

CLASS CEPHALASPIDOMORPHI: Cephalaspidomorphs

ORDER PETROMYZONTIFORMES: Lamprey

FAMILY PETROMYZONTIDAE: Lampreys

# <i>Lampetra ayresi</i> (Gunther)	River Lamprey	F-LAAY
<i>Lampetra macrostoma</i> Beamish	Cowichan Lake Lamprey ¹²⁵	F-LAMA
<i>Lampetra richardsoni</i> Vladykov and Follett pop: Morrison Creek ^{126, 127}	Western Brook Lamprey	F-LARC
# <i>Lampetra tridentata</i> (Gairdner)	Pacific Lamprey	F-LATR

CLASS ACTINOPTERYGII: Bony Fishes

ORDER ACIPENSERIFORMES: Sturgeons

FAMILY ACIPENSERIDAE: Sturgeons

# <i>Acipenser medirostris</i> Ayres	Green Sturgeon	F-ACME
# <i>Acipenser transmontanus</i> Richardson	White Sturgeon	F-ACTR

¹²⁵ Name recognized by COSEWIC (2001), but not by Robbins *et al.* (1991) who use the name “Vancouver Lamprey.”

¹²⁶ English name used by COSEWIC (2001) was Morrison Creek Lamprey.

¹²⁷ Recognised by COSEWIC as endangered (Beamish *et al.* 1999, COSEWIC 2000, see WEBB page: http://www.ec.gc.ca/press/2001/010503-2_n_e.htm).

ORDER OSTEOGLOSSIFORMES: Osteoglossiform Fishes

FAMILY HIODONTIDAE: Mooneyes

<i>Hiodon alosoides</i> (Rafinesque)	Goldeye	F-HIAL
--------------------------------------	---------	--------

ORDER CLUPEIFORMES: Herrings

FAMILY CLUPEIDAE: Herrings

# † <i>Alosa sapidissima</i> (Wilson)	American Shad	F-ALSA
---------------------------------------	---------------	--------

ORDER CYPRINIFORMES: Cypriniform Fishes

FAMILY CYPRINIDAE: Carps and Minnows

<i>Acrocheilus alutaceus</i> Agassiz and Pickering	Chiselmouth	F-ACAL
† <i>Carassius auratus</i> (Linnaeus)	Goldfish	F-CAAU
<i>Couesius plumbeus</i> (Agassiz)	Lake Chub	F-COPL
pop: Liard Hot Spring Chub ¹²⁸		
†# <i>Cyprinus carpio</i> Linnaeus	Common Carp	F-CYCA
<i>Hybognathus hankinsoni</i> Hubbs and Greene	Brassy Minnow	F-HYHA
<i>Margariscus margarita</i> (Cope) ¹²⁹	Pearl Dace	F-MAMA
# <i>Mylocheilus caurinus</i> (Richardson)	Peamouth	F-MYCA
<i>Notropis atherinoides</i> Rafinesque	Emerald Shiner	F-NOAT
<i>Notropis hudsonius</i> (Clinton)	Spottail Shiner	F-NOHU
<i>Phoxinus eos</i> (Cope) ¹²⁹	Northern Redbelly Dace	F-PHEO
<i>Phoxinus neogaeus</i> (Cope) ¹²⁹	Finescale Dace	F-PHNE
<i>Phoxinus eos</i> (Cope) X	Northern Redbelly Dace X	
<i>Phoxinus neogaeus</i> (Cope) ¹³⁰	Finescale Dace Hybrid	
(†?) <i>Pimephales promelas</i> Rafinesque	Flathead Minnow	F-PIPR
<i>Platygobio gracilis</i> (Richardson)	Flathead Chub	F-PLGR
<i>Ptychocheilus oregonensis</i> (Richardson)	Pikeminnow ¹³¹	F-PTOR
<i>Rhinichthys cataractae</i> (Valenciennes)	Longnose Dace	F-RHCA
<i>Rhinichthys</i> sp. ¹³²	Nooksack Dace	
<i>Rhinichthys falcatus</i> (Eigenmann and Eigenmann)	Leopard Dace	F-RHFA
<i>Rhinichthys osculus</i> Girard	Speckled Dace	F-RHOS
<i>Rhinichthys umatilla</i> (Gilbert and Evermann) ¹³³	Umatilla Dace	F-RHUM
<i>Richardsonius balteatus</i> (Richardson)	Redside Shiner	F-RIBA
† <i>Tinca tinca</i> (Linnaeus)	Tench	F-TITI

¹²⁸ Unique *C. plumbeus* living in Liard Hot Springs and a unique morphological variation within a warm habitat.

¹²⁹ See Gillespie (1993) and Page and Burr (1991) for usage of generic name.

¹³⁰ Hybrid populations, some of which may exist as triploid female clones (Cannings 1993).

¹³¹ Recent publications use "Pikeminnow", instead of "Squawfish".

¹³² Nooksack Dace of concern to Conservation Data Centre (Cannings 1993, Pearson 1998).

¹³³ Populations morphologically variable between river basins (Peden and Hughes 1988).

FAMILY CATOSTOMIDAE: Suckers

<i>Catostomus catostomus</i> (Forster)	Longnose Sucker	F-CACT
<i>Catostomus columbianus</i> (Eigenmann and Eigenmann)	Bridgelip Sucker	F-CACO
<i>Catostomus commersoni</i> (Lacepede)	White Sucker	F-CACM
<i>Catostomus macrocheilus</i> Girard	Largescale Sucker	F-CAMA
<i>Catostomus platyrhynchus</i> (Cope)	Mountain Sucker	F-CAPL
<i>Catostomus</i> sp. ¹³⁴	Salish Sucker	

ORDER SILURIFORMES: Catfishes**FAMILY ICTALURIDAE: Catfishes**

† <i>Ameiurus melas</i> (Rafinesque) ¹²⁹	Black Bullhead	F-AMME
† <i>Ameiurus nebulosus</i> (Lesueur) ¹²⁹	Brown Bullhead	F-AMNE

ORDER ESOCIFORMES: Pikes**FAMILY ESOCIDAE: Pikes**

<i>Esox lucius</i> Linnaeus	Northern Pike	F-ESLU
-----------------------------	---------------	--------

ORDER OSMERIFORMES: Smelts**FAMILY OSMERIDAE: Smelts**

# <i>Spirinchus thaleichthys</i> (Ayres)	Longfin Smelt	F-SPTH
<i>Spirinchus</i> sp. ¹³⁵	Pygmy Longfin Smelt	
# <i>Thaleichthys pacificus</i> (Richardson)	Eulachon	F-THPA

ORDER SALMONIFORMES: Salmoniform Fishes**FAMILY SALMONIDAE: Salmon, Trout and Whitefishes**

<i>Coregonus autumnalis</i> (Pallas)	Arctic Cisco	F-COAU
<i>Coregonus artedii</i> Lesueur	Cisco	F-COAR
<i>Coregonus clupeaformis</i> (Mitchill)	Lake Whitefish	F-COCL
<i>Coregonus nasus</i> (Pallas)	Broad Whitefish	F-CONA
<i>Coregonus sardinella</i> Valenciennes	Least Cisco	F-COSR

¹³⁴ Includes Campbell River Sucker (McPhail 1987) which is undescribed and closely related to *C. catostomus* (Pearson 1998). The same specimen of *Caraproctus* sp. has a UBC catalogue number: UBC 64-444 and a National Museum of Canada number: NMC 68-1783.

¹³⁵ Neotenic smelt descendant from *S. thaleichthys* and inhabiting Harrison and Pitt Lakes (Cannings 1993).

Vertebrates of British Columbia

# <i>Oncorhynchus clarki</i> (Richardson) ^{136,137}	Cutthroat Trout	F-ONCL
ssp: <i>clarki</i> (Richardson) ¹³⁸		F-ONCL-CL
<i>lewisi</i> (Girard) ¹³⁹		F-ONCL-LE
# <i>Oncorhynchus gorbuscha</i> (Walbaum)	Pink Salmon	F-ONGO
# <i>Oncorhynchus keta</i> (Walbaum)	Chum Salmon	F-ONKE
# <i>Oncorhynchus kisutch</i> (Walbaum)	Coho Salmon	F-ONKI
# <i>Oncorhynchus mykiss</i> (Walbaum) ¹³⁷	Rainbow Trout ¹⁴⁰	F-ONMY
# <i>Oncorhynchus nerka</i> (Walbaum)	Sockeye Salmon	F-ONNE
pop: Kokanee ¹⁴¹		
Okanagan Kokanee ¹⁴²		
# <i>Oncorhynchus tshawytscha</i> (Walbaum)	Chinook Salmon	F-ONTS
<i>Prosopium coulteri</i>	Pygmy Whitefish	F-PRCO
(Eigenmann and Eigenmann)		
<i>Prosopium</i> sp. ¹⁴³	Giant Pygmy Whitefish	
<i>Prosopium cylindraceum</i> (Pallas)	Round Whitefish	F-PRCY
<i>Prosopium williamsoni</i> (Girard)	Mountain Whitefish	F-PRWI
<i>Prosopium williamsoni</i> ssp. ¹⁴⁴	Mountain Whitefish, “Pinocchio” form	
†# <i>Salmo salar</i> Linnaeus	Atlantic Salmon	F-SASA
† <i>Salmo trutta</i> Linnaeus	Brown Trout	F-SATR
<i>Salvelinus confluentus</i> (Suckley)	Bull Trout	F-SACO
† <i>Salvelinus fontinalis</i> (Mitchell)	Brook Trout	F-SAFO
# <i>Salvelinus malma</i> (Walbaum)	Dolly Varden	F-SAMA
<i>Salvelinus namaycush</i> (Walbaum)	Lake Trout	F-SANA
<i>Stenodus leucichthys</i> (Guldenstadt)	Inconnu	F-STLU
<i>Thymallus arcticus</i> (Pallas)	Arctic Grayling	F-THAR

ORDER PERCOPSIFORMES: Percopsiform Fishes

FAMILY PERCOPSIDAE: Troutperches

<i>Percopsis omiscomaycus</i> (Walbaum)	Troutperch	F-PEOM
---	------------	--------

¹³⁶ Includes Coastal Cutthroat Trout (*O. c. clarki*) and Yellowstone Cutthroat Trout (*O. c. lewisi*).

¹³⁷ Change of generic name from *Salmo* to *Oncorhynchus* (Nelson 1994).

¹³⁸ Coastal Cutthroat Trout is often used as the English name for this subspecies.

¹³⁹ Yellowstone Cutthroat Trout is often used as the English name for this subspecies.

¹⁴⁰ Steelhead refer to Sea-Run Rainbow Trout.

¹⁴¹ Land-locked populations of Sockeye Salmon (Kokanee) require recognition for conservation or management as distinct populations.

¹⁴² Kokanee in Okanagan Lake are unique with behaviourally unique sympatric population, i.e., typical Kokanee males defend territory against rivals while in stream habitat, whereas, lake dwelling Kokanee have mass spawning by schooling non-territorial males, as females drop eggs between large rocks (Dill, Okanagan College, Kelowna, BC, unpubl. data).

¹⁴³ See McCart (1965) and Cannings (1993).

¹⁴⁴ Sympatric population genetically and morphologically differentiated with different foraging behaviour (Troffe 2000).

ORDER **GADIFORMES**: Gadiform FishesFAMILY **GADIDAE**: Cods*Lota lota* (Linnaeus)

Burbot

F-LOLO

ORDER **GASTEROSTEIFORMES**: Gasterosteiform FishesFAMILY **GASTEROSTEIDAE**: Sticklebacks*Culaea inconstans* (Kirtland)

Brook Stickleback

F-CUIN

Gasterosteus aculeatus Linnaeus ¹⁴⁵

Threespine Stickleback

F-GAAC

Gasterosteus aculeatus spp. ¹⁴⁶Charlotte Unarmoured Stickleback ¹⁴⁷*Gasterosteus* sp. ¹⁴⁸

Giant Black Stickleback

Gasterosteus sp. ¹⁴⁹Enos Lake Limnetic Stickleback ¹⁵⁰*Gasterosteus* sp. ¹⁴⁹

Enos Lake Benthic Stickleback

Gasterosteus sp. ¹⁵¹

Paxton Lake Limnetic Stickleback

Gasterosteus sp. ¹⁵¹

Paxton Lake Benthic Stickleback

Gasterosteus sp. ^{152,153,154}

Vananda Lake Limnetic Stickleback

Gasterosteus sp. ^{152, 153, 154}

Vananda Lake Benthic Stickleback

Gasterosteus sp. ¹⁵⁵

Hadley Lake Limnetic Stickleback

Gasterosteus sp. ¹⁵⁵

Hadley Lake Benthic Stickleback

Pungitius pungitius (Linnaeus) ¹⁵⁶

Ninespine Stickleback

F-PUPU

¹⁴⁵ Includes the marine (*trachurus*) and freshwater (*leiurus*) forms.¹⁴⁶ Unique populations found on the Queen Charlotte Islands. Lack one or more pelvic and dorsal fin spines (Moodie and Reimchen 1976).¹⁴⁷ English name adopted by COSEWIC (2001).¹⁴⁸ Awaiting formal scientific description. Inhabits Drizzle and Mayer Lakes, Queen Charlotte Islands (Cannings 1993).¹⁴⁹ Awaiting formal description. Unique populations in Enos Lake, Vancouver Island: one adapting to bottom, and the other to mid-water resources of the lake (Cannings 1993).¹⁵⁰ This name and the English names to follow for *Gasterosteus* are those used by COSEWIC (2001).¹⁵¹ Unique populations in Paxton Lake, Texada Island: one adapted to bottom, the other to mid-water habitat of the lake (Cannings 1993).¹⁵² Unique populations in Priest Lake, Texada Island: one adapted to bottom, the other to mid-water habitat of the lake now part of the Vananda Creek Benthic/Limnetic Stickleback (Cannings 1993).¹⁵³ Unique populations in Balkwill Lake, Texada Island: one adapted to bottom, the other to mid-water habitat of the lake now part of the Vananda Creek Benthic/Limnetic Stickleback (Cannings 1993).¹⁵⁴ Unique populations in Emily Lake, Texada Island: one adapted to bottom, the other to mid-water habitat of the lake now part of the Vananda Creek Benthic/Limnetic Stickleback (Cannings 1993).¹⁵⁵ Unique to Hadley Lake, Lasqueti Island, extinct due to catfish introductions.¹⁵⁶ Ninespine stickleback only occur in Arctic or Atlantic drainages (also some pacific drainages of Alaska). The "Love Fish List" on the Webb is misleading by inferring distribution in pacific drainages of Canada.

ORDER SCORPAENIFORMES: Mail-Cheeked Fishes

FAMILY COTTIDAE: Sculpins

# <i>Cottus aleuticus</i> Gilbert	Coastrange Sculpin	F-COAL
# <i>Cottus sp.</i> ^{157, 158}		
# <i>Cottus asper</i> Richardson	Prickly Sculpin	F-COAS
<i>Cottus bairdi</i> Bailey	Columbia Mottled Sculpin ¹⁶⁰	F-COBA
ssp. <i>hubbsi</i> Bailey and Dimick ¹⁵⁹		
<i>Cottus cognatus</i> Richardson	Slimy Sculpin	F-COCO
<i>Cottus confusus</i> Bailey and Bond ¹⁶¹	Shorthead Sculpin	F-COCN
pop: Beaver Creek Shorthead Sculpin ¹⁶²		
<i>Cottus punctulatus</i> (Gill) ¹⁶³	Rocky Mountain Sculpin	F-COPU
<i>Cottus rhotheus</i> (Smith) ¹⁶⁴	Torrent Sculpin	F-CORH
<i>Cottus ricei</i> (Nelson)	Spoonhead Sculpin	F-CORI
# <i>Leptocottus armatus</i> Girard	Staghorn Sculpin	F-LEAR

ORDER PERCIFORMES: Perciform Fishes

FAMILY CENTRARCHIDAE: Sunfishes

† <i>Lepomis gibbosus</i> (Linnaeus)	Pumpkinseed	F-LEGI
† <i>Micropterus dolomieu</i> Lacepede	Smallmouth Bass	F-MIDO
† <i>Micropterus salmoides</i> (Lacepede)	Largemouth Bass	F-MISA
† <i>Pomoxis nigromaculatus</i> (Lesueur)	Black Crappie	F-PONI

FAMILY PERCIDAE: Perches

<i>Perca flavescens</i> (Mitchill)	Yellow Perch	F-PEFL
<i>Stizostedion vitreum</i> (Mitchill)	Walleye	F-STVI

¹⁵⁷ Poorly studied, derived from *Cottus aleuticus*. Adapted to mid-water rather than benthic habitats (Coffie 1997).

¹⁵⁸ English name used by Coffie (1997) is Cultus Pygmy Sculpin.

¹⁵⁹ Populations of mottled sculpin occurring in lower Columbia and Similkameen rivers near type locality (Bailey and Dimick 1949). Subspecific designation adopted for convenience. Type locality of Mottled Sculpin (*C. bairdi*) is near the Great Lakes, and unlikely to be identical to western populations.

¹⁶⁰ Name used by COSEWIC (2001).

¹⁶¹ Inhabits streams tributary to lower Columbia and Kootenay rivers in British Columbia (Peden *et al.* 1989).

¹⁶² Peden (2001ms) provides genetic evidence for this population growing larger in size than other *C. confusus* populations.

¹⁶³ Peden *et al.* (1989) reviewed status of *C. confusus* and *C. bairdi*. Subsequent reports (Peden 1991ms, 2000ms) note new names for populations with different allozymes in the Flathead River. Though referred to as *C. confusus*, they are *C. bairdi*. They are electrophoretically different and were provisionally named *C. b. punctulatus* (Gill).

¹⁶⁴ Upstream tributary populations of the Columbia system may be less prickly, especially at larger sizes.

ORDER PLEURONECTIFORMES: flatfishes

FAMILY PLEURONECTIDAE: Righteye Flounders

Platichthys stellatus Pallas

Starry Flounder

F-PLST

Amphibians

Scientific Authority: David M. Green

This list includes 22 species of amphibians known to have occurred in British Columbia prior to September 2001. Names and classification, with some exceptions, conform to Collins (1997). Taxonomic categories above the level of genus are grouped phylogenetically; genera, species, and subspecies are arranged alphabetically within each family. Introduced species are noted with a “†”.

CLASS AMPHIBIA: Amphibians

ORDER CAUDATA (=URODELA): Newts and Salamanders

FAMILY AMBYSTOMATIDAE: Mole Salamanders

<i>Ambystoma gracile</i> (Baird)	Northwestern Salamander	A-AMGR
ssp: <i>decorticatedum</i> (Cope)		A-AMGR-DE
<i>gracile</i> (Baird)		A-AMGR-GR
<i>Ambystoma macrodactylum</i> Baird	Long-toed Salamander	A-AMMA
ssp: <i>columbianum</i> Ferguson		A-AMMA-CO
<i>krausei</i> Peters		A-AMMA-KR
<i>macrodactylum</i> Baird		A-AMMA-MA
<i>Ambystoma tigrinum</i> (Green)	Tiger Salamander	A-AMTI
ssp: <i>melanostictum</i> (Baird)		

FAMILY DICAMPTODONTIDAE: Giant Salamanders

<i>Dicamptodon tenebrosus</i> Baird and Girard	Pacific Giant Salamander	A-DITE
--	--------------------------	--------

FAMILY PLETHODONTIDAE: Lungless Salamanders

<i>Aneides vagrans</i> Wake and Jackman ¹⁶⁵	Wandering Salamander	A-ANVA
<i>Ensatina eschscholtzii</i> Gray	Ensatina	A-ENES
ssp: <i>oregonensis</i> (Girard)		
<i>Plethodon idahoensis</i> Slater and Slipp	Coeur d'Alene Salamander	A-PLID
<i>Plethodon vehiculum</i> (Cooper)	Western Red-backed Salamander	A-PLVE

FAMILY SALAMANDRIDAE: Newts

<i>Taricha granulosa</i> (Skilton)	Rough-skinned Newt	A-TAGR
ssp: <i>granulosa</i> (Skilton)		

¹⁶⁵ See Jackman (1998) for change in species name from *Aneides ferreus*.

ORDER ANURA (=SALIENTIA): Frogs and Toads

FAMILY ASCAPHIDAE: Tailed Frogs

<i>Ascaphus truei</i> Stejneger	Coastal Tailed Frog	A-ASTR
<i>Ascaphus montanus</i> Mittleman and Myers ¹⁶⁶	Rocky Mountain Tailed Frog	A-ASMO

FAMILY PELOBATIDAE: Spadefoots

<i>Spea intermontana</i> (Cope)	Great Basin Spadefoot	A-SPIN
---------------------------------	-----------------------	--------

FAMILY BUFONIDAE: True Toads

<i>Bufo boreas</i> Baird and Girard ssp: <i>boreas</i> Baird and Girard	Western Toad	A-BUBO
--	--------------	--------

FAMILY HYLIDAE: Treefrogs

<i>Hyla regilla</i> Baird and Girard	Pacific Treefrog	A-HYRE
<i>Pseudacris maculata</i> Agassiz	Boreal Chorus Frog	A-PSMA

FAMILY RANIDAE: True Frogs

<i>Rana aurora</i> Baird and Girard ssp: <i>aurora</i> Baird and Girard	Red-legged Frog	A-RAAU
† <i>Rana catesbeiana</i> Shaw	Bullfrog	A-RACA
† <i>Rana clamitans</i> Latreille ssp: <i>melanota</i> Rafinesque	Green Frog	A-RACL
<i>Rana luteiventris</i> Thompson	Columbia Spotted Frog	A-RALU
<i>Rana pipiens</i> Schreber	Northern Leopard Frog	A-RAPI
<i>Rana pretiosa</i> Baird and Girard	Oregon Spotted Frog	A-RAPR
<i>Rana sylvatica</i> LeConte	Wood Frog	A-RASY

¹⁶⁶ See Nielson, *et al.* (2001) for evidence recognizing *Ascaphus truei* and *A. montanus* as distinct.

Reptiles

Scientific Authority: Linda A. Gregory and Patrick T. Gregory

This list includes 18 species of reptiles known to have occurred in British Columbia prior to September 2001. Names and classification follow Gregory and Gregory (1999). Taxonomic categories above the level of genus are grouped phylogenetically; genera, species, and subspecies are arranged alphabetically within each family. Introduced species are noted with a “†”.¹⁶⁷

CLASS REPTILIA: Reptiles

ORDER CHELONIA (Testudines, Testudinata): Turtles and Tortoises

FAMILY EMYDIDAE: Pond and River Turtles

<i>Chrysemys picta</i> (Scheider)	Painted Turtle	R-CHPI
ssp: <i>bellii</i> (Gray)		
<i>Clemmys marmorata</i> (Baird and Girard) ¹⁶⁸	Western Pond Turtle	R-CLMA
ssp: <i>marmorata</i> (Baird and Girard)		
† <i>Trachemys scripta</i> (Schoepff) ¹⁶⁹	Slider	R-TRSC
ssp: <i>elegans</i> Wied		

FAMILY CHELONIIDAE: Sea Turtles

<i>Chelonia mydas</i> (Linnaeus)	Green Turtle	R-CHMY
----------------------------------	--------------	--------

FAMILY DERMOCHELYIDAE: Leatherback Sea Turtles

<i>Dermochelys coriacea</i> (Linnaeus)	Leatherback	R-DECO
--	-------------	--------

ORDER SQUAMATA: Snakes and Lizards

FAMILY PHRYNOSOMATIDAE

<i>Phrynosoma douglasi</i> (Bell)	Pigmy Short-horned Lizard	R-PHDO
-----------------------------------	---------------------------	--------

FAMILY ANGUIDAE: Anguils

<i>Elgaria coerulea</i> (Wiegmann)	Northern Alligator Lizard	R-ELCO
ssp: <i>principis</i> (Baird and Girard)		

¹⁶⁷ Note one introduced species has been dropped since Cannings and Harcombe (1990). Only species occurring in British Columbia that are present most years and to be expected in this province are listed.

¹⁶⁸ *Clemmys marmorata*, the Western Pond Turtle, is no longer marked as an introduced species, as no historical data has been found to support that it is not a native species.

¹⁶⁹ *Trachemys scripta* is an introduced species, with no evidence of reproduction in British Columbia so far. This is consistent with the listing in *The Reptiles of BC: A Taxonomic Catalogue* (Gregory and Gregory 1999).

Vertebrates of British Columbia

FAMILY LACERTIDAE: Lacertids

† *Podarcis muralis* (Laurenti)¹⁷⁰ Common Wall Lizard R-POMU

FAMILY SCINCIDAE: Skinks

Eumeces skiltonianus (Baird and Girard) Western Skink R-EUSK
 ssp: *skiltonianus* (Baird and Girard)

FAMILY BOIDAE: Boas

Charina bottae (Blainville) Rubber Boa R-CHBO

FAMILY COLUBRIDAE: Harmless Snakes

Coluber constrictor Linnaeus Racer R-COCO
 ssp: *mormon* Baird and Girard

Contia tenuis (Baird and Girard) Sharp-tailed Snake R-COTE

Hypsiglena torquata (Günther) Night Snake R-HYTO
 ssp: *deserticola* Tanner

Pituophis catenifer (Blainville) Gopher Snake R-PICA
 ssp: *catenifer* (Blainville) R-PICA-CA
deserticola Stejneger R-PICA-DE

Thamnophis elegans (Baird and Girard) Western Terrestrial Garter Snake R-THEL
 ssp: *nigrescens* Johnson R-THEL-NI
vagrans (Baird and Girard) R-THEL-VA

Thamnophis ordinoides (Baird and Girard) Northwestern Garter Snake R-THOR

Thamnophis sirtalis (Linnaeus) Common Garter Snake R-THSI
 ssp: *fitchi* Fox R-THSI-FI
parietalis (Say) R-THSI-PA
pickeringii (Baird and Girard) R-THSI-PI

FAMILY VIPERIDAE: Vipers

Crotalus viridis (Rafinesque) Western Rattlesnake R-CRVI
 ssp: *oreganus* Holbrook

¹⁷⁰ *Podarcis muralis* is an introduced species that has an established breeding population on southern Vancouver Island (Allan *et al.* 1993). This is consistent with the listing in *The Reptiles of BC: A Taxonomic Catalogue* (Gregory and Gregory 1999).

Birds

Scientific Authority: Richard J. Cannings

This list includes the 488 species and 647 taxa of birds at the species or subspecies level known to have occurred in British Columbia. Of the latter taxa, 424 are regular breeders in British Columbia, 92 are regular visitors (migrants or winter residents), 129 are irregular visitors, one is extinct and one is extirpated. Twelve subspecies are endemic breeders in British Columbia; eight of these are year-round residents in the province while four winter elsewhere, at least to some extent. Taxa endemic to B.C. are marked with a “*”, introduced species with a “†”, and extirpated or extinct species with a “x”.

The list of both scientific and common names and their sequence, follows the phylogenetic order and nomenclature of British Columbia bird species used in the seventh edition of the American Ornithologists’ Union (AOU) Check-List of North American Birds (AOU 1998) and its supplement (AOU 2000). Subspecies are listed in alphabetical order.

CLASS AVES: Birds

ORDER GAVIIFORMES: Loons

FAMILY GAVIIDAE: Loons

<i>Gavia stellata</i> (Pontoppidan)	Red-throated Loon	B-RTLO
<i>Gavia pacifica</i> (Lawrence)	Pacific Loon	B-PALO
<i>Gavia immer</i> (Brünnich)	Common Loon	B-COLO
<i>Gavia adamsii</i> (Gray)	Yellow-billed Loon	B-YBLO

ORDER PODICIPEDIFORMES: Grebes

FAMILY PODICIPEDIDAE: Grebes

<i>Podilymbus podiceps</i> (Linnaeus)	Pied-billed Grebe	B-PBGR
ssp: <i>podiceps</i> (Linnaeus)		
<i>Podiceps auritus</i> (Linnaeus)	Horned Grebe	B-HOGR
ssp: <i>cornutus</i> (Gmelin)		
<i>Podiceps grisegena</i> (Boddaert)	Red-necked Grebe	B-RNGR
ssp: <i>holbollii</i> (Reinhardt)		
<i>Podiceps nigricollis</i> Brehm	Eared Grebe	B-EAGR
ssp: <i>californicus</i> (Heermann)		
<i>Aechmophorus occidentalis</i> (Lawrence)	Western Grebe	B-WEGR
ssp: <i>occidentalis</i> (Lawrence)		
<i>Aechmophorus clarkii</i> (Lawrence)	Clark's Grebe	B-CLGR
ssp: <i>transitionalis</i> Dickerman		

ORDER PROCELLARIIFORMES: Tube-nosed Swimmers

FAMILY DIOMEDEIDAE: Albatrosses

<i>Phoebastria nigripes</i> (Audubon)	Black-footed Albatross	B-BFAL
<i>Phoebastria immutabilis</i> (Rothschild)	Laysan Albatross	B-LAAL
<i>Phoebastria albatrus</i> (Pallas)	Short-tailed Albatross	B-STAL

FAMILY PROCELLARIIDAE: Shearwaters and Petrels

<i>Fulmarus glacialis</i> (Linnaeus)	Northern Fulmar	B-NOFU
ssp: <i>rodgersii</i> (Cassin)		
<i>Pterodroma ultima</i> Murphy ¹⁷¹	Murphy's Petrel	B-MUPE
<i>Pterodroma inexpectata</i> (Forster)	Mottled Petrel	B-MOPE
<i>Puffinus creatopus</i> Coues	Pink-footed Shearwater	B-PFSH
<i>Puffinus carneipes</i> Gould	Flesh-footed Shearwater	B-FFSH
<i>Puffinus bulleri</i> Salvin	Buller's Shearwater	B-BLSH
<i>Puffinus griseus</i> (Gmelin)	Sooty Shearwater	B-SOSH
<i>Puffinus tenuirostris</i> (Temminck)	Short-tailed Shearwater	B-STSH
<i>Puffinus puffinus</i> (Brünnich) ¹⁶⁹	Manx Shearwater	B-MASH
<i>Puffinus opisthomelas</i> Coues	Black-vented Shearwater	B-BVSH

FAMILY HYDROBATIDAE: Storm-Petrels

<i>Oceanodroma furcata</i> (Gmelin)	Fork-tailed Storm-Petrel	B-FTSP
ssp: <i>plumbea</i> (Peale)		
<i>Oceanodroma leucorhoa</i> (Vieillot)	Leach's Storm-Petrel	B-LSPE
ssp: <i>beali</i> (Emerson)		

ORDER PELECANIFORMES: Totipalmate Swimmers

FAMILY PHAETHONTIDAE: Tropicbirds

<i>Phaethon rubricauda</i> Boddaert	Red-tailed Tropicbird	B-RTTR
ssp: <i>rothschildi</i> (Mathews)		

FAMILY PELECANIDAE: Pelicans

<i>Pelecanus erythrorhynchos</i> Gmelin	American White Pelican	B-AWPE
<i>Pelecanus occidentalis</i> Linnaeus	Brown Pelican	B-BRPE
ssp: <i>californicus</i> (Ridgway)		

FAMILY PHALACROCORACIDAE: Cormorants

<i>Phalacrocorax auritus</i> (Lesson)	Double-crested Cormorant	B-DCCO
ssp: <i>albociliatus</i> (Ridgway)		B-DCCO- AL
<i>cincinatus</i> (Brandt)		B-DCCO- CI
<i>Phalacrocorax penicillatus</i> (Brandt)	Brandt's Cormorant	B-BRCO

¹⁷¹ New species added since previous edition (Resources Inventory Committee 2000), see Campbell *et al.* (2001).

<i>Phalacrocorax pelagicus</i> Pallas	Pelagic Cormorant	B-PECO
ssp: <i>pelagicus</i> (Pallas)		B-PECO-PE
<i>resplendens</i> (Audubon)		B-PECO-RE
<i>Phalacrocorax urile</i> (Gmelin)	Red-faced Cormorant	B-RFCO

FAMILY FREGATIDAE: Frigatebirds

<i>Fregata magnificens</i> Mathews	Magnificent Frigatebird	B-MAFR
ssp: <i>rothschildi</i> Mathews		

ORDER CICONIIFORMES: Storks, Herons, Ibises and New World Vultures**FAMILY ARDEIDAE:** Bitterns, Herons and Allies

<i>Botaurus lentiginosus</i> (Rackett)	American Bittern	B-AMBI
<i>Ixobrychus exilis</i> (Gmelin)	Least Bittern	B-LEBI
ssp: <i>exilis</i> (Gmelin)		
<i>Ardea herodias</i> Linnaeus	Great Blue Heron	B-GBHE
ssp: <i>fannini</i> Chapman		B-GBHE-FA
<i>herodias</i> (Linnaeus)		B-GBHE-HE
<i>Ardea alba</i> Linnaeus	Great Egret	B-GREG
ssp: <i>egretta</i> (Gmelin)		
<i>Egretta thula</i> (Molina)	Snowy Egret	B-SNEG
ssp: <i>brewsteri</i> (Thayer and Bangs)		
<i>Egretta caerulea</i> (Linnaeus)	Little Blue Heron	B-LBHE
ssp: <i>caerulea</i> (Linnaeus)		
<i>Bubulcus ibis</i> (Linnaeus)	Cattle Egret	B-CAEG
ssp: <i>ibis</i> (Linnaeus)		
<i>Butorides virescens</i> (Linnaeus)	Green Heron	B-GRHE
ssp: <i>anthonyi</i> (Mearns)		
<i>Nycticorax nycticorax</i> (Linnaeus)	Black-crowned Night-Heron	B-BCNH
ssp: <i>hoactli</i> (Gmelin)		

FAMILY THRESKIORNITHIDAE: Ibises and Spoonbills

<i>Plegadis chihi</i> (Vieillot)	White-faced Ibis	B-WFIB
----------------------------------	------------------	--------

FAMILY CICONIIDAE: Storks

<i>Mycteria americana</i> Linnaeus	Wood Stork	B-WOST
------------------------------------	------------	--------

FAMILY CATHARTIDAE: New World Vultures

<i>Coragyps atratus</i> (Bechstein)	Black Vulture	B-BLVU
<i>Cathartes aura</i> (Linnaeus)	Turkey Vulture	B-TUVU
ssp: <i>teter</i> Friedmann		

ORDER ANSERIFORMES: Screamers, Swans, Geese and Ducks**FAMILY ANATIDAE:** Swans, Geese and Ducks

<i>Dendrocygna bicolor</i> (Vieillot)	Fulvous Whistling-Duck	B-FWDU
ssp: <i>helva</i> Wetmore and Peters		

Vertebrates of British Columbia

<i>Anser albifrons</i> (Scopoli)	Greater White-fronted Goose	B-GWFG
ssp: <i>frontalis</i> (Baird)		B-GWFG-FR
<i>gambeli</i> (Hartlaub)		B-GWFG-GA
<i>Chen canagica</i> (Sevastianov)	Emperor Goose	B-EMGO
<i>Chen caerulescens</i> (Linnaeus)	Snow Goose	B-SNGO
ssp: <i>caerulescens</i> (Linnaeus)		
<i>Chen rossii</i> (Cassin)	Ross's Goose	B-ROGO
<i>Branta canadensis</i> (Linnaeus)	Canada Goose	B-CAGO
ssp: <i>fulva</i> Delacour		B-CAGO-FU
<i>leucopareia</i> (Brandt)		B-CAGO-LE
<i>minima</i> (Ridgway)		B-CAGO-MI
<i>moffitti</i> Aldrich		B-CAGO-MO
<i>occidentalis</i> (Baird)		B-CAGO-OC
<i>parvipes</i> (Cassin)		B-CAGO-PA
<i>taverneri</i> Delacour		B-CAGO-TA
<i>Branta bernicla</i> (Linnaeus)	Brant	B-BRAN
ssp: <i>hrota</i> (Müller)		B-BRAN-HR
<i>nigricans</i> (Lawrence)		B-BRAN-NI
† <i>Cygnus olor</i> (Gmelin)	Mute Swan	B-MUSW
<i>Cygnus buccinator</i> Richardson	Trumpeter Swan	B-TRUS
<i>Cygnus columbianus</i> (Ord)	Tundra Swan	B-TUSW
ssp: <i>columbianus</i> (Ord)		
<i>Cygnus cygnus</i> (Linnaeus)	Whooper Swan	B-WHSW
<i>Aix sponsa</i> (Linnaeus)	Wood Duck	B-WODU
<i>Anas strepera</i> Linnaeus	Gadwall	B-GADW
ssp: <i>strepera</i> (Linnaeus)		
<i>Anas falcata</i> Georgi	Falcated Duck	B-FADU
<i>Anas penelope</i> Linnaeus	Eurasian Wigeon	B-EUWI
<i>Anas americana</i> Gmelin	American Wigeon	B-AMWI
† <i>Anas rubripes</i> Brewster	American Black Duck	B-ABDU
<i>Anas platyrhynchos</i> Linnaeus	Mallard	B-MALL
ssp: <i>platyrhynchos</i> (Linnaeus)		
<i>Anas discors</i> Linnaeus	Blue-winged Teal	B-BWTE
ssp: <i>discors</i> (Linnaeus)		
<i>Anas cyanoptera</i> Vieillot	Cinnamon Teal	B-CITE
ssp: <i>septentrionalium</i> Snyder and Lumsden		
<i>Anas clypeata</i> Linnaeus	Northern Shoveler	B-NOSL
<i>Anas acuta</i> Linnaeus	Northern Pintail	B-NOPI
<i>Anas querquedula</i> Linnaeus	Garganey	B-GARG
<i>Anas formosa</i> Georgi	Baikal Teal	B-BATE
<i>Anas crecca</i> Linnaeus	Green-winged Teal	B-GWTE
ssp: <i>carolinensis</i> (Gmelin)		B-GWTE-CA
<i>crecca</i> (Linnaeus)		B-GWTE-CR
<i>Aythya valisineria</i> (Wilson)	Canvasback	B-CANV
<i>Aythya americana</i> (Eyton)	Redhead	B-REDH
<i>Aythya collaris</i> (Donovan)	Ring-necked Duck	B-RNDU
<i>Aythya fuligula</i> (Linnaeus)	Tufted Duck	B-TUDU

<i>Aythya marila</i> (Linnaeus) ssp: <i>nearctica</i> Stejneger	Greater Scaup	B-GRSC
<i>Aythya affinis</i> (Eyton)	Lesser Scaup	B-LESC
<i>Polysticta stelleri</i> (Pallas)	Steller's Eider	B-STEI
<i>Somateria fischeri</i> (Brandt)	Spectacled Eider	B-SPEI
<i>Somateria spectabilis</i> (Linnaeus)	King Eider	B-KIEI
<i>Somateria mollissima</i> (Linnaeus) ssp: <i>v-nigra</i> (Bonaparte)	Common Eider	B-COEI
<i>Histrionicus histrionicus</i> (Linnaeus)	Harlequin Duck	B-HADU
<i>Melanitta perspicillata</i> (Linnaeus)	Surf Scoter	B-SUSC
<i>Melanitta fusca</i> (Linnaeus) ssp: <i>deglandi</i> (Bonaparte) <i>dixonii</i> (Brooks)	White-winged Scoter	B-WWSC B-WWSC-DE B-WWSC-DI
<i>Melanitta nigra</i> (Linnaeus) ssp: <i>americana</i> (Swainson)	Black Scoter	B-BLSC
<i>Clangula hyemalis</i> (Linnaeus)	Long-tailed Duck	B-LTDU
<i>Bucephala albeola</i> (Linnaeus)	Bufflehead	B-BUFF
<i>Bucephala clangula</i> (Linnaeus) ssp: <i>americana</i> (Bonaparte)	Common Goldeneye	B-COGO
<i>Bucephala islandica</i> (Gmelin)	Barrow's Goldeneye	B-BAGO
<i>Mergellus albellus</i> (Linnaeus)	Smew	B-SMEW
<i>Lophodytes cucullatus</i> (Linnaeus)	Hooded Merganser	B-HOME
<i>Mergus merganser</i> Linnaeus ssp: <i>americanus</i> (Cassin)	Common Merganser	B-COME
<i>Mergus serrator</i> Linnaeus ssp: <i>serrator</i> (Linnaeus)	Red-breasted Merganser	B-RBME
<i>Oxyura jamaicensis</i> (Gmelin) ssp: <i>rubida</i> (Wilson)	Ruddy Duck	B-RUDU

ORDER FALCONIFORMES: Diurnal Birds of Prey

FAMILY ACCIPITRIDAE: Kites, Eagles, Hawks and Allies

<i>Pandion haliaetus</i> (Linnaeus) ssp: <i>carolinensis</i> (Gmelin)	Osprey	B-OSPR
<i>Elanus leucurus</i> (Vieillot) ssp: <i>majusculus</i> Bangs and Penard	White-tailed Kite	B-WTKI
<i>Haliaeetus leucocephalus</i> (Linnaeus) ssp: <i>alascanus</i> Townsend <i>leucocephalus</i> (Linnaeus)	Bald Eagle	B-BAEA B-BAEA- AL B-BAEA- LE
<i>Circus cyaneus</i> (Linnaeus) ssp: <i>hudsonius</i> (Linnaeus)	Northern Harrier	B-NOHA
<i>Accipiter striatus</i> Vieillot ssp: <i>perobscurus</i> Snyder <i>velox</i> (Wilson)	Sharp-shinned Hawk	B-SSHA B-SSHA- PE B-SSHA- VE
<i>Accipiter cooperii</i> (Bonaparte)	Cooper's Hawk	B-COHA

Vertebrates of British Columbia

<i>Accipiter gentilis</i> (Linnaeus)	Northern Goshawk	B-NOGO
ssp: <i>atricapillus</i> (Wilson)		B-NOGO-AT
<i>laingi</i> (Taverner)		B-NOGO-LA
<i>Buteo platypterus</i> (Vieillot)	Broad-winged Hawk	B-BWHA
ssp: <i>platypterus</i> (Vieillot)		
<i>Buteo swainsoni</i> Bonaparte	Swainson's Hawk	B-SWHA
<i>Buteo jamaicensis</i> (Gmelin)	Red-tailed Hawk	B-RTHA
ssp: <i>alascensis</i> (Grinnell)		B-RTHA-AL
<i>calurus</i> (Cassin)		B-RTHA-CA
<i>harlani</i> (Audubon)		B-RTHA-HA
<i>Buteo regalis</i> (Gray)	Ferruginous Hawk	B-FEHA
<i>Buteo lagopus</i> (Pontoppidan)	Rough-legged Hawk	B-RLHA
ssp: <i>sanctijohannis</i> (Gmelin)		
<i>Aquila chrysaetos</i> (Linnaeus)	Golden Eagle	B-GOEA
ssp: <i>canadensis</i> (Linnaeus)		
FAMILY FALCONIDAE: Caracaras and Falcons		
<i>Caracara cheriway</i> (Jacquin) ¹⁶⁹	Crested Caracara	B-CRCA
ssp: <i>audubonii</i> Cassin		
<i>Falco tinnunculus</i> Linnaeus	Eurasian Kestrel	B-EUKE
ssp: <i>tinnunculus</i> (Linnaeus)		
<i>Falco sparverius</i> Linnaeus	American Kestrel	B-AMKE
ssp: <i>sparverius</i> (Linnaeus)		
<i>Falco columbarius</i> Linnaeus	Merlin	B-MERL
ssp: <i>columbarius</i> Linnaeus		B-MERL-CO
<i>richardsonii</i> (Ridgway)		B-MERL-RI
<i>suckleyi</i> (Ridgway)		B-MERL-SU
<i>Falco peregrinus</i> Tunstall	Peregrine Falcon	B-PEFA
ssp: <i>anatum</i> (Bonaparte)		B-PEFA-AN
<i>pealei</i> (Ridgway)		B-PEFA-PE
<i>tundrius</i> White		B-PEFA-TU
<i>Falco rusticolus</i> Linnaeus	Gyrfalcon	B-GYRF
ssp: <i>obsoletus</i> (Gmelin)		B-GYRF-OB
<i>uralensis</i> (Severtzov and Menzbier)		B-GYRF-UR
<i>Falco mexicanus</i> Schlegel	Prairie Falcon	B-PRFA

ORDER GALLIFORMES: Gallinaceous Birds

FAMILY PHASIANIDAE: Partridges, Grouse and Turkeys

† <i>Perdix perdix</i> (Linnaeus)	Gray Partridge	B-GRPA
ssp: <i>perdix</i> (Linnaeus)		
† <i>Alectoris chukar</i> (Gray)	Chukar	B-CHUK
† <i>Phasianus colchicus</i> Linnaeus	Ring-necked Pheasant	B-RNPH

¹⁶⁹ New species added since previous edition (Resources Inventory Committee 2000), see Campbell *et al.* (2001).

<i>Bonasa umbellus</i> (Linnaeus)	Ruffed Grouse	B-RUGR
ssp: <i>brunnescens</i> Conover		B-RUGR-BR
<i>phaia</i> (Aldrich and Friedmann)		B-RUGR-PH
<i>sabini</i> (Douglas)		B-RUGR-SA
<i>umbelloides</i> (Douglas)		B-RUGR-UM
<i>Centrocercus urophasianus</i> (Bonaparte) ^x	Greater Sage-Grouse	B-GSGR
ssp: <i>phaios</i> Aldrich		
<i>Falciennis canadensis</i> (Linnaeus)	Spruce Grouse	B-SPGR
ssp: <i>canadensis</i> (Linnaeus)		B-SPGR-CA
<i>franklinii</i> (Douglas)		B-SPGR-FR
<i>osgoodi</i> (Bishop)		B-SPGR-OS
<i>Dendragapus obscurus</i> (Say)	Blue Grouse	B-BLGR
ssp: <i>fuliginosus</i> (Ridgway)		B-BLGR-FU
<i>pallidus</i> Swarth		B-BLGR-PA
<i>richardsonii</i> (Douglas)		B-BLGR-RI
<i>sitkensis</i> Swarth		B-BLGR-SI
<i>Lagopus lagopus</i> (Linnaeus)	Willow Ptarmigan	B-WIPT
ssp: <i>albus</i> (Gmelin)		B-WIPT-AL
<i>alexandrae</i> (Grinnell)		B-WIPT-AE
<i>Lagopus mutus</i> (Montin)	Rock Ptarmigan	B-ROPT
ssp: <i>rupestris</i> (Gmelin)		
<i>Lagopus leucurus</i> (Richardson)	White-tailed Ptarmigan	B-WTPT
ssp: <i>leucurus</i> (Richardson)		B-WTPT-LE
<i>saxatilis</i> Cowan*		B-WTPT-SA
<i>Tympanuchus phasianellus</i> (Linnaeus)	Sharp-tailed Grouse	B-STGR
ssp: <i>caurus</i> (Friedmann)		B-STGR-CA
<i>columbianus</i> (Ord)		B-STGR-CO
<i>jamesi</i> (Lincoln)		B-STGR-JA
<i>Meleagris gallopavo</i> Linnaeus	Wild Turkey	B-WITU
FAMILY ODONTOPHORIDAE: New World Quail		
† <i>Colinus virginianus</i> (Linnaeus)	Northern Bobwhite	B-NOBO
† <i>Callipepla californica</i> (Shaw)	California Quail	B-CAQU
ssp: <i>brunnescens</i> (Ridgway)		B-CAQU-BR
<i>californica</i> (Shaw)		B-CAQU-CA
† <i>Oreortyx pictus</i> (Douglas)	Mountain Quail	B-MOQU
ssp: <i>palmeri</i> (Oberholser)		

ORDER GRUIFORMES: Cranes, Rails and Allies

FAMILY RALLIDAE: Rails, Gallinules and Coots

<i>Coturnicops noveboracensis</i> (Gmelin)	Yellow Rail	B-YERA
ssp: <i>noveboracensis</i> (Gmelin)		
<i>Rallus limicola</i> Vieillot	Virginia Rail	B-VIRA
ssp: <i>limicola</i> (Vieillot)		
<i>Porzana carolina</i> (Linnaeus)	Sora	B-SORA

Vertebrates of British Columbia

<i>Gallinula chloropus</i> (Linnaeus)	Common Moorhen	B-COMO
ssp: <i>cachinnans</i> Bangs		
<i>Fulica americana</i> Gmelin	American Coot	B-AMCO
ssp: <i>americana</i> (Gmelin)		
FAMILY GRUIDAE: Cranes		
<i>Grus canadensis</i> (Linnaeus)	Sandhill Crane	B-SACR
ssp: <i>canadensis</i> (Linnaeus)		B-SACR-CA
<i>rowani</i> Walkinshaw		B-SACR-RO
<i>tabida</i> (Peters)		B-SACR-TA
<i>Grus americana</i> (Linnaeus)	Whooping Crane	B-WHCR
ORDER CHARADRIIFORMES: Shorebirds, Gulls, Auks and Allies		
FAMILY CHARADRIIDAE: Plovers		
<i>Pluvialis squatarola</i> (Linnaeus)	Black-bellied Plover	B-BBPL
<i>Pluvialis dominica</i> (Müller)	American Golden-Plover	B-AGPL
<i>Pluvialis fulva</i> (Gmelin)	Pacific Golden-Plover	B-PGPL
<i>Charadrius mongolus</i> Pallas	Mongolian Plover	B-MGPL
ssp: <i>stegmanni</i> Stresemann		
<i>Charadrius alexandrinus</i> Linnaeus	Snowy Plover	B-SNPL
ssp: <i>nivosus</i> (Cassin)		
<i>Charadrius semipalmatus</i> Bonaparte	Semipalmated Plover	B-SEPL
<i>Charadrius vociferus</i> Linnaeus	Killdeer	B-KILL
ssp: <i>vociferus</i> (Linnaeus)		
<i>Charadrius montanus</i> Townsend ¹⁶⁹	Mountain Plover	B-MOPL
FAMILY HAEMATOPODIDAE: Oystercatchers		
<i>Haematopus bachmani</i> Audubon	Black Oystercatcher	B-BLOY
FAMILY RECURVIROSTRIDAE: Stilts and Avocets		
<i>Himantopus mexicanus</i> (Müller)	Black-necked Stilt	B-BNST
ssp: <i>mexicanus</i> (Müller)		
<i>Recurvirostra americana</i> Gmelin	American Avocet	B-AMAV
FAMILY SCOLOPACIDAE: Sandpipers, Phalaropes and Allies		
<i>Tringa melanoleuca</i> (Gmelin)	Greater Yellowlegs	B-GRYE
<i>Tringa flavipes</i> (Gmelin)	Lesser Yellowlegs	B-LEYE
<i>Tringa erythropus</i> (Pallas)	Spotted Redshank	B-SPRE
<i>Tringa glareola</i> Linnaeus	Wood Sandpiper	B-WOSA
<i>Tringa solitaria</i> Wilson	Solitary Sandpiper	B-SOSA
ssp: <i>cinnamomea</i> (Brewster)		B-SOSA-CI
<i>solitaria</i> (Wilson)		B-SOSA-SO

¹⁶⁹ New species added since previous edition (Resources Inventory Committee 2000), see Campbell *et al.* (2001).

<i>Catoptrophorus semipalmatus</i> (Gmelin)	Willet	B-WILL
ssp: <i>inornatus</i> (Brewster)		
<i>Heteroscelus incanus</i> (Gmelin)	Wandering Tattler	B-WATA
<i>Actitis macularia</i> (Linnaeus)	Spotted Sandpiper	B-SPSA
<i>Xenus cinereus</i> (Güldenstädt)	Terek Sandpiper	B-TESA
<i>Bartramia longicauda</i> (Bechstein)	Upland Sandpiper	B-UPSA
<i>Numenius phaeopus</i> (Linnaeus)	Whimbrel	B-WHIM
ssp: <i>hudsonicus</i> (Latham)		
<i>Numenius tahitiensis</i> (Gmelin)	Bristle-thighed Curlew	B-BTCU
<i>Numenius madagascariensis</i> (Linnaeus)	Far Eastern Curlew	B-FECU
<i>Numenius americanus</i> Bechstein	Long-billed Curlew	B-LBCU
ssp: <i>parvus</i> Bishop		
<i>Limosa haemastica</i> (Linnaeus)	Hudsonian Godwit	B-HUGO
<i>Limosa lapponica</i> (Linnaeus)	Bar-tailed Godwit	B-BTGO
ssp: <i>baueri</i> (Naumann)		
<i>Limosa fedoa</i> (Linnaeus)	Marbled Godwit	B-MAGO
ssp: <i>beringiae</i> Gibson and Kessel		B-MAGO-BE
<i>fedoa</i> (Linnaeus)		B-MAGO-FE
<i>Arenaria interpres</i> (Linnaeus)	Ruddy Turnstone	B-RUTU
ssp: <i>interpres</i> (Linnaeus)		B-RUTU-IN
<i>morinella</i> (Linnaeus)		B-RUTU-MO
<i>Arenaria melanocephala</i> (Vigors)	Black Turnstone	B-BLTU
<i>Aphriza virgata</i> (Gmelin)	Surfbird	B-SURF
<i>Calidris tenuirostris</i> (Horsfield) ¹⁶⁹	Great Knot	B-GRKN
<i>Calidris canutus</i> (Linnaeus)	Red Knot	B-REKN
ssp: <i>canutus</i> (Linnaeus)		
<i>Calidris alba</i> (Pallas)	Sanderling	B-SAND
<i>Calidris pusilla</i> (Linnaeus)	Semipalmated Sandpiper	B-SESA
<i>Calidris mauri</i> (Cabanis)	Western Sandpiper	B-WESA
<i>Calidris ruficollis</i> (Pallas)	Red-necked Stint	B-RNST
<i>Calidris minuta</i> (Leisler)	Little Stint	B-LIST
<i>Calidris temminckii</i> (Leisler)	Temminck's Stint	B-TEST
<i>Calidris minutilla</i> (Vieillot)	Least Sandpiper	B-LESA
<i>Calidris fuscicollis</i> (Vieillot)	White-rumped Sandpiper	B-WRSA
<i>Calidris bairdii</i> (Coues)	Baird's Sandpiper	B-BASA
<i>Calidris melanotos</i> (Vieillot)	Pectoral Sandpiper	B-PESA
<i>Calidris acuminata</i> (Horsfield)	Sharp-tailed Sandpiper	B-SHSA
<i>Calidris ptilocnemis</i> (Coues)	Rock Sandpiper	B-ROSA
ssp: <i>tshuktschorum</i> (Portenko)		
<i>Calidris alpina</i> (Linnaeus)	Dunlin	B-DUNL
ssp: <i>pacifica</i> (Coues)		
<i>Calidris ferruginea</i> (Pontoppidan)	Curlew Sandpiper	B-CUSA
<i>Calidris himantopus</i> (Bonaparte)	Stilt Sandpiper	B-STSA
<i>Eurynorhynchus pygmeus</i> (Linnaeus)	Spoonbill Sandpiper	B-SBSA
<i>Tryngites subruficollis</i> (Vieillot)	Buff-breasted Sandpiper	B-BBSA

¹⁶⁹ New species added since previous edition (Resources Inventory Committee 2000), see Campbell *et al.* (2001).

Vertebrates of British Columbia

<i>Philomachus pugnax</i> (Linnaeus)	Ruff	B-RUFF
<i>Limnodromus griseus</i> (Gmelin)	Short-billed Dowitcher	B-SBDO
ssp: <i>caurinus</i> Pitelka		B-SBDO-CA
<i>hendersoni</i> Rowan		B-SBDO-HE
<i>Limnodromus scolopaceus</i> (Say)	Long-billed Dowitcher	B-LBDO
<i>Gallinago gallinago</i> (Linnaeus)	Common Snipe	B-COSN
ssp: <i>delicata</i> (Ord)		
<i>Phalaropus tricolor</i> (Vieillot)	Wilson's Phalarope	B-WIPH
<i>Phalaropus lobatus</i> (Linnaeus)	Red-necked Phalarope	B-RNPL
<i>Phalaropus fulicaria</i> (Linnaeus)	Red Phalarope	B-REPH
FAMILY LARIDAE: Skuas, Gulls, Terns and Skimmers		
<i>Stercorarius maccormicki</i> (Saunders)	South Polar Skua	B-SPSK
<i>Stercorarius pomarinus</i> (Temminck)	Pomarine Jaeger	B-POJA
<i>Stercorarius parasiticus</i> (Linnaeus)	Parasitic Jaeger	B-PAJA
<i>Stercorarius longicaudus</i> Vieillot	Long-tailed Jaeger	B-LTJA
<i>Larus atricilla</i> Linnaeus ¹⁶⁹	Laughing Gull	B-LAGU
<i>Larus pipixcan</i> Wagler	Franklin's Gull	B-FRGU
<i>Larus minutus</i> Pallas	Little Gull	B-LIGU
<i>Larus ridibundus</i> Linnaeus	Black-headed Gull	B-BHGU
ssp: <i>ridibundus</i> (Linnaeus)		
<i>Larus philadelphia</i> (Ord)	Bonaparte's Gull	B-BOGU
<i>Larus heermanni</i> Cassin	Heermann's Gull	B-HEEG
<i>Larus crassirostris</i> Vieillot	Black-tailed Gull	B-BTGU
<i>Larus canus</i> Linnaeus	Mew Gull	B-MEGU
ssp: <i>brachyrhynchus</i> (Richardson)		
<i>Larus delawarensis</i> Ord	Ring-billed Gull	B-RBGU
<i>Larus californicus</i> Lawrence	California Gull	B-CAGU
ssp: <i>albertaensis</i> Jehl		B-CAGU-AL
<i>californicus</i> (Lawrence)		B-CAGU-CA
<i>Larus argentatus</i> Pontoppidan	Herring Gull	B-HEGU
ssp: <i>smithsonianus</i> (Coues)		B-HEGU-SM
<i>vegae</i> (Palmén)		B-HEGU-VE
<i>Larus thayeri</i> Brooks	Thayer's Gull	B-THGU
<i>Larus glaucooides</i> Meyer	Iceland Gull	B-ICGU
ssp: <i>kumlieni</i> (Brewster)		
<i>Larus fuscus</i> Linnaeus	Lesser Black-backed Gull	B-LBBG
ssp: <i>graelsii</i> (Brehm)		
<i>Larus schistisagus</i> Stejneger	Slaty-backed Gull	B-SBGU
<i>Larus occidentalis</i> Audubon	Western Gull	B-WEGU
ssp: <i>occidentalis</i> (Audubon)		
<i>Larus glaucescens</i> Naumann	Glaucous-winged Gull	B-GWGU
<i>Larus hyperboreus</i> Gunnerus	Glaucous Gull	B-GLGU
ssp: <i>barrovianus</i> (Ridgway)		
<i>Larus marinus</i> Linnaeus	Great Black-backed Gull	B-GBBG
<i>Rissa tridactyla</i> (Linnaeus)	Black-legged Kittiwake	B-BLKI
ssp: <i>pollicaris</i> Stejn[eger]		

<i>Rissa brevirostris</i> (Bruch)	Red-legged Kittiwake	B-RLKI
<i>Rhodostethia rosea</i> (MacGillivray)	Ross's Gull	B-ROGU
<i>Xema sabini</i> (Sabine)	Sabine's Gull	B-SAGU
ssp: <i>woznesenskii</i> Portenko		
<i>Pagophila eburnea</i> (Phipps)	Ivory Gull	B-IVGU
<i>Sterna caspia</i> Pallas	Caspian Tern	B-CATE
<i>Sterna elegans</i> Gambel	Elegant Tern	B-ELTE
<i>Sterna hirundo</i> Linnaeus	Common Tern	B-COTE
ssp: <i>hirundo</i> (Linnaeus)		
<i>Sterna paradisaea</i> Pontoppidan	Arctic Tern	B-ARTE
<i>Sterna forsteri</i> Nuttall	Forster's Tern	B-FOTE
<i>Sterna antillarum</i> (Lesson) ¹⁷²	Least Tern	B-LETE
<i>Sterna aleutica</i> Baird	Aleutian Tern	B-ALTE
<i>Chlidonias niger</i> (Linnaeus)	Black Tern	B-BLTE
ssp: <i>surinamensis</i> (Gmelin)		
FAMILY ALCIDAE: Auks, Murres and Puffins		
<i>Uria aalge</i> (Pontoppidan)	Common Murre	B-COMU
ssp: <i>californica</i> (Bryant)		B-COMU-CA
<i>inornata</i> Salomonsen		B-COMU-IN
<i>Uria lomvia</i> (Linnaeus)	Thick-billed Murre	B-TBMU
ssp: <i>arra</i> (Pallas)		
<i>Cephus columba</i> Pallas	Pigeon Guillemot	B-PIGU
ssp: <i>columba</i> (Pallas)		B-PIGU-CO
<i>kaiurka</i> Portenko		B-PIGU-KA
<i>Brachyramphus marmoratus</i> (Gmelin)	Marbled Murrelet	B-MAMU
<i>Brachyramphus brevirostris</i> (Vigors)	Kittlitz's Murrelet	B-KIMU
<i>Synthliboramphus hypoleucus</i> (Xántus de Vesey)	Xantus's Murrelet	B-XAMU
ssp: <i>hypoleucus</i> (Xántus de Vesey)		
<i>Synthliboramphus antiquus</i> (Gmelin)	Ancient Murrelet	B-ANMU
<i>Ptychoramphus aleuticus</i> (Pallas)	Cassin's Auklet	B-CAAU
ssp: <i>aleuticus</i> (Pallas)		
<i>Aethia psittacula</i> (Pallas)	Parakeet Auklet	B-PAAU
<i>Aethia cristatella</i> (Pallas)	Crested Auklet	B-CRAU
<i>Cerorhinca monocerata</i> (Pallas)	Rhinoceros Auklet	B-RHAU
<i>Fratercula cirrhata</i> (Pallas)	Tufted Puffin	B-TUPU
<i>Fratercula corniculata</i> (Naumann)	Horned Puffin	B-HOPU

¹⁷² New species added since previous edition (Resources Inventory Committee 2000), see Campbell *et al.* (2001). Subspecies reported from British Columbia is unknown; probably either *S. a. browni* Mearns, which breeds along the Californian coast from San Francisco southward, or *S. a. athalassos* Burleigh and Lowery, which breeds in the central United States, primarily along the Mississippi River and its tributaries.

ORDER COLUMBIFORMES: Sandgrouse, Pigeons and Doves

FAMILY COLUMBIDAE: Pigeons and Doves

† <i>Columba livia</i> Gmelin	Rock Dove	B-RODO
<i>Columba fasciata</i> Say ssp: <i>monilis</i> (Vigors)	Band-tailed Pigeon	B-BTPI
<i>Streptopelia orientalis</i> (Latham)	Oriental Turtle-Dove	B-OTDO
<i>Zenaida asiatica</i> (Linnaeus) ssp: <i>mearnsi</i> (Ridgway)	White-winged Dove	B-WWDO
<i>Zenaida macroura</i> (Linnaeus) ssp: <i>marginella</i> (Woodhouse)	Mourning Dove	B-MODO
<i>Ectopistes migratorius</i> (Linnaeus) ^x	Passenger Pigeon	B-PAPI

ORDER CUCULIFORMES: Cuckoos and Allies

FAMILY CUCULIDAE: Cuckoos, Roadrunners and Anis

<i>Coccyzus erythrophthalmus</i> (Wilson)	Black-billed Cuckoo	B-BBCU
<i>Coccyzus americanus</i> (Linnaeus) ssp: <i>occidentalis</i> Ridgway	Yellow-billed Cuckoo	B-YBCU

ORDER STRIGIFORMES: Owls

FAMILY TYTONIDAE: Barn Owls

<i>Tyto alba</i> (Scopoli) ssp: <i>pratincola</i> (Bonaparte)	Barn Owl	B-BNOW
--	----------	--------

FAMILY STRIGIDAE: Typical Owls

<i>Otus flammeolus</i> (Kaup) ssp: <i>idahoensis</i> (Merriam)	Flammulated Owl	B-FLOW
<i>Otus kennicottii</i> (Elliot) ¹⁷³ ssp: <i>kennicottii</i> (Elliot) <i>macfarlanei</i> (Brewster)	Western Screech-Owl	B-WSOW B-WSOW-KE B-WSOW-MA
<i>Bubo virginianus</i> (Gmelin) ssp: <i>lagophonus</i> (Oberholser) <i>saturatus</i> Ridgway <i>subarcticus</i> (Hoy)	Great Horned Owl	B-GHOW B-GHOW-LA B-GHOW-SA B-GHOW-SU
<i>Nyctea scandiaca</i> (Linnaeus)	Snowy Owl	B-SNOW
<i>Surnia ulula</i> (Linnaeus) ssp: <i>caparoch</i> (Müller)	Northern Hawk Owl	B-NHOW
<i>Glaucidium gnoma</i> Wagler ssp: <i>californicum</i> (Sclater) <i>grinnelli</i> Ridgway <i>swarthi</i> Grinnell*	Northern Pygmy-Owl	B-NPOW B-NPOW-CA B-NPOW-GR B-NPOW-SW

¹⁷³ *Otus kennicottii saturatus* was treated as part of *O. k. kennicottii* by Cannings (in press) and so was removed from list since Resources Inventory Committee (2000).

<i>Athene cunicularia</i> (Molina) ssp: <i>hypugaea</i> (Bonaparte)	Burrowing Owl	B-BUOW
<i>Strix occidentalis</i> (Xántus de Vesey) ssp: <i>caurina</i> (Merriam)	Spotted Owl	B-SPOW
<i>Strix varia</i> Barton ssp: <i>varia</i> (Barton)	Barred Owl	B-BDOW
<i>Strix nebulosa</i> Forster ssp: <i>nebulosa</i> (Forster)	Great Gray Owl	B-GGOW
<i>Asio otus</i> (Linnaeus) ssp: <i>tuftsi</i> Godfrey	Long-eared Owl	B-LEOW
<i>Asio flammeus</i> (Pontoppidan) ssp: <i>flammeus</i> (Pontoppidan)	Short-eared Owl	B-SEOW
<i>Aegolius funereus</i> (Linnaeus) ssp: <i>richardsoni</i> (Bonaparte)	Boreal Owl	B-BOOW
<i>Aegolius acadicus</i> (Gmelin) ssp: <i>academicus</i> (Gmelin) <i>brooksi</i> (Fleming)*	Northern Saw-whet Owl	B-NSWO B-NSWO-AC B-NSWO-BR

ORDER CAPRIMULGIFORMES: Goatsuckers, Oilbirds and Allies

FAMILY CAPRIMULGIDAE: Goatsuckers

<i>Chordeiles minor</i> (Forster) ssp: <i>hesperis</i> (Grinnell) <i>minor</i> (Forster)	Common Nighthawk	B-CONI B-CONI-HE B-CONI-MI
<i>Phalaenoptilus nuttallii</i> (Audubon) ssp: <i>nuttallii</i> (Audubon)	Common Poorwill	B-COPO

ORDER APODIFORMES: Swifts and Hummingbirds

FAMILY APODIDAE: Swifts

<i>Cypseloides niger</i> (Gmelin) ssp: <i>borealis</i> (Kennerly)	Black Swift	B-BLSW
<i>Chaetura vauxi</i> (Townsend) ssp: <i>vauxi</i> (Townsend)	Vaux's Swift	B-VASW
<i>Aeronautes saxatilis</i> (Woodhouse) ssp: <i>saxatilis</i> (Woodhouse)	White-throated Swift	B-WTSW

FAMILY TROCHILIDAE: Hummingbirds

<i>Hylocharis xantusii</i> (Lawrence)	Xantus's Hummingbird	B-XAHU
<i>Archilochus colubris</i> (Linnaeus)	Ruby-throated Hummingbird	B-RTHU
<i>Archilochus alexandri</i> (Bourcier and Mulsant)	Black-chinned Hummingbird	B-BCHU
<i>Calypte anna</i> (Lesson)	Anna's Hummingbird	B-ANHU
<i>Calypte costae</i> (Bourcier)	Costa's Hummingbird	B-COHU
<i>Stellula calliope</i> (Gould)	Calliope Hummingbird	B-CAHU

Vertebrates of British Columbia

<i>Selasphorus platycercus</i> (Swainson)	Broad-tailed Hummingbird	B-BTHU
ssp: <i>platycercus</i> (Swainson)		
<i>Selasphorus rufus</i> (Gmelin)	Rufous Hummingbird	B-RUHU

ORDER CORACIIFORMES: Kingfishers, Rollers, Hornbills and Allies

FAMILY ALCEDINIDAE: Kingfishers

<i>Ceryle alcyon</i> (Linnaeus)	Belted Kingfisher	B-BEKI
ssp: <i>alcyon</i> (Linnaeus)		B-BEKI-AL
<i>caurina</i> Grinnell		B-BEKI-CA

ORDER PICIFORMES: Puffbirds, Toucans, Woodpeckers and Allies

FAMILY PICIDAE: Woodpeckers, Wrynecks and Piculets

<i>Melanerpes lewis</i> (Gray)	Lewis's Woodpecker	B-LEWO
<i>Melanerpes erythrocephalus</i> (Linnaeus) ¹⁷⁴	Red-headed Woodpecker	B-RHWO
<i>Melanerpes formicivorus</i> (Swainson)	Acorn Woodpecker	B-ACWO
ssp: <i>bairdi</i> Ridgway		
<i>Sphyrapicus varius</i> (Linnaeus)	Yellow-bellied Sapsucker	B-YBSA
ssp: <i>varius</i> (Linnaeus)		
<i>Sphyrapicus nuchalis</i> Baird	Red-naped Sapsucker	B-RNSA
<i>Sphyrapicus ruber</i> (Gmelin)	Red-breasted Sapsucker	B-RBSA
ssp: <i>ruber</i> (Gmelin)		
<i>Sphyrapicus thyroideus</i> (Cassin)	Williamson's Sapsucker	B-WISA
ssp: <i>nataliae</i> (Malherbe)		B-WISA-NA
<i>thyroideus</i> (Cassin)		B-WISA-TH
<i>Picoides pubescens</i> (Linnaeus)	Downy Woodpecker	B-DOWO
ssp: <i>gairdneri</i> (Audubon)		B-DOWO-GA
<i>leucurus</i> (Hartlaub)		B-DOWO-LE
<i>nelsoni</i> (Oberholser)		B-DOWO-NE
<i>Picoides villosus</i> (Linnaeus)	Hairy Woodpecker	B-HAWO
ssp: <i>harrisi</i> (Audubon)		B-HAWO-HA
<i>monticola</i> (Anthony)		B-HAWO-MO
<i>orius</i> (Oberholser)		B-HAWO-OR
<i>picoideus</i> (Osgood)*		B-HAWO-PI
<i>septentrionalis</i> (Nuttall)		B-HAWO-SE
<i>sitkensis</i> (Swarth)		B-HAWO-SI
<i>Picoides albolarvatus</i> (Cassin)	White-headed Woodpecker	B-WHWO
ssp: <i>albolarvatus</i> (Cassin)		
<i>Picoides tridactylus</i> (Linnaeus)	Three-toed Woodpecker	B-TTWO
ssp: <i>fasciatus</i> (Baird)		
<i>Picoides arcticus</i> (Swainson)	Black-backed Woodpecker	B-BBWO

¹⁷⁴ No subspecies were recognized by Smith *et al.* (2000) and Short (1982), so subspecies was removed from list since Resources Inventory Committee (2000).

<i>Colaptes auratus</i> (Linnaeus)	Northern Flicker	B-NOFL
ssp: <i>borealis</i> Ridgway		B-NOFL-BO
<i>cafer</i> (Gmelin)		B-NOFL-CA
<i>collaris</i> (Vigors)		B-NOFL-CO
<i>Dryocopus pileatus</i> (Linnaeus)	Pileated Woodpecker	B-PIWO
ssp: <i>picinus</i> (Bangs)		

ORDER PASSERIFORMES: Perching Birds

FAMILY TYRANNIDAE: Tyrant Flycatchers

<i>Contopus cooperi</i> (Nuttall) ¹⁷⁵	Olive-sided Flycatcher	B-OSFL
ssp: <i>cooperi</i> (Nuttall)		
<i>Contopus sordidulus</i> Sclater	Western Wood-Pewee	B-WWPE
ssp: <i>saturatus</i> (Bishop)		B-WWPE-SA
<i>veliei</i> (Coues)		B-WWPE-VE
<i>Empidonax flaviventris</i> (Baird and Baird)	Yellow-bellied Flycatcher	B-YBFL
<i>Empidonax virescens</i> (Vieillot)	Acadian Flycatcher	B-ACFL
<i>Empidonax alnorum</i> Brewster	Alder Flycatcher	B-ALFL
<i>Empidonax traillii</i> (Audubon)	Willow Flycatcher	B-WIFL
ssp: <i>adastus</i> Oberholser		B-WIFL-AD
<i>brewsteri</i> Oberholser		B-WIFL-BR
<i>Empidonax minimus</i> (Baird and Baird)	Least Flycatcher	B-LEFL
<i>Empidonax hammondii</i> (Xántus de Vesey)	Hammond's Flycatcher	B-HAFL
<i>Empidonax oberholseri</i> Phillips	Dusky Flycatcher	B-DUFL
<i>Empidonax wrightii</i> Baird	Gray Flycatcher	B-GRFL
<i>Empidonax difficilis</i> Baird	Pacific-slope Flycatcher	B-PSFL
ssp: <i>difficilis</i> (Baird)		
<i>Empidonax occidentalis</i> Nelson	Cordilleran Flycatcher	B-COFL
ssp: <i>hellmayri</i> (Brodkorb)		
<i>Sayornis nigricans</i> (Swainson)	Black Phoebe	B-BLPH
ssp: <i>semiatra</i> (Vigors)		
<i>Sayornis phoebe</i> (Latham)	Eastern Phoebe	B-EAPH
<i>Sayornis saya</i> (Bonaparte)	Say's Phoebe	B-SAPH
<i>Myiarchus cinerascens</i> (Lawrence)	Ash-throated Flycatcher	B-ATFL
ssp: <i>cinerascens</i> (Lawrence)		
<i>Myiarchus crinitus</i> (Linnaeus)	Great Crested Flycatcher	B-GCFL
ssp: <i>boreus</i> Bangs		
<i>Tyrannus melancholicus</i> Vieillot	Tropical Kingbird	B-TRKI
ssp: <i>satrapa</i> (Cabanis and Heine)		
<i>Tyrannus crassirostris</i> Swainson	Thick-billed Kingbird	B-TBKI
<i>Tyrannus verticalis</i> Say	Western Kingbird	B-WEKI
<i>Tyrannus tyrannus</i> (Linnaeus)	Eastern Kingbird	B-EAKI

¹⁷⁵ Subspecies was added to list since Resources Inventory Committee (2000) as two subspecies are now recognized (Altman and Sallabanks 2000, Pyle 1997, Todd 1963). The BC birds are of the nominate subspecies.

Vertebrates of British Columbia

<i>Tyrannus dominicensis</i> (Gmelin)	Gray Kingbird	B-GRKI
ssp: <i>dominicensis</i> (Gmelin)		
<i>Tyrannus forficatus</i> (Gmelin)	Scissor-tailed Flycatcher	B-STFL
FAMILY LANIIDAE: Shrikes		
<i>Lanius excubitor</i> Linnaeus	Northern Shrike	B-NOSH
ssp: <i>invictus</i> (Grinnell)		
<i>Lanius ludovicianus</i> Linnaeus	Loggerhead Shrike	B-LOSH
ssp: <i>gambeli</i> Ridgway		
FAMILY VIREONIDAE: Vireos		
<i>Vireo solitarius</i> (Wilson)	Blue-headed Vireo	B-BHVI
ssp: <i>solitarius</i> (Wilson)		
<i>Vireo cassinii</i> Xántus de Vesey	Cassin's Vireo	B-CAVI
ssp: <i>cassinii</i> (Xántus de Vesey)		
<i>Vireo huttoni</i> Cassin	Hutton's Vireo	B-HUVI
ssp: <i>insularis</i> Rhoads*		B-HUVI-IN
<i>obscurus</i> Anthony		B-HUVI-OB
<i>Vireo gilvus</i> (Vieillot)	Warbling Vireo	B-WAVI
ssp: <i>swainsonii</i> (Baird)		
<i>Vireo philadelphicus</i> (Cassin)	Philadelphia Vireo	B-PHVI
<i>Vireo olivaceus</i> (Linnaeus)	Red-eyed Vireo	B-REVI
ssp: <i>olivaceus</i> (Linnaeus)		
FAMILY CORVIDAE: Jays, Magpies and Crows		
<i>Perisoreus canadensis</i> (Linnaeus)	Gray Jay	B-GRJA
ssp: <i>albescens</i> Peters		B-GRJA-AL
<i>bicolor</i> Miller		B-GRJA-BI
<i>obscurus</i> (Ridgway)		B-GRJA-OB
<i>pacificus</i> (Gmelin)		B-GRJA-PA
<i>Cyanocitta stelleri</i> (Gmelin)	Steller's Jay	B-STJA
ssp: <i>annectens</i> (Baird)		B-STJA-AN
<i>carlottae</i> Osgood*		B-STJA-CA
<i>paralia</i> Oberholser		B-STJA-PA
<i>stelleri</i> (Gmelin)		B-STJA-ST
<i>Cyanocitta cristata</i> (Linnaeus)	Blue Jay	B-BLJA
ssp: <i>bromia</i> Oberholser		
<i>Aphelocoma californica</i> (Vigors)	Western Scrub-Jay	B-WSJA
ssp: <i>immanis</i> Grinnell		
<i>Nucifraga columbiana</i> (Wilson)	Clark's Nutcracker	B-CLNU
<i>Pica hudsonia</i> (Linnaeus)	Black-billed Magpie	B-BBMA
ssp: <i>hudsonia</i> (Sabine)		
<i>Corvus brachyrhynchos</i> Brehm	American Crow	B-AMCR
ssp: <i>hesperis</i> (Ridgway)		
<i>Corvus caurinus</i> Baird	Northwestern Crow	B-NOCR

<i>Corvus corax</i> Linnaeus ssp: <i>principalis</i> Ridgway <i>sinuatus</i> (Wagler)	Common Raven	B-CORA B-CORA-PR B-CORA-SI
FAMILY ALAUDIDAE: Larks		
† <i>Alauda arvensis</i> Linnaeus ssp: <i>arvensis</i> (Linnaeus) <i>pekinensis</i> Swinhoe	Sky Lark	B-SKLA B-SKLA-AR B-SKLA-PE
<i>Eremophila alpestris</i> (Linnaeus) ssp: <i>arctica</i> (Oberholser) <i>hoyti</i> (Bishop) <i>merrilli</i> (Dwight) <i>strigata</i> (Henshaw)	Horned Lark	B-HOLA B-HOLA-AR B-HOLA-HO B-HOLA-ME B-HOLA-ST
FAMILY HIRUNDINIDAE: Swallows		
<i>Progne subis</i> (Linnaeus) ssp: <i>arboricola</i> Behle <i>subis</i> (Linnaeus)	Purple Martin	B-PUMA B-PUMA-AR B-PUMA-SU
<i>Tachycineta bicolor</i> (Vieillot)	Tree Swallow	B-TRSW
<i>Tachycineta thalassina</i> (Swainson) ssp: <i>lepida</i> (Mearns)	Violet-green Swallow	B-VGSW
<i>Stelgidopteryx serripennis</i> (Audubon) ssp: <i>serripennis</i> (Audubon)	Northern Rough-winged Swallow	B-NRWS
<i>Riparia riparia</i> (Linnaeus) ssp: <i>riparia</i> (Linnaeus)	Bank Swallow	B-BKSW
<i>Hirundo rustica</i> Linnaeus ssp: <i>erythrogaster</i> (Boddaert) <i>gutturalis</i> (Scopoli)	Barn Swallow	B-BASW B-BASW-ER B-BASW-GU
<i>Petrochelidon pyrrhonota</i> Vieillot ssp: <i>hypopolia</i> (Oberholser) <i>pyrrhonota</i> (Vieillot)	Cliff Swallow	B-CLSW B-CLSW-HY B-CLSW-PY
FAMILY PARIDAE: Titmice		
<i>Poecile atricapilla</i> Linnaeus ssp: <i>fortuitus</i> (Dawson and Bowles) <i>occidentalis</i> (Baird) <i>septentrionalis</i> (Harris)	Black-capped Chickadee	B-BCCH B-BCCH-FO B-BCCH-OC B-BCCH-SE
<i>Poecile gambeli</i> (Ridgway) ¹⁷⁶ ssp: <i>abbreviatus</i> (Grinnell)	Mountain Chickadee	B-MOCH
<i>Poecile rufescens</i> (Townsend) ssp: <i>rufescens</i> (Townsend)	Chestnut-backed Chickadee	B-CBCH
<i>Poecile hudsonica</i> (Forster) ssp: <i>columbianus</i> Rhoads <i>farleyi</i> Godfrey	Boreal Chickadee	B-BOCH B-BOCH-CO B-BOCH-FA

¹⁷⁶ *Poecile gambeli grinnelli* has been synonymized with *P. g. abbreviatus* (Grinnell) (McCallum *et al.* 1999), since Resources Inventory Committee (2000).

Vertebrates of British Columbia

FAMILY AEGITHALIDAE: Long-tailed Tits and Bushtits

Psaltriparus minimus (Townsend) Bushtit B-BUSH
 ssp: *saturatus* Ridgway

FAMILY SITTIDAE: Nuthatches

Sitta canadensis Linnaeus Red-breasted Nuthatch B-RBNU
Sitta carolinensis Latham White-breasted Nuthatch B-WBNU
 ssp: *aculeata* (Cassin) B-WBNU-AC
 cookei Oberholser B-WBNU-CO
 tenuissima Grinnell B-WBNU-TE
Sitta pygmaea Vigors Pygmy Nuthatch B-PYNU
 ssp: *melanotis* van Rossem

FAMILY CERTHIDAE: Creepers

Certhia americana Bonaparte Brown Creeper B-BRCR
 ssp: *alascensis* Webster B-BRCR-AL
 montana (Ridgway) B-BRCR-MO
 occidentalis (Ridgway) B-BRCR-OC
 stewarti Webster* B-BRCR-ST

FAMILY TROGLODYTIDAE: Wrens

Salpinctes obsoletus (Say) Rock Wren B-ROWR
 ssp: *obsoletus* (Say)
Catherpes mexicanus (Swainson) Canyon Wren B-CAWR
 ssp: *griseus* Aldrich
Thryomanes bewickii (Audubon) Bewick's Wren B-BEWR
 ssp: *calophonus* Oberholser
Troglodytes aedon Vieillot House Wren B-HOWR
 ssp: *parkmanii* (Audubon)
Troglodytes troglodytes (Linnaeus) Winter Wren B-WIWR
 ssp: *hiemalis* (Vieillot) B-WIWR-HI
 pacificus (Baird) B-WIWR-PA
 salebrosus Burleigh B-WIWR-SA
Cistothorus palustris (Wilson) Marsh Wren B-MAWR
 ssp: *browningi* Rea B-MAWR-BR
 pulverius (Aldrich) B-MAWR-PU

FAMILY CINCLIDAE: Dippers

Cinclus mexicanus Swainson American Dipper B-AMDI
 ssp: *unicolor* (Bonaparte)

FAMILY REGULIDAE: Kinglets

Regulus satrapa Lichtenstein Golden-crowned Kinglet B-GCKI
 ssp: *amoenus* van Rossem B-GCKI-AM
 olivaceus (Baird) B-GCKI-OL
 satrapa (Lichtenstein) B-GCKI-SA

<i>Regulus calendula</i> (Linnaeus)	Ruby-crowned Kinglet	B-RCKI
ssp: <i>calendula</i> (Linnaeus)		B-RCKI-CA
<i>cineraceus</i> Grinnell		B-RCKI-CI
<i>grinnelli</i> Palmer		B-RCKI-GR
FAMILY MUSCICAPIDAE: Gnatcatchers and Old World Flycatchers		
<i>Polioptila caerulea</i> (Linnaeus)	Blue-gray Gnatcatcher	B-BGGN
ssp: <i>amoenissima</i> Grinnell		
<i>Oenanthe oenanthe</i> (Linnaeus)	Northern Wheatear	B-NOWH
ssp: <i>oenanthe</i> (Linnaeus)		
<i>Sialia mexicana</i> Swainson	Western Bluebird	B-WEBL
ssp: <i>occidentalis</i> (Townsend)		
<i>Sialia currucoides</i> (Bechstein)	Mountain Bluebird	B-MOBL
<i>Myadestes townsendi</i> (Audubon)	Townsend's Solitaire	B-TOSO
ssp: <i>townsendi</i> (Audubon)		
<i>Catharus fuscescens</i> (Stephens)	Veery	B-VEER
ssp: <i>salicicola</i> (Ridgway)		
<i>Catharus minimus</i> (Lafresnaye)	Gray-cheeked Thrush	B-GCTH
ssp: <i>aliciae</i> (Baird)		
<i>Catharus ustulatus</i> (Nuttall)	Swainson's Thrush	B-SWTH
ssp: <i>incanus</i> (Godfrey)		B-SWTH-IN
<i>phillipsi</i> Ramos*		B-SWTH-PH
<i>swainsoni</i> (Tschudi)		B-SWTH-SW
<i>ustulatus</i> (Nuttall)		B-SWTH-US
<i>Catharus guttatus</i> (Pallas)	Hermit Thrush	B-HETH
ssp: <i>euborius</i> (Oberholser)		B-HETH-EU
<i>guttatus</i> (Pallas)		B-HETH-GU
<i>munroi</i> Phillips		B-HETH-MU
<i>nanus</i> (Audubon)		B-HETH-NA
<i>oromelus</i> (Oberholser)		B-HETH-OR
<i>osgoodi</i> Phillips		B-HETH-OS
<i>vaccinius</i> (Cumming)		B-HETH-VA
<i>verecundus</i> (Osgood)*		B-HETH-VE
<i>Turdus naumanni</i> Temminck	Dusky Thrush	B-DUTH
ssp: <i>eunomus</i> (Temminck)		
<i>Turdus migratorius</i> Linnaeus	American Robin	B-AMRO
ssp: <i>caurinus</i> (Grinnell)		B-AMRO-CA
<i>migratorius</i> (Linnaeus)		B-AMRO-MI
<i>propinquus</i> (Ridgway)		B-AMRO-PR
<i>Ixoreus naevius</i> (Gmelin)	Varied Thrush	B-VATH
ssp: <i>carlottae</i> (Phillips)*		B-VATH-CA
<i>godfreii</i> (Phillips)		B-VATH-GO
<i>meruloides</i> (Swainson)		B-VATH-ME
<i>naevius</i> (Gmelin)		B-VATH-NA
<i>Monticola solitarius</i> (Linnaeus)	Blue Rock-Thrush	B-BRTR
ssp: <i>philippensis</i> (Müller)		

Vertebrates of British Columbia

FAMILY MIMIDAE: Mockingbirds, Thrashers and Allies

<i>Dumetella carolinensis</i> (Linnaeus)	Gray Catbird	B-GRCA
<i>Mimus polyglottos</i> (Linnaeus)	Northern Mockingbird	B-NOMO
ssp: <i>leucopterus</i> (Vigors)		
<i>Oreoscoptes montanus</i> (Townsend)	Sage Thrasher	B-SATH
<i>Toxostoma rufum</i> (Linnaeus)	Brown Thrasher	B-BRTH
ssp: <i>longicauda</i> (Baird)		

FAMILY STURNIDAE: Starlings and Allies

† <i>Sturnus vulgaris</i> Linnaeus	European Starling	B-EUST
ssp: <i>vulgaris</i> (Linnaeus)		
† <i>Acridotheres cristatellus</i> (Linnaeus)	Crested Myna	B-CRMY
ssp: <i>cristatellus</i> (Linnaeus)		

FAMILY PRUNELLIDAE: Accentors

<i>Prunella montanella</i> (Pallas)	Siberian Accentor	B-SIAC
-------------------------------------	-------------------	--------

FAMILY MOTACILLIDAE: Wagtails and Pipits

<i>Motacilla flava</i> Linnaeus	Yellow Wagtail	B-YEWG
ssp: <i>tschutschensis</i> (Gmelin)		
<i>Motacilla lugens</i> Gloger	Black-backed Wagtail	B-BBWG
<i>Anthus cervinus</i> (Pallas)	Red-throated Pipit	B-RTPI
<i>Anthus rubescens</i> (Tunstall)	American Pipit	B-AMPI
ssp: <i>pacificus</i> Todd		B-AMPI-PA
<i>rubescens</i> (Tunstall)		B-AMPI-RU
<i>Anthus spragueii</i> (Audubon)	Sprague's Pipit	B-SPPI

FAMILY BOMBYCILLIDAE: Waxwings

<i>Bombycilla garrulus</i> (Linnaeus)	Bohemian Waxwing	B-BOWA
ssp: <i>pallidiceps</i> Reichenow		
<i>Bombycilla cedrorum</i> Vieillot	Cedar Waxwing	B-CEWA

FAMILY PARULIDAE: Wood Warblers

<i>Vermivora peregrina</i> (Wilson)	Tennessee Warbler	B-TEWA
<i>Vermivora celata</i> (Say)	Orange-crowned Warbler	B-OCWA
ssp: <i>celata</i> (Say)		B-OCWA-CE
<i>lutescens</i> (Ridgway)		B-OCWA-LU
<i>orestera</i> Oberholser		B-OCWA-OR
<i>Vermivora ruficapilla</i> (Wilson)	Nashville Warbler	B-NAWA
ssp: <i>ridgwayi</i> van Rossem		
<i>Parula americana</i> (Linnaeus)	Northern Parula	B-NOPA
<i>Dendroica petechia</i> (Linnaeus)	Yellow Warbler	B-YEWA
ssp: <i>annicola</i> (Batchelder)		B-YEWA-AM
<i>morcomi</i> (Coale)		B-YEWA-MO
<i>rubiginosa</i> (Pallas)		B-YEWA-RU
<i>Dendroica pensylvanica</i> (Linnaeus)	Chestnut-sided Warbler	B-CSWA
<i>Dendroica magnolia</i> (Wilson)	Magnolia Warbler	B-MGNW

<i>Dendroica tigrina</i> (Gmelin)	Cape May Warbler	B-CMWA
<i>Dendroica caerulescens</i> (Gmelin)	Black-throated Blue Warbler	B-BTBW
ssp: <i>caerulescens</i> (Gmelin)		
<i>Dendroica coronata</i> (Linnaeus)	Yellow-rumped Warbler	B-YRWA
ssp: <i>auduboni</i> (Townsend)		B-YRWA-AU
<i>hooveri</i> McGregor		B-YRWA-HO
<i>memorabilis</i> (Oberholser)		B-YRWA-ME
<i>Dendroica nigrescens</i> (Townsend)	Black-throated Gray Warbler	B-BTGW
<i>Dendroica townsendi</i> (Townsend)	Townsend's Warbler	B-TOWA
<i>Dendroica occidentalis</i> (Townsend)	Hermit Warbler	B-HEWA
<i>Dendroica virens</i> (Gmelin)	Black-throated Green Warbler	B-BTNW
ssp: <i>virens</i> (Gmelin)		
<i>Dendroica fusca</i> (Müller)	Blackburnian Warbler	B-BBNW
<i>Dendroica dominica</i> (Linnaeus)	Yellow-throated Warbler	B-YTWA
<i>Dendroica discolor</i> (Vieillot)	Prairie Warbler	B-PRWA
ssp: <i>discolor</i> (Vieillot)		
<i>Dendroica palmarum</i> (Gmelin)	Palm Warbler	B-PAWA
ssp: <i>palmarum</i> (Gmelin)		
<i>Dendroica castanea</i> (Wilson)	Bay-breasted Warbler	B-BAYW
<i>Dendroica striata</i> (Forster)	Blackpoll Warbler	B-BKPW
<i>Mniotilta varia</i> (Linnaeus)	Black-and-white Warbler	B-BAWW
<i>Setophaga ruticilla</i> (Linnaeus)	American Redstart	B-AMRE
ssp: <i>tricolora</i> (Müller)		
<i>Seiurus aurocapillus</i> (Linnaeus)	Ovenbird	B-OVEN
ssp: <i>aurocapillus</i> (Linnaeus)		
<i>Seiurus noveboracensis</i> (Gmelin)	Northern Waterthrush	B-NOWA
ssp: <i>linnaeus</i> McCabe and Miller*		B-NOWA-LI
<i>notabilis</i> (Ridgway)		B-NOWA-NO
<i>Oporornis agilis</i> (Wilson)	Connecticut Warbler	B-COWA
<i>Oporornis philadelphia</i> (Wilson)	Mourning Warbler	B-MOWA
<i>Oporornis tolmiei</i> (Townsend)	MacGillivray's Warbler	B-MACW
ssp: <i>tolmiei</i> (Townsend)		
<i>Geothlypis trichas</i> (Linnaeus)	Common Yellowthroat	B-COYE
ssp: <i>arizela</i> Oberholser		B-COYE-AR
<i>campicola</i> Behle and Aldrich		B-COYE-CA
<i>yukonicola</i> Godfrey		B-COYE-YU
<i>Wilsonia citrina</i> (Boddaert) ¹⁶⁹	Hooded Warbler	B-HOWA
<i>Wilsonia pusilla</i> (Wilson)	Wilson's Warbler	B-WIWA
ssp: <i>chryseola</i> Ridgway		B-WIWA-CH
<i>pileolata</i> (Pallas)		B-WIWA-PI
<i>Wilsonia canadensis</i> (Linnaeus)	Canada Warbler	B-CAWA
<i>Myioborus pictus</i> (Swainson)	Painted Redstart	B-PARE
ssp: <i>pictus</i> (Swainson)		

¹⁶⁹ New species added since previous edition (Resources Inventory Committee 2000), see Campbell *et al.* (2001).

Vertebrates of British Columbia

<i>Icteria virens</i> (Linnaeus) ssp: <i>auricollis</i> (Deppe)	Yellow-breasted Chat	B-YBCH
FAMILY THRAUPIDAE: Tanagers		
<i>Piranga olivacea</i> (Gmelin)	Scarlet Tanager	B-SCTA
<i>Piranga ludoviciana</i> (Wilson)	Western Tanager	B-WETA
FAMILY EMBERIZIDAE: Buntings and New World Sparrows		
<i>Pipilo chlorurus</i> (Audubon)	Green-tailed Towhee	B-GTTO
<i>Pipilo maculatus</i> Swainson	Spotted Towhee	B-SPTO
ssp: <i>curtatus</i> Grinnell		B-SPTO-CU
<i>oregonus</i> (Bell)		B-SPTO-OR
<i>Spizella arborea</i> (Wilson)	American Tree Sparrow	B-ATSP
ssp: <i>ochracea</i> (Brewster)		
<i>Spizella passerina</i> (Bechstein)	Chipping Sparrow	B-CHSP
ssp: <i>boreophila</i> Oberholser		
<i>Spizella pallida</i> (Swainson)	Clay-colored Sparrow	B-CCSP
<i>Spizella breweri</i> Cassin	Brewer's Sparrow	B-BRSP
ssp: <i>breweri</i> (Cassin)		B-BRSP-BR
<i>taverneri</i> (Swarth and Brooks)		B-BRSP-TA
<i>Pooecetes gramineus</i> (Gmelin)	Vesper Sparrow	B-VESP
ssp: <i>affinis</i> Miller		B-VESP-AF
<i>confinis</i> (Baird)		B-VESP-CO
<i>Chondestes grammacus</i> (Say)	Lark Sparrow	B-LASP
ssp: <i>strigatus</i> (Swainson)		
<i>Amphispiza bilineata</i> (Cassin)	Black-throated Sparrow	B-BTSP
ssp: <i>deserticola</i> Ridgway		
<i>Amphispiza belli</i> (Cassin)	Sage Sparrow	B-SASP
ssp: <i>nevadensis</i> (Ridgway)		
<i>Calamospiza melanocorys</i> Stejneger	Lark Bunting	B-LKBU
<i>Passerculus sandwichensis</i> (Gmelin)	Savannah Sparrow	B-SAVS
ssp: <i>anthinus</i> (Bonaparte)		B-SAVS-AN
<i>brooksi</i> Bishop		B-SAVS-BR
<i>nevadensis</i> Grinnell		B-SAVS-NE
<i>sandwichensis</i> (Gmelin)		B-SAVS-SA
<i>Ammodramus bairdii</i> (Audubon)	Baird's Sparrow	B-BASP
<i>Ammodramus savannarum</i> (Gmelin)	Grasshopper Sparrow	B-GRSP
ssp: <i>perpallidus</i> (Coues)		
<i>Ammodramus leconteii</i> (Audubon)	Le Conte's Sparrow	B-LCSP

<i>Ammodramus nelsoni</i> Allen	Nelson's Sharp-tailed Sparrow	B-NSTS
ssp: <i>nelsoni</i> (J.A. Allen)		
<i>Passerella iliaca</i> (Merrem)	Fox Sparrow	B-FOSP
ssp: <i>altivagans</i> Riley		B-FOSP-AL
<i>annectens</i> Ridgway		B-FOSP-AN
<i>chilcatensis</i> Webster		B-FOSP-CH
<i>fuliginosa</i> Ridgway		B-FOSP-FU
<i>insularis</i> Ridgway		B-FOSP-IN
<i>olivacea</i> Aldrich		B-FOSP-OL
<i>schistacea</i> (Baird)		B-FOSP-SC
<i>sinuosa</i> Grinnell		B-FOSP-SI
<i>townsendi</i> (Audubon)		B-FOSP-TO
<i>unalaschensis</i> (Gmelin)		B-FOSP-UN
<i>zaboria</i> Oberholser		B-FOSP-ZA
<i>Melospiza melodia</i> (Wilson)	Song Sparrow	B-SOSP
ssp: <i>caurina</i> (Ridgway)		B-SOSP-CA
<i>inexpectata</i> Riley		B-SOSP-IN
<i>juddi</i> (Bishop)		B-SOSP-JU
<i>merrilli</i> (Brewster)		B-SOSP-ME
<i>morphna</i> Oberholser		B-SOSP-MO
<i>rufina</i> (Bonaparte)		B-SOSP-RU
<i>Melospiza lincolni</i> (Audubon)	Lincoln's Sparrow	B-LISP
ssp: <i>gracilis</i> (Kittlitz)		B-LISP-GR
<i>lincolni</i> (Audubon)		B-LISP-LI
<i>Melospiza georgiana</i> (Latham)	Swamp Sparrow	B-SWSP
ssp: <i>ericrypta</i> Oberholser		
<i>Zonotrichia albicollis</i> (Gmelin)	White-throated Sparrow	B-WTSP
<i>Zonotrichia querula</i> (Nuttall)	Harris's Sparrow	B-HASP
<i>Zonotrichia leucophrys</i> (Forster)	White-crowned Sparrow	B-WCSP
ssp: <i>gambelii</i> (Nuttall)		B-WCSP-GA
<i>pugetensis</i> Grinnell		B-WCSP-PU
<i>Zonotrichia atricapilla</i> (Gmelin)	Golden-crowned Sparrow	B-GCSP
<i>Junco hyemalis</i> (Linnaeus)	Dark-eyed Junco	B-DEJU
ssp: <i>caniceps</i> (Woodhouse)		B-DEJU-CA
<i>cismontanus</i> (Dwight)		B-DEJU-CI
<i>hyemalis</i> (Linnaeus)		B-DEJU-HY
<i>montanus</i> (Ridgway)		B-DEJU-MO
<i>oreganus</i> (Townsend)		B-DEJU-OR
<i>shufeldti</i> Coale		B-DEJU-SH
<i>Calcarius mccownii</i> (Lawrence)	McCown's Longspur	B-MCLO
<i>Calcarius lapponicus</i> (Linnaeus)	Lapland Longspur	B-LALO
ssp: <i>alascensis</i> Ridgway		
<i>Calcarius pictus</i> (Swainson)	Smith's Longspur	B-SMLO
<i>Calcarius ornatus</i> (Townsend)	Chestnut-collared Longspur	B-CCLO
<i>Emberiza rustica</i> Pallas	Rustic Bunting	B-RUBU
ssp: <i>latifascia</i> Portenko		

Vertebrates of British Columbia

<i>Plectrophenax nivalis</i> (Linnaeus)	Snow Bunting	B-SNBU
ssp: <i>nivalis</i> (Linnaeus)		
<i>Plectrophenax hyperboreus</i> Ridgway	McKay's Bunting	B-MCBU
FAMILY CARDINALIDAE: Cardinals, Grosbeaks and Allies		
<i>Pheucticus ludovicianus</i> (Linnaeus)	Rose-breasted Grosbeak	B-RBGR
<i>Pheucticus melanocephalus</i> (Swainson)	Black-headed Grosbeak	B-BHGR
ssp: <i>maculatus</i> (Audubon)		B-BHGR-MA
<i>melanocephala</i> (Swainson)		B-BHGR-ME
<i>Guiraca caerulea</i> (Linnaeus) ¹⁶⁹	Blue Grosbeak	B-BLGB
ssp: <i>interfusa</i> Dwight and Griscom		
<i>Passerina amoena</i> (Say)	Lazuli Bunting	B-LZBU
<i>Passerina cyanea</i> (Linnaeus)	Indigo Bunting	B-INBU
<i>Spiza americana</i> (Gmelin)	Dickcissel	B-DICK
FAMILY ICTERIDAE: Icterids		
<i>Dolichonyx oryzivorus</i> (Linnaeus)	Bobolink	B-BOBO
<i>Agelaius phoeniceus</i> (Linnaeus)	Red-winged Blackbird	B-RWBL
ssp: <i>arctolegus</i> Oberholser		B-RWBL-AR
<i>caurinus</i> Ridgway		B-RWBL-CA
<i>nevadensis</i> Grinnell		B-RWBL-NE
<i>Sturnella neglecta</i> Audubon	Western Meadowlark	B-WEME
ssp: <i>confluenta</i> Rathbun		B-WEME-CO
<i>neglecta</i> (Audubon)		B-WEME-NE
<i>Xanthocephalus xanthocephalus</i> (Bonaparte)	Yellow-headed Blackbird	B-YHBL
<i>Euphagus carolinus</i> (Müller)	Rusty Blackbird	B-RUBL
ssp: <i>carolinus</i> (Müller)		
<i>Euphagus cyanocephalus</i> (Wagler)	Brewer's Blackbird	B-BRBL
<i>Quiscalus quiscula</i> (Linnaeus)	Common Grackle	B-COGR
ssp: <i>versicolor</i> (Vieillot)		
<i>Quiscalus mexicanus</i> (Gmelin)	Great-tailed Grackle	B-GTGR
<i>Molothrus ater</i> (Boddaert)	Brown-headed Cowbird	B-BHCO
ssp: <i>artemisiae</i> Grinnell		
<i>Icterus spurius</i> (Linnaeus)	Orchard Oriole	B-OROR
ssp: <i>spurius</i> (Linnaeus)		
<i>Icterus cucullatus</i> Swainson	Hooded Oriole	B-HOOR
<i>Icterus bullockii</i> (Swainson)	Bullock's Oriole	B-BUOR
ssp: <i>bullockii</i> (Swainson)		
<i>Icterus galbula</i> (Linnaeus)	Baltimore Oriole	B-BAOR

¹⁶⁹ New species added since previous edition (Resources Inventory Committee 2000), see Campbell *et al.* (2001).

FAMILY FRINGILLIDAE: Finches

<i>Fringilla montifringilla</i> Linnaeus	Brambling	B-BRAM
<i>Leucosticte tephrocotis</i> (Swainson)	Gray-crowned Rosy-Finch	B-GCRF
ssp: <i>littoralis</i> (Baird)		B-GCRF-LI
<i>tephrocotis</i> (Swainson)		B-GCRF-TE
<i>Pinicola enucleator</i> (Linnaeus)	Pine Grosbeak	B-PIGR
ssp: <i>alascensis</i> Ridgway		B-PIGR-AL
<i>carlottae</i> Brooks*		B-PIGR-CA
<i>flammula</i> (Homeyer)		B-PIGR-FL
<i>montana</i> Ridgway		B-PIGR-MO
<i>Carpodacus purpureus</i> (Gmelin)	Purple Finch	B-PUFI
ssp: <i>californicus</i> (Baird)		B-PUFI-CA
<i>taverneri</i> Rand		B-PUFI-TA
<i>Carpodacus cassinii</i> Baird	Cassin's Finch	B-CAFI
<i>Carpodacus mexicanus</i> (Müller)	House Finch	B-HOFI
ssp: <i>frontalis</i> (Say)		
<i>Loxia curvirostra</i> Linnaeus	Red Crossbill	B-RECR
ssp: <i>minor</i> (Brehm)		
<i>Loxia leucoptera</i> Gmelin	White-winged Crossbill	B-WWCR
ssp: <i>leucoptera</i> (Gmelin)		
<i>Carduelis flammea</i> (Linnaeus)	Common Redpoll	B-CORE
ssp: <i>flammea</i> (Linnaeus)		
<i>Carduelis hornemanni</i> (Holböll)	Hoary Redpoll	B-HORE
ssp: <i>exilipes</i> (Coues)		
<i>Carduelis pinus</i> (Wilson)	Pine Siskin	B-PISI
ssp: <i>pinus</i> (Wilson)		
<i>Carduelis psaltria</i> (Say)	Lesser Goldfinch	B-LEGO
ssp: <i>hesperophila</i> (Oberholser)		
<i>Carduelis tristis</i> (Linnaeus)	American Goldfinch	B-AMGO
ssp: <i>jewetti</i> (van Rossem)		B-AMGO-JE
<i>pallidus</i> (Mearns)		B-AMGO-PA
<i>Coccothraustes vespertinus</i> (Cooper)	Evening Grosbeak	B-EVGR
ssp: <i>brooksi</i> (Grinnell)		B-EVGR-BR
<i>vespertinus</i> (Cooper)		B-EVGR-VE

FAMILY PASSERIDAE: Old World Sparrows

† <i>Passer domesticus</i> (Linnaeus)	House Sparrow	B-HOSP
ssp: <i>domesticus</i> (Linnaeus)		

Mammals

Scientific Authority: David Nagorsen

This is a list of the scientific and English names ¹⁷⁷ for the 133 native and 9 introduced species of mammals that occur in the province of British Columbia as of September 2001. Accidental occurrences such as the Big free-tailed Bat (*Nyctinomops macrotus*) are not included. The only introduced species on the list are those for which feral populations are established in the province.

Orders and families are arranged according to their generally accepted phylogenetic sequence. The subfamilies of the rodent family Muridae are ordered alphabetically. Genera within a family and species within a genus are ordered alphabetically. Subspecies are arranged alphabetically within a species. Taxa endemic to British Columbia are marked with a “*”, introduced species with a “†”, and extirpated or extinct species with a “x”.

The list is intended to be an update to the species listed in Nagorsen (1990) and is based largely on Wilson and Reeder (1993), Jones *et al.* (1997) and Rice (1998). However, there are several deviations from the nomenclature of Wilson and Reeder (1993), that follow Nagorsen (1990). Subspecies are largely based on Nagorsen (1990) with modifications to accommodate the revisions of Wilson *et al.* (1991), Manning (1993), Hogan *et al.* (1993), Morales and Bickham (1995), Nowak (1995) and Rice (1998).

CLASS MAMMALIA: Mammals

ORDER DIDELPHIMORPHIA: Marsupials

FAMILY DIDELPHIDAE: New World Opossums

† <i>Didelphis virginiana</i> Kerr	North American Opossum	M-DIVI
ssp: <i>virginiana</i> Linnaeus		

ORDER INSECTIVORA: Insectivores

FAMILY SORICIDAE: Shrews

<i>Sorex arcticus</i> Kerr	Black-backed Shrew	M-SOAR
ssp: <i>arcticus</i> Kerr		
<i>Sorex bendirii</i> (Merriam)	Pacific Water Shrew	M-SOBE
ssp: <i>bendirii</i> (Merriam)		

¹⁷⁷ Wilson and Cole (2000) recently published a book that attempted to provide English common names to all the world's mammal species. However, Wilson and Cole (2000) was not used for this list as it followed Wilson and Reeder (1993) causing some of the taxonomy to be dated.

Vertebrates of British Columbia

<i>Sorex cinereus</i> Kerr	Common Shrew	M-SOCI
ssp: <i>cinereus</i> Kerr		M-SOCI-CI
<i>streatori</i> Merriam		M-SOCI-ST
<i>Sorex hoyi</i> Baird	Pygmy Shrew	M-SOHO
ssp: <i>hoyi</i> Baird		
<i>Sorex merriami</i> Dobson ¹⁷⁸	Merriam's Shrew	M-SOME
<i>Sorex monticolus</i> Merriam	Dusky Shrew	M-SOMO
ssp: <i>calvertensis</i> Cowan *		M-SOMO-CA
<i>elassodon</i> Osgood		M-SOMO-EL
<i>insularis</i> Cowan *		M-SOMO-IN
<i>isolatus</i> Jackson*		M-SOMO-IS
<i>longicaudus</i> Merriam		M-SOMO-LO
<i>obscurus</i> Merriam		M-SOMO-OB
<i>prevostensis</i> Osgood*		M-SOMO-PR
<i>setosus</i> Elliot		M-SOMO-SE
<i>Sorex palustris</i> Richardson	Common Water Shrew	M-SOPA
ssp: <i>brooksi</i> Anderson*		M-SOPA-BR
<i>navigator</i> Baird		M-SOPA-NA
<i>Sorex preblei</i> Jackson ¹⁷⁹	Preble's Shrew	M-SOPR
<i>Sorex trowbridgii</i> Baird	Trowbridge's Shrew	M-SOTR
ssp: <i>trowbridgii</i> Baird		
<i>Sorex tundrensis</i> Merriam	Tundra Shrew	M-SOTU
ssp: <i>tundrensis</i> Merriam		
<i>Sorex vagrans</i> Baird	Vagrant Shrew	M-SOVA
ssp: <i>vagrans</i> Baird		
FAMILY TALPIDAE: Moles		
<i>Neurotrichus gibbsii</i> (Baird)	Shrew-mole	M-NEGI
ssp: <i>gibbsii</i> (Baird)		
<i>Scapanus orarius</i> True	Coast Mole	M-SCOR
ssp: <i>schefferi</i> Jackson		
<i>Scapanus townsendii</i> (Bachman)	Townsend's Mole	M-SCTO
ssp: <i>townsendii</i> (Bachman)		

ORDER CHIROPTERA: Bats

FAMILY VESPERTILIONIDAE: Vespertilionid Bats

<i>Antrozous pallidus</i> (Le Conte)	Pallid Bat	M-ANPA
ssp: <i>pallidus</i> (Le Conte)		
<i>Corynorhinus townsendii</i> (Cooper) ¹⁸⁰	Townsend's Big-eared Bat	M-COTO
ssp: <i>pallezens</i> (Miller)		M-COTO-PA
<i>townsendii</i> (Cooper)		M-COTO-TO

¹⁷⁸ New shrew species, *Sorex merriami*, discovered in British Columbia (Nagorsen *et al.* 2001).

¹⁷⁹ New shrew species, *Sorex preblei*, discovered in British Columbia (Nagorsen *et al.* 2001).

¹⁸⁰ See Frost and Timm (1992) and Tumlison and Douglas (1992) for change in genus name to *Corynorhinus* from *Plecotus*.

<i>Eptesicus fuscus</i> (Palisot de Beauvois) ssp: <i>bernardinus</i> Rhoads	Big Brown Bat	M-EPFU
<i>Euderma maculatum</i> (J.A. Allen)	Spotted Bat	M-EUMA
<i>Lasionycteris noctivagans</i> (Le Conte)	Silver-haired Bat	M-LANO
<i>Lasiurus blossevillii</i> (Lesson and Garnot) ¹⁸¹ ssp: <i>frantzi</i> (Peters)	Western Red Bat	M-LABL
<i>Lasiurus cinereus</i> (Palisot de Beauvois) ssp: <i>cinereus</i> Palisot de Beauvois	Hoary Bat	M-LACI
<i>Myotis californicus</i> (Audubon and Bachman) ssp: <i>californicus</i> (Audubon and Bachman) <i>caurinus</i> Miller	California Myotis	M-MYCA M-MYCA-CA M-MYCA-CU
<i>Myotis ciliolabrum</i> (Merriam) ¹⁸² ssp: <i>melanorhinus</i> (Merriam)	Western Small-footed Myotis	M-MYCI
<i>Myotis evotis</i> (H. Allen) ¹⁸³ ssp: <i>chrysonotus</i> (J.A. Allen) <i>pacificus</i> Dalquest	Western Long-eared Myotis	M-MYEV M-MYEV-CH M-MYEV-PA
<i>Myotis keenii</i> (Merriam) ¹⁸⁴	Keen's Long-eared Myotis	M-MYKE
<i>Myotis lucifugus</i> (Le Conte) ssp: <i>alascensis</i> Miller <i>carissima</i> Thomas <i>lucifugus</i> (Le Conte)	Little Brown Myotis	M-MYLU M-MYLU-AL M-MYLU-CA M-MYLU-LU
<i>Myotis septentrionalis</i> (Trouessart)	Northern Long-eared Myotis	M-MYSE
<i>Myotis thysanodes</i> Miller ssp: <i>thysanodes</i> Miller	Fringed Myotis	M-MYTH
<i>Myotis volans</i> (H. Allen) ssp: <i>longricus</i> True	Long-legged Myotis	M-MYVO
<i>Myotis yumanensis</i> (H. Allen) ssp: <i>saturatus</i> Miller <i>sociabilis</i> Grinnell	Yuma Myotis	M-MYYU M-MYYU-SA M-MYYU-SO

ORDER LAGOMORPHA: Lagomorphs

FAMILY OCHOTONIDAE: Pikas

<i>Ochotona collaris</i> (Nelson)	Collared Pika	M-OCCO
-----------------------------------	---------------	--------

¹⁸¹ Based on molecular data from Morales and Bickham (1995), western populations of red bats (*Lasiurus blossevillii*) considered specifically distinct from eastern populations (*Lasiurus borealis*). Subspecies name of Western Red Bat (*Lasiurus blossevillii*) modified to accommodate the revisions of Morales and Bickham (1995), Nowak (1995), and Wilson *et al.* (1991).

¹⁸² Have kept Western Small-footed Myotis (*Myotis ciliolabrum*) a separate species from Eastern Small-footed Myotis (*Myotis leibii*), according to van Zyll de Jong (1984), (although Wilson and Reeder (1993) have combined them).

¹⁸³ Subspecies names of Western Long-eared Myotis (*Myotis evotis*) modified to accommodate the revisions of Manning (1993).

¹⁸⁴ Have kept Northern Long-eared Myotis (*Myotis septentrionalis*) a separate species from Keen's Long-eared Myotis (*Myotis keenii*), according to van Zyll de Jong (1979) and van Zyll de Jong and Nagorsen (1994), (although Wilson and Reeder (1993) have combined them).

Vertebrates of British Columbia

<i>Ochotona princeps</i> (Richardson)	Common Pika	M-OCPR
ssp: <i>brooksi</i> Howell*		M-OCPR-BR
<i>brunnescens</i> Howell		M-OCPR-BU
<i>cuppes</i> Bangs		M-OCPR-CU
<i>fenisex</i> (Lord)		M-OCPR-FE
<i>littoralis</i> Cowan*		M-OCPR-LI
<i>princeps</i> (Richardson)		M-OCPR-PR
<i>saturatus</i> Cowan*		M-OCPR-SA
<i>septentrionalis</i> Cowan and Racey*		M-OCPR-SE
FAMILY LEPORIDAE: Hares and Rabbits		
<i>Lepus americanus</i> Erxleben	Snowshoe Hare	M-LEAM
ssp: <i>bairdii</i> Hayden		M-LEAM-BA
<i>cascadensis</i> Nelson		M-LEAM-CA
<i>columbiensis</i> Rhoads		M-LEAM-CO
<i>dalli</i> Merriam		M-LEAM-DA
<i>pallidus</i> Cowan*		M-LEAM-PA
<i>pineus</i> Dalquest		M-LEAM-PI
<i>washingtonii</i> Baird		M-LEAM-WA
<i>Lepus townsendii</i> Bachman	White-tailed Jackrabbit	M-LETO
ssp: <i>townsendii</i> Bachman		
† <i>Oryctolagus cuniculus</i> (Linnaeus)	European Rabbit	M-ORCU
† <i>Sylvilagus floridanus</i> (J.A. Allen)	Eastern Cottontail	M-SYFL
ssp: <i>alacer</i> (Bangs)		M-SYFL-AL
<i>mearnsi</i> (J.A. Allen)		M-SYFL-ME
<i>Sylvilagus nuttallii</i> (Bachman)	Nuttall's Cottontail	M-SYNU
ssp: <i>nuttallii</i> (Bachman)		
ORDER RODENTIA: Rodents		
FAMILY APLODONTIIDAE: Mountain Beavers ¹⁸⁵		
<i>Aplodontia rufa</i> (Rafinesque)	Mountain Beaver	M-APRU
ssp: <i>rainieri</i> Merriam		M-APRU-RA
<i>rufa</i> (Rafinesque)		M-APRU-RU
FAMILY SCIURIDAE: Squirrels		
<i>Glaucomys sabrinus</i> (Shaw)	Northern Flying Squirrel	M-GLSA
ssp: <i>alpinus</i> (Richardson)		M-GLSA-AL
<i>columbiensis</i> Howell		M-GLSA-CO
<i>fuliginosus</i> (Rhoads)		M-GLSA-FU
<i>laticeps</i> Howell		M-GLSA-LA
<i>oregonensis</i> (Bachman)		M-GLSA-OR
<i>reductus</i> Cowan*		M-GLSA-RE
<i>zaphaeus</i> (Osgood)		M-GLSA-ZA

¹⁸⁵ See Jones *et al.* (1997) for change in spelling of family name since the last edition (Resources Inventory Committee 1998).

<i>Marmota caligata</i> (Eschscholtz)	Hoary Marmot	M-MACA
ssp: <i>caligata</i> (Eschscholtz)		M-MACA-CA
<i>cascadensis</i> Howell		M-MACA-CS
<i>okanagana</i> (King)		M-MACA-OK
<i>oxytona</i> Hollister		M-MACA-OX
<i>raceyi</i> Anderson*		M-MACA-RA
<i>Marmota flaviventris</i>	Yellow-bellied Marmot	M-MAFL
(Audubon and Bachman)		
ssp: <i>avara</i> (Bangs)		
<i>Marmota monax</i> (Linnaeus)	Woodchuck	M-MAMO
ssp: <i>canadensis</i> (Erxleben)		M-MAMO-CA
		M-MAMO-OC
<i>ochracea</i> Swarth		M-MAMO-PE
<i>petrensis</i> Howell		M-MAVA
<i>Marmota vancouverensis</i> Swarth*	Vancouver Island Marmot	M-SCCA
† <i>Sciurus carolinensis</i> Gmelin	Eastern Grey Squirrel ¹⁸⁶	
ssp: <i>pennsylvanicus</i> Ord		
† <i>Sciurus niger</i> Linnaeus	Eastern Fox Squirrel ¹⁸⁶	M-SCNI
<i>Spermophilus columbianus</i> (Ord)	Columbian Ground Squirrel	M-SPCO
ssp: <i>columbianus</i> (Ord)		
<i>Spermophilus lateralis</i> (Say)	Golden-mantled Ground Squirrel	M-SPLA
ssp: <i>tescorum</i> (Hollister)		
<i>Spermophilus parryii</i> (Richardson)	Arctic Ground Squirrel	M-SPPA
ssp: <i>plesius</i> Osgood		
<i>Spermophilus saturatus</i> (Rhoads)	Cascade Mantled Ground Squirrel	M-SPSA
<i>Tamias amoenus</i> J.A. Allen	Yellow-pine Chipmunk	M-TAAM
ssp: <i>affinis</i> Allen		M-TAAM-AF
<i>felix</i> Rhoads		M-TAAM-FE
<i>ludibundus</i> (Hollister)		M-TAAM-LU
<i>luteiventris</i> Allen		M-TAAM-LT
<i>septentrionalis</i> (Cowan)*		M-TAAM-SE
<i>Tamias minimus</i> Bachman	Least Chipmunk	M-TAMI
ssp: <i>borealis</i> Allen		M-TAMI-BO
<i>caniceps</i> (Osgood)		M-TAMI-CA
<i>oreocetes</i> (Merriam)		M-TAMI-OR
<i>selkirki</i> (Cowan)*		M-TAMI-SE

¹⁸⁶ Change in common name to follow Jones *et al.* (1997) since last edition (Resources Inventory Committee 1998).

Vertebrates of British Columbia

<i>Tamias ruficaudus</i> (A. H. Howell) ¹⁸⁷	Red-tailed Chipmunk	M-TARU
ssp: <i>ruficaudus</i> (Howell)		M-TARU-RU
<i>simulans</i> (Howell)		M-TARU-SI
<i>Tamias townsendii</i> Bachman	Townsend's Chipmunk	M-TATO
ssp: <i>cooperi</i> Baird		M-TATO-CO
<i>townsendii</i> Bachman		M-TATO-TO
<i>Tamiasciurus douglasii</i> (Bachman)	Douglas' Squirrel	M-TADO
ssp: <i>mollipilosus</i> (Audubon and Bachman)		
<i>Tamiasciurus hudsonicus</i> (Erxleben)	Red Squirrel	M-TAHU
ssp: <i>columbiensis</i> Howell		M-TAHU-CO
<i>lanuginosus</i> Bachman*		M-TAHU-LA
<i>petulans</i> (Osgood)		M-TAHU-PE
<i>picatus</i> (Swarth)		M-TAHU-PI
<i>preblei</i> Howell		M-TAHU-PR
<i>richardsoni</i> (Bachman)		M-TAHU-RI
<i>streatori</i> (Allen)		M-TAHU-ST
FAMILY GEOMYIDAE: Pocket Gophers		
<i>Thomomys talpoides</i> (Richardson)	Northern Pocket Gopher	M-THTA
ssp: <i>cognatus</i> Johnstone*		M-THTA-CO
<i>fuscus</i> Merriam		M-THTA-FU
<i>incensus</i> Goldman*		M-THTA-IN
<i>medius</i> Goldman		M-THTA-ME
<i>saturatus</i> Bailey		M-THTA-SA
<i>segregatus</i> Johnstone*		M-THTA-SE
FAMILY HETEROMYIDAE: Heteromyids		
<i>Perognathus parvus</i> (Peale)	Great Basin Pocket Mouse	M-PEPA
ssp: <i>laingi</i> Anderson*		M-PEPA-LA
<i>lordi</i> (Gray)		M-PEPA-LO
FAMILY CASTORIDAE: Beavers		
<i>Castor canadensis</i> Kuhl	Beaver	M-CACA
ssp: <i>belugae</i> Taylor		M-CACA-BE
<i>canadensis</i> Kuhl		M-CACA-CA
<i>leucodontus</i> Gray		M-CACA-LE
<i>sagittatus</i> Benson		M-CACA-SA

¹⁸⁷ Subspecies follows Wilson and Reeder (1993) and Jones *et al.* (1997), but there is evidence that they may be full species.

FAMILY MURIDAE: Murids ¹⁸⁸SUBFAMILY ARVICOLINAE: Voles and Lemmings ¹⁸⁹

<i>Clethrionomys gapperi</i> (Vigors)	Southern Red-backed Vole	M-CLGA
ssp: <i>athabascae</i> (Preble)		M-CLGA-AT
<i>cascadensis</i> Booth		M-CLGA-CA
<i>caurinus</i> (Bailey)*		M-CLGA-CU
<i>galei</i> (Merriam)		M-CLGA-GA
<i>occidentalis</i> (Merriam)		M-CLGA-OC
<i>phaeus</i> (Swarth)		M-CLGA-PH
<i>saturatus</i> (Rhoads)		M-CLGA-SA
<i>stikinensis</i> Hall and Cockrum		M-CLGA-ST
<i>Clethrionomys rutilus</i> (Pallas)	Northern red-backed Vole	M-CLRU
ssp: <i>dawsoni</i> (Merriam)		
<i>Lemmus trimucronatus</i> (Richardson) ¹⁹⁰	Brown Lemming	M-LETR
ssp: <i>helvolus</i> (Richardson)		
<i>Microtus longicaudus</i> (Merriam)	Long-tailed Vole	M-MILO
ssp: <i>littoralis</i> Swarth		M-MILO-LI
<i>longicaudus</i> (Merriam)		M-MILO-LO
<i>macurus</i> Merriam		M-MILO-MA
<i>vellerosus</i> Allen		M-MILO-VE
<i>Microtus montanus</i> (Peale)	Montane Vole	M-MIMO
ssp: <i>canescens</i> Bailey		
<i>Microtus oeconomus</i> (Pallas)	Tundra Vole	M-MIOE
ssp: <i>yakutatensis</i> Merriam		
<i>Microtus oregoni</i> (Bachman)	Creeping Vole	M-MIOR
ssp: <i>serpens</i> Merriam		
<i>Microtus pennsylvanicus</i> (Ord)	Meadow Vole	M-MIPE
ssp: <i>drummondii</i> (Audubon and Bachman)		M-MIPE-DR
<i>modestus</i> (Baird)		M-MIPE-MO
<i>Microtus richardsoni</i> (DeKay)	Water Vole	M-MIRI
ssp: <i>arvicoloides</i> (Rhoads)		M-MIRI-AR
<i>richardsoni</i> (DeKay)		M-MIRI-RI
<i>Microtus townsendii</i> (Bachman)	Townsend's Vole	M-MITO
ssp: <i>cowani</i> Guiguet*		M-MITO-CO
<i>cummingi</i> Hall*		M-MITO-CU
<i>laingi</i> Anderson and Rand*		M-MITO-LA
<i>tetramerus</i> (Rhoads)*		M-MITO-TE
<i>townsendii</i> (Bachman)		M-MITO-TO

¹⁸⁸ See Wilson and Reeder (1993) for the grouping of rats, mice, voles, and lemmings into three subfamilies of the family Muridae.

¹⁸⁹ See Jones *et al.* (1997) and Wilson and Reeder (1993) for change to subfamily Arvicolinae of the family Muridae, from family Arvicolidae.

¹⁹⁰ See Jones *et al.* (1997), Fedorov *et al.* (1999), and Jarrell and Fredga (1993) for change in species name to *L. trimucronatus* from *L. sibiricus* since last edition (Resources Inventory Committee 1998).

Vertebrates of British Columbia

<i>Ondatra zibethicus</i> (Linnaeus)	Muskrat	M-ONZI
ssp: <i>osoyoosensis</i> (Lord)		M-ONZI-OS
<i>spatulata</i> (Osgood)		M-ONZI-SP
<i>Phenacomys intermedius</i> Merriam ¹⁹¹	Heather Vole	M-PHIN
ssp: <i>intermedius</i> Merriam		M-PHIN-IN
<i>laingi</i> Anderson*		M-PHIN-LA
<i>levis</i> Howell		M-PHIN-LE
<i>mackenzii</i> Preble		M-PHIN-MA
<i>oramontis</i> Rhoads		M-PHIN-OR
<i>Synaptomys borealis</i> (Richardson)	Northern Bog Lemming	M-SYBO
ssp: <i>artemisiae</i> Anderson*		M-SYBO-AR
<i>borealis</i> (Richardson)		M-SYBO-BO
<i>chapmani</i> Allen		M-SYBO-CH
<i>dalli</i> Merriam		M-SYBO-DA
<i>truei</i> Merriam		M-SYBO-TR
SUBFAMILY MURINAE: Old World Rats and Mice ¹⁹²		
† <i>Mus musculus</i> Linnaeus	House Mouse	M-MUMU
ssp: <i>domesticus</i> Ruddy		
† <i>Rattus norvegicus</i> (Berkenhout)	Norway Rat	M-RANO
† <i>Rattus rattus</i> (Linnaeus)	Black Rat	M-RARA
SUBFAMILY SIGMODONTINAE: New World Rats and Mice ¹⁹³		
<i>Neotoma cinerea</i> (Ord)	Bushy-tailed Woodrat	M-NECI
ssp: <i>cinerea</i> (Ord)		M-NECI-CI
<i>drummondii</i> (Richardson)		M-NECI-DR
<i>occidentalis</i> Baird		M-NECI-OC

¹⁹¹ Heather Vole is kept as a single species (*Phenacomys intermedius*), although the taxonomy of *Phenacomys* is unclear and authorities such as Cowan and Guiget (1965), Wilson and Reeder (1993) and Jones *et al.* (1997) treated the northern-eastern forms as a separate species, *Phenacomys ungava*.

¹⁹² See Wilson and Reeder (1993) for change to subfamily Murinae of the family Muridae, from family Murinae.

¹⁹³ See Wilson and Reeder (1993) for change to subfamily Sigmodontinae of the family Muridae, from family Sigmodontinae.

<i>Peromyscus keeni</i> (Rhoads) ¹⁹⁴	Keen's Mouse	M-PEKE
ssp: <i>algidus</i> Osgood		M-PEKE-AL
<i>cancrivorous</i> McCabe and Cowan*		M-PEKE-CA
<i>interdictus</i> Anderson*		M-PEKE-IN
<i>isolatus</i> Cowan*		M-PEKE-IS
<i>keeni</i> (Rhoads)*		M-PEKE-KE
<i>macrorhinus</i> (Rhoads)*		M-PEKE-MA
<i>maritimus</i> McCabe and Cowan *		M-PEKE-MR
<i>oreas</i> Bangs		M-PEKE-OR
<i>pluvialis</i> McCabe and Cowan*		M-PEKE-PL
<i>prevostensis</i> Osgood*		M-PEKE-PR
<i>rubriventer</i> McCabe and Cowan		M-PEKE-RU
<i>Peromyscus maniculatus</i> (Wagner)	Deer Mouse	M-PEMA
ssp: <i>alpinus</i> Cowan*		M-PEMA-AL
<i>artemisiae</i> (Rhoads)		M-PEMA-AR
<i>austerus</i> (Baird)		M-PEMA-AU
<i>borealis</i> Mearns		M-PEMA-BO
<i>Reithrodontomys megalotis</i> (Baird)	Western Harvest Mouse	M-REME
ssp: <i>megalotis</i> (Baird)		
FAMILY DIPODIDAE: Jumping Mice and Jerboas ¹⁹⁵		
<i>Zapus hudsonius</i> (Zimmermann)	Meadow Jumping Mouse	M-ZAHU
ssp: <i>alascensis</i> Merriam		M-ZAHU-AL
<i>hudsonius</i> (Zimmermann)		M-ZAHU-HU
<i>tenellus</i> Merriam*		M-ZAHU-TE
<i>Zapus princeps</i> J.A. Allen	Western Jumping Mouse	M-ZAPR
ssp: <i>idahoensis</i> Davis		M-ZAPR-ID
<i>kootenayensis</i> Anderson		M-ZAPR-KO
<i>saltator</i> Allen		M-ZAPR-SA
<i>Zapus trinotatus</i> Rhoads	Pacific Jumping Mouse	M-ZATR
ssp: <i>trinotatus</i> Rhoads		
FAMILY ERETHIZONTIDAE: New World Porcupines		
<i>Erethizon dorsatum</i> (Linnaeus)	Porcupine	M-ERDO
ssp: <i>myops</i> Merriam		M-ERDO-MY
<i>nigrescens</i> Allen		M-ERDO-NI

¹⁹⁴ See Hogan *et al.* (1993) and Jones *et al.* (1997) for change of the Columbian Mouse (*Peromyscus oreas*) and Sitka Mouse (*Peromyscus sitkensis*) as a single species - Keen's Mouse (*Peromyscus keeni*). See Hogan *et al.* (1993) for names of *Peromyscus* subspecies.

¹⁹⁵ Changed to family Dipodidae from Zapodidae in accordance with Wilson and Reeder (1993), although Jones *et al.* (1997) still uses family Zapodidae.

ORDER CARNIVORA: Carnivores

FAMILY CANIDAE: Canids

<i>Canis latrans</i> Say	Coyote	M-CALA
ssp: <i>incolatus</i> Hall		M-CALA-IN
<i>lestes</i> Merriam		M-CALA-LE
<i>Canis lupus</i> Linnaeus ¹⁹⁶	Grey Wolf ¹⁹⁷	M-CALU
ssp: <i>nubilus</i> Say		M-CALU-NU
<i>occidentalis</i> Richardson		M-CALU-OC
<i>Vulpes vulpes</i> (Linnaeus)	Red Fox	M-VUVU
ssp: <i>abietorum</i> Merriam		M-VUVU-AB
<i>cascadensis</i> Merriam		M-VUVU-CA
<i>macroura</i> Baird		M-VUVU-MA

FAMILY URSIDAE: Bears

<i>Ursus americanus</i> Pallas	Black Bear	M-URAM
ssp: <i>altifrontalis</i> Elliot		M-URAM-AL
<i>carlotta</i> Osgood*		M-URAM-CA
<i>cinnamomum</i> Audubon and Bachman		M-URAM-CI
<i>kermodei</i> Hornaday*		M-URAM-KE
<i>vancouveri</i> Hall*		M-URAM-VA
<i>Ursus arctos</i> Linnaeus	Grizzly Bear	M-URAR
ssp: <i>horribilis</i> Ord		

FAMILY OTARIIDAE: Eared Seals

<i>Callorhinus ursinus</i> (Linnaeus)	Northern Fur Seal	M-CAUR
<i>Eumetopias jubatus</i> (Schreber)	Northern Sea Lion	M-EUJU
<i>Zalophus californianus</i> (Lesson) ¹⁹⁸	California Sea Lion	M-ZACA

FAMILY PHOCIDAE: Hair Seals

<i>Mirounga angustirostris</i> (Gill)	Northern Elephant Seal	M-MIAN
<i>Phoca vitulina</i> Linnaeus	Harbour Seal	M-PHVI
ssp: <i>richardii</i> (Gray) ¹⁹⁹		

FAMILY PROCYONIDAE: Procyonids

<i>Procyon lotor</i> (Linnaeus)	Raccoon	M-PRLO
ssp: <i>pacificus</i> Merriam		M-PRLO-PA
<i>vancouverensis</i> Nelson and Goldman*		M-PRLO-VA

¹⁹⁶ Subspecies name of Gray Wolf (*Canis lupus*) modified to accommodate the revisions of Nowak (1995) and Wilson *et al.* (1991).

¹⁹⁷ Change in spelling of common name of Gray Wolf to Grey Wolf to follow Canadian spelling.

¹⁹⁸ With the Japanese and Galapagos Islands populations treated as distinct species (Rice 1998) this species is now considered monotypic with no subspecies.

¹⁹⁹ Although *P.v. richardsi* used as the spelling in the original list, correct spelling is *P.v. richardii* (see Rice 1998).

FAMILY MUSTELIDAE: Mustelids

<i>Enhydra lutris</i> (Linnaeus) ²⁰⁰	Sea Otter	M-ENLU
ssp: <i>kenyoni</i> Wilson <i>et al.</i>		
<i>Gulo gulo</i> (Linnaeus)	Wolverine	M-GUGU
ssp: <i>luscus</i> (Linnaeus)		M-GUGU-LU
<i>vancouverensis</i> Goldman*		M-GUGU-VA
<i>Lontra canadensis</i> (Schreber)	River Otter	M-LOCA
ssp: <i>mira</i> (Goldman)		M-LOCA-MI
<i>pacifica</i> (Rhoads)		M-LOCA-PA
<i>periclyzomae</i> (Elliot)*		M-LOCA-PE
<i>Martes americana</i> (Turton)	Marten	M-MAAM
ssp: <i>abietinoides</i> Gray		M-MAAM-AB
<i>actuosa</i> (Osgood)		M-MAAM-AC
<i>caurina</i> (Merriam)		M-MAAM-CA
<i>nesophila</i> (Osgood)*		M-MAAM-NE
<i>Martes pennanti</i> (Erxleben)	Fisher	M-MAPE
ssp: <i>columbiana</i> Goldman		M-MAPE-CO
<i>pacifica</i> (Rhoads)		M-MAPE-PA
<i>Mustela erminea</i> Linnaeus	Ermine	M-MUER
ssp: <i>anguinae</i> Hall*		M-MUER-AN
<i>fallenda</i> Hall		M-MUER-FA
<i>haidarum</i> (Preble)*		M-MUER-HA
<i>invicta</i> Hall		M-MUER-IN
<i>richardsonii</i> Bonaparte		M-MUER-RI
<i>Mustela frenata</i> Lichenstein	Long-tailed Weasel	M-MUFR
ssp: <i>altifrontalis</i> Hall		M-MUFR-AL
<i>nevadensis</i> Hall		M-MUFR-NE
<i>oribasus</i> (Bangs)		M-MUFR-OR
<i>Mustela nivalis</i> Linnaeus	Least Weasel	M-MUNI
ssp: <i>rixosa</i> (Bangs)		
<i>Mustela vison</i> Schreber	Mink	M-MUVI
ssp: <i>energumenos</i> (Bangs)		M-MUVI-EN
<i>evagor</i> Hall*		M-MUVI-EV
<i>Taxidea taxus</i> (Schreber)	Badger	M-TATA
ssp: <i>jeffersonii</i> (Harlan)		

²⁰⁰ Subspecies name of Sea Otter (*Enhydra lutris*) modified to accommodate the revisions of Nowak (1995) and Wilson *et al.* (1991).

Vertebrates of British Columbia

FAMILY MEPHITIDAE: Skunks ²⁰¹

<i>Mephitis mephitis</i> (Schreber)	Striped Skunk	M-MEME
ssp: <i>hudsonica</i> Richardson		M-MEME-HU
<i>spissigrada</i> Bangs		M-MEME-SP
<i>Spilogale gracilis</i> * Merriam ²⁰²	Western Spotted Skunk	M-SPGR
ssp: <i>latifrons</i> Merriam		

FAMILY FELIDAE: Cats

<i>Puma concolor</i> (Linnaeus)	Cougar	M-PUCO
ssp: <i>oregonensis</i> (Rafinesque)		M-PUCO-OR
<i>missoulensis</i> (Goldman)		M-PUCO-MI
<i>vancouverensis</i> (Nelson and Goldman)		M-PUCO-VA
<i>Lynx canadensis</i> Kerr	Lynx	M-LYCA
<i>Lynx rufus</i> (Schreber)	Bobcat	M-LYRU
ssp: <i>fasciatus</i> Rafinesque		M-LYRU-FA
<i>pallescens</i> Merriam		M-LYRU-PA

ORDER CETACEA: Whales

FAMILY ESCHRICHTIIDAE: Grey Whales ²⁰³

<i>Eschrichtius robustus</i> (Lilljeborg)	Grey Whale	M-ESRO
---	------------	--------

FAMILY BALAENOPTERIDAE: Rorquals

<i>Balaenoptera acutorostrata</i> Lacépède	Minke Whale	M-BAAC
ssp: <i>scammoni</i> Deméré ²⁰⁴		
<i>Balaenoptera borealis</i> Lesson	Sei Whale	M-BABO
ssp: <i>borealis</i> Lesson		
<i>Balaenoptera musculus</i> (Linnaeus)	Blue Whale	M-BAMU
ssp: <i>musculus</i> (Linnaeus)		
<i>Balaenoptera physalus</i> (Linnaeus)	Fin Whale	M-BAPH
ssp: <i>physalus</i> (Linnaeus)		
<i>Megaptera novaeangliae</i> (Borowski)	Humpback Whale	M-MENO

FAMILY BALAENIDAE: Right Whales

<i>Balaena glacialis</i> Muller ²⁰⁵	Northern Right Whale	M-BAGL
ssp: <i>glacialis</i> Muller ²⁰⁶		

²⁰¹ See Jones *et al.* (1997) for change in family for skunks to Mephitidae from family Mustelidae based on Dragoo and Honeycutt (1997).

²⁰² The taxonomy of the spotted skunks is still unresolved, but treating the western populations as a distinct species in accordance with Jones *et al.* (1997).

²⁰³ Change in spelling of common name of Gray Whale to Grey Whale to follow Canadian spelling.

²⁰⁴ Although *davidsoni* was the subspecies name used for the North Pacific race, the appropriate name according to Rice (1998) is *scammoni*.

²⁰⁵ See Rice (1998) for change to *Balaena* from *Eubalaena*.

²⁰⁶ Treated as the subspecies *japonica* in the previous list but Rice (1998) treated the North Atlantic and North Pacific populations as a single subspecies *glacialis*.

FAMILY DELPHINIDAE: Delphinids

<i>Delphinus delphis</i> Linnaeus	Saddle-backed Dolphin	M-DEDE
<i>Globicephala macrorhynchus</i> Gray	Short-finned Pilot Whale	M-GLMA
<i>Grampus griseus</i> (Cuvier)	Risso's Dolphin	M-GRGR
<i>Lagenorhynchus obliquidens</i> Gill ²⁰⁷	Pacific White-sided Dolphin	M-LAOB
<i>Lissodelphis borealis</i> (Peale)	Northern Right-whale Dolphin	M-LIBO
<i>Orcinus orca</i> (Linnaeus)	Killer Whale	M-OROR
<i>Pseudorca crassidens</i> (Owen)	False Killer Whale	M-PSCR
<i>Stenella coeruleoalba</i> (Meyen)	Striped Dolphin	M-STCO

FAMILY PHOCOENIDAE: Porpoises

<i>Phocoena phocoena</i> (Linnaeus)	Harbour Porpoise	M-PHPH
<i>Phocoenoides dalli</i> (True)	Dall's Porpoise	M-PHDA

FAMILY ZIPHIIDAE: Beaked Whales

<i>Berardius bairdii</i> Stenejger	North Pacific Bottle-nosed Whale	M-BEBA
<i>Mesoplodon carlhubbsi</i> Moore	Arch-beaked Whale	M-MECA
<i>Mesoplodon stejnegeri</i> True	Bering Sea Beaked Whale	M-MEST
<i>Ziphius cavirostris</i> G. Cuvier	Goose-beaked Whale	M-ZICA

FAMILY PHYSETERIDAE: Sperm Whales

<i>Physeter macrocephalus</i> Linnaeus ²⁰⁸	Sperm Whale	M-PHMA
---	-------------	--------

FAMILY KOGIIDAE: Pygmy Sperm Whales

<i>Kogia sima</i> (Owen) ²⁰⁹	Dwarf Sperm Whale	M-KOSI
---	-------------------	--------

ORDER ARTIODACTYLA: Even-toed Ungulates**FAMILY CERVIDAE: Cervids**

<i>Alces alces</i> (Linnaeus)	Moose	M-ALAL
ssp: <i>andersoni</i> Peterson		M-ALAL-AN
<i>gigas</i> Miller		M-ALAL-GI
<i>shirasi</i> Nelson		M-ALAL-SH
† <i>Cervus dama</i> Linnaeus ²¹⁰	Fallow Deer	M-CEDA
ssp: <i>dama</i> Linnaeus ²¹¹		

²⁰⁷ Rice (1998) recommends more data needed before classifying this species as *Samatias obliquidens*.

²⁰⁸ See Rice (1998) for the use of *P. macrocephalus* rather than *P. catodon*.

²⁰⁹ Formerly in the Family Physeteridae but Rice (1998) classified the pygmy sperm whales in a separate family. Although formerly spelled *K. simus*, according to Rice (1998) the correct spelling is *sima*.

²¹⁰ Wilson and Reeder (1993) and Jones *et al.* (1997) classified this species in the genus *Dama* but David Nagorsen has retained the genus *Cervus*.

²¹¹ European Fallow Deer is often used as the English name for this subspecies.

Vertebrates of British Columbia

<i>Cervus elaphus</i> Linnaeus	Elk	M-CEEL
ssp: <i>nelsoni</i> Bailey ²¹²		M-CEEL-NE
<i>roosevelti</i> Merriam ²¹³		M-CEEL-RO
<i>Odocoileus hemionus</i> (Rafinesque)	Mule Deer	M-ODHE
ssp: <i>columbianus</i> (Richardson) ²¹⁴		M-ODHE-CO
<i>hemionus</i> (Rafinesque) ²¹⁵		M-ODHE-HE
<i>sitkensis</i> Merriam ²¹⁶		M-ODHE-SI
<i>Odocoileus virginianus</i> (Zimmermann)	White-tailed Deer	M-ODVI
ssp: <i>dacotensis</i> Goldman and Kellog ²¹⁷		M-ODVI-DA
<i>ochrourus</i> Bailey ²¹⁸		M-ODVI-OC
<i>Rangifer tarandus</i> (Linnaeus)	Caribou	M-RATA
ssp: <i>caribou</i> (Gmelin) ²¹⁹		M-RATA-CA
<i>dawsoni</i> Seton-Thompson * x ²²⁰		M-RATA-DA
FAMILY BOVIDAE: Bovids		
<i>Bison bison</i> (Linnaeus) ²²¹	Bison	M-BIBI
ssp: <i>athabascae</i> Rhoads ²²²		M-BIBI-AT
<i>bison</i> (Linnaeus) ²²³		M-BIBI-BI
<i>Oreamnos americanus</i> (Blainville)	Mountain Goat	M-ORAM
<i>Ovis canadensis</i> Shaw	Bighorn Sheep	M-OVCA
ssp: <i>canadensis</i> Shaw ²²⁴		
<i>Ovis dalli</i> Nelson	Thinhorn Sheep	M-OVDA
ssp: <i>dalli</i> Nelson ²²⁵		M-OVDA-DA
<i>stonei</i> Allen ²²⁶		M-OVDA-ST

²¹² Rocky Mountain Elk is often used as the English name for this subspecies.

²¹³ Roosevelt Elk is often used as the English name for this subspecies.

²¹⁴ Columbian Black-tailed Deer is often used as the English name for this subspecies.

²¹⁵ Rocky Mountain Mule Deer is often used as the English name for this subspecies.

²¹⁶ Sitka Black-tailed Deer is often used as the English name for this subspecies.

²¹⁷ *O.v. dacotensis* subspecies recognized in British Columbia (Shackleton 1999). Dakota White-tailed Deer is often used as the English name for this subspecies.

²¹⁸ Northwestern White-tailed Deer is often used as the English name for this subspecies.

²¹⁹ Woodland Caribou is often used as the English name for this subspecies.

²²⁰ Dawson Caribou is often used as the English name for this subspecies.

²²¹ Wilson and Reeder (1993) and Jones *et al.* (1997) classified Bison in the genus *Bos* but David Nagorsen has retained the genus *Bison*.

²²² Wood Bison is often used as the English name for this subspecies.

²²³ Plains Bison is often used as the English name for this subspecies.

²²⁴ *Ovis canadensis californiana* (commonly referred to as the California Bighorn Sheep) subspecies was synonymized with *O. c. canadensis* (the Rocky Mountain Sheep) subspecies by Wehausen and Ramey (2000).

²²⁵ Dall's Sheep is often used as the English name for this subspecies.

²²⁶ Stone's Sheep is often used as the English name for this subspecies.

Alphabetical Sequence by English Names

The following list is ordered alphabetically by English names. Associated scientific names and species codes are also listed. Note: subspecies codes are listed when more than one subspecies exists in the province for a given species (if only one subspecies exists in the province for a given species, then only the species code is usually used).

Abyssal Eelpout	<i>Pachycara bulbiceps</i> (Garman)	F-PABU
Abyssal Snailfish	<i>Careproctus ovigerum</i> (Gilbert)	F-CAOV
Acadian Flycatcher	<i>Empidonax virescens</i> (Vieillot)	B-ACFL
Acorn Woodpecker	<i>Melanerpes formicivorus</i> (Swainson)	B-ACWO
Acorn Woodpecker <i>bairdi</i>	ssp: <i>bairdi</i> Ridgway	
Alaska Eelpout	<i>Bothrocara pusillum</i> (Bean)	F-BOPU
Alaskan Ronquil	<i>Bathymaster caeruleofasciatus</i> Gilbert and Burke	F-BACA
Albacore	<i>Thunnus alalunga</i> (Bonnaterre)	F-THAL
Alder Flycatcher	<i>Empidonax alnorum</i> Brewster	B-ALFL
Aleutian Skate	<i>Bathyraja aleutica</i> (Gilbert)	F-BAAE
Aleutian Tern	<i>Sterna aleutica</i> Baird	B-ALTE
American Avocet	<i>Recurvirostra americana</i> Gmelin	B-AMAV
American Bittern	<i>Botaurus lentiginosus</i> (Rackett)	B-AMBI
American Black Duck	<i>Anas rubripes</i> Brewster	B-ABDU
American Coot	<i>Fulica americana</i> Gmelin	B-AMCO
American Coot <i>americana</i>	ssp: <i>americana</i> (Gmelin)	
American Crow	<i>Corvus brachyrhynchos</i> Brehm	B-AMCR
American Crow <i>hesperis</i>	ssp: <i>hesperis</i> (Ridgway)	
American Dipper	<i>Cinclus mexicanus</i> Swainson	B-AMDI
American Dipper <i>unicolor</i>	ssp: <i>unicolor</i> (Bonaparte)	
American Golden-Plover	<i>Pluvialis dominica</i> (Müller)	B-AGPL
American Goldfinch	<i>Carduelis tristis</i> (Linnaeus)	B-AMGO
American Goldfinch <i>jewetti</i>	ssp: <i>jewetti</i> (van Rossem)	B-AMGO-JE
American Goldfinch <i>pallidus</i>	<i>pallidus</i> (Mearns)	B-AMGO-PA
American Kestrel	<i>Falco sparverius</i> Linnaeus	B-AMKE
American Kestrel <i>sparverius</i>	ssp: <i>sparverius</i> (Linnaeus)	
American Pipit	<i>Anthus rubescens</i> (Tunstall)	B-AMPI
American Pipit <i>pacificus</i>	ssp: <i>pacificus</i> Todd	B-AMPI-PA
American Pipit <i>rubescens</i>	<i>rubescens</i> (Tunstall)	B-AMPI-RU
American Redstart	<i>Setophaga ruticilla</i> (Linnaeus)	B-AMRE
American Redstart <i>tricolora</i>	ssp: <i>tricolora</i> (Müller)	
American Robin	<i>Turdus migratorius</i> Linnaeus	B-AMRO
American Robin <i>caurinus</i>	ssp: <i>caurinus</i> (Grinnell)	B-AMRO-CA
American Robin <i>migratorius</i>	<i>migratorius</i> (Linnaeus)	B-AMRO-MI
American Robin <i>propinquus</i>	<i>propinquus</i> (Ridgway)	B-AMRO-PR
American Shad	<i>Alosa sapidissima</i> (Wilson)	F-ALSA

Vertebrates of British Columbia

American Tree Sparrow	<i>Spizella arborea</i> (Wilson)	B-ATSP
American Tree Sparrow <i>ochracea</i>	ssp: <i>ochracea</i> (Brewster)	
American White Pelican	<i>Pelecanus erythrorhynchos</i> Gmelin	B-AWPE
American Wigeon	<i>Anas americana</i> Gmelin	B-AMWI
Ancient Murrelet	<i>Synthliboramphus antiquus</i> (Gmelin)	B-ANMU
Anna's Hummingbird	<i>Calypte anna</i> (Lesson)	B-ANHU
Arch-beaked Whale	<i>Mesoplodon carlhubbsi</i> Moore	M-MECA
Arctic Cisco	<i>Coregonus autumnalis</i> (Pallas)	F-COAU
Arctic Grayling	<i>Thymallus arcticus</i> (Pallas)	F-THAR
Arctic Ground Squirrel	<i>Spermophilus parryii</i> (Richardson)	M-SPPA
Arctic Ground Squirrel <i>plesius</i>	ssp: <i>plesius</i> Osgood	
Arctic Shanny	<i>Stichaeus punctatus</i> (Fabricius)	F-STPU
Arctic Tern	<i>Sterna paradisaea</i> Pontoppidan	B-ARTE
Armorhead Sculpin	<i>Gymnocanthus galeatus</i> Bean	F-GYGA
Arrow Goby	<i>Clevelandia ios</i> (Jordan and Gilbert)	F-CLIO
Arrowtooth Flounder	<i>Atheresthes stomias</i> (Jordan and Gilbert)	F-ATST
Ash-throated Flycatcher	<i>Myiarchus cinerascens</i> (Lawrence)	B-ATFL
Ash-throated Flycatcher <i>cinerascens</i>	ssp: <i>cinerascens</i> (Lawrence)	
Atka Mackerel	<i>Pleurogrammus monopterygius</i> (Pallas)	F-PLMO
Atlantic Salmon	<i>Salmo salar</i> Linnaeus	F-SASA
Aurora Rockfish	<i>Sebastes aurora</i> (Gilbert)	F-SEAR
Badger	<i>Taxidea taxus</i> (Schreber)	M-TATA
Badger <i>jeffersonii</i>	ssp: <i>jeffersonii</i> (Harlan)	
Baikal Teal	<i>Anas formosa</i> Georgi	B-BATE
Baird's Sandpiper	<i>Calidris bairdii</i> (Coues)	B-BASA
Baird's Sparrow	<i>Ammodramus bairdii</i> (Audubon)	B-BASP
Bald Eagle	<i>Haliaeetus leucocephalus</i> (Linnaeus)	B-BAEA
Bald Eagle <i>alascanus</i>	ssp: <i>alascanus</i> Townsend	B-BAEA-AL
Bald Eagle <i>leucocephalus</i>	<i>leucocephalus</i> (Linnaeus)	B-BAEA-LE
Baltimore Oriole	<i>Icterus galbula</i> (Linnaeus)	B-BAOR
Band-tailed Pigeon	<i>Columba fasciata</i> Say	B-BTPI
Band-tailed Pigeon <i>monilis</i>	ssp: <i>monilis</i> (Vigors)	
Bank Rockfish	<i>Sebastes rufus</i>	F-SERF
	Eigenman and Eigenmann	
Bank Swallow	<i>Riparia riparia</i> (Linnaeus)	B-BKSW
Bank Swallow <i>riparia</i>	ssp: <i>riparia</i> (Linnaeus)	
Barn Owl	<i>Tyto alba</i> (Scopoli)	B-BNOW
Barn Owl <i>pratincola</i>	ssp: <i>pratincola</i> (Bonaparte)	
Barn Swallow	<i>Hirundo rustica</i> Linnaeus	B-BASW
Barn Swallow <i>erythrogaster</i>	ssp: <i>erythrogaster</i> (Boddaert)	B-BASW-ER
Barn Swallow <i>gutturalis</i>	<i>gutturalis</i> (Scopoli)	B-BASW-GU
Barred Owl	<i>Strix varia</i> Barton	B-BDOW
Barred Owl <i>varia</i>	ssp: <i>varia</i> (Barton)	
Barreleye	<i>Macropinna microstoma</i> Chapman	F-MAMI
Barrow's Goldeneye	<i>Bucephala islandica</i> (Gmelin)	B-BAGO
Bar-tailed Godwit	<i>Limosa lapponica</i> (Linnaeus)	B-BTGO
Bar-tailed Godwit <i>baueri</i>	ssp: <i>baueri</i> (Naumann)	
Basking Shark	<i>Cetorhinus maximus</i> (Gunnerus)	F-CEMA

Alphabetical Sequence by English Names

Bay Goby	<i>Lepidogobius lepidus</i> (Girard)	F-LELE
Bay Pipefish	<i>Syngnathus leptorhynchus</i> Girard	F-SYLE
Bay-breasted Warbler	<i>Dendroica castanea</i> (Wilson)	B-BAYW
Beaver	<i>Castor canadensis</i> Kuhl	M-CACA
Beaver <i>belugae</i>	ssp: <i>belugae</i> Taylor	M-CACA-BE
Beaver <i>canadensis</i>	<i>canadensis</i> Kuhl	M-CACA-CA
Beaver <i>leucodontus</i>	<i>leucodontus</i> Gray	M-CACA-LE
Beaver <i>sagittatus</i>	<i>sagittatus</i> Benson	M-CACA-SA
Belted Kingfisher	<i>Ceryle alcyon</i> (Linnaeus)	B-BEKI
Belted Kingfisher <i>alcyon</i>	ssp: <i>alcyon</i> (Linnaeus)	B-BEKI-AL
Belted Kingfisher <i>caurina</i>	<i>caurina</i> Grinnell	B-BEKI-CA
Bering Sea Beaked Whale	<i>Mesoplodon stejnegeri</i> True	M-MEST
Bewick's Wren	<i>Thryomanes bewickii</i> (Audubon)	B-BEWR
Bewick's Wren <i>calophonus</i>	ssp: <i>calophonus</i> Oberholser	
Big Brown Bat	<i>Eptesicus fuscus</i> (Palisot de Beauvois)	M-EPFU
Big Brown Bat <i>bernardinus</i>	ssp: <i>bernardinus</i> Rhoads	
Big Skate	<i>Raja binoculata</i> Girard	F-RABI
Bigeye Poacher	<i>Bathyagonus pentacanthus</i> (Gilbert)	F-BAPE
Bigfin Eelpout	<i>Lycodes cortezianus</i> (Gilbert)	F-LYCO
Bigfin Lanternfish	<i>Symbolophorus californiensis</i> (Eigenmann and Eigenmann)	F-SYCA
Bighorn Sheep	<i>Ovis canadensis</i> Shaw	M-OVCA
Bighorn Sheep <i>canadensis</i>	ssp: <i>canadensis</i> Shaw	
Bigmouth Sculpin	<i>Hemitripterus bolini</i> (Myers)	F-HEBO
Bigpored Snailfish	<i>Paraliparis latifrons</i> Garman	F-PALA
Bigtailed Snailfish	<i>Osteodiscus cascadiae</i> Stein	F-OSCA
Bison	<i>Bison bison</i> (Linnaeus)	M-BIBI
Bison <i>athabasca</i>	ssp: <i>athabascae</i> Rhoads	M-BIBI-AT
Bison <i>bison</i>	<i>bison</i> (Linnaeus)	M-BIBI-BI
Black Bear	<i>Ursus americanus</i> Pallas	M-URAM
Black Bear <i>altifrontalis</i>	ssp: <i>altifrontalis</i> Elliot	M-URAM-AL
Black Bear <i>carlottae</i>	<i>carlottae</i> Osgood	M-URAM-CA
Black Bear <i>cinnamomum</i>	<i>cinnamomum</i> Audubon and Bachman	M-URAM-CI
Black Bear <i>kermodei</i>	<i>kermodei</i> Hornaday	M-URAM-KE
Black Bear <i>vancouveri</i>	<i>vancouveri</i> Hall	M-URAM-VA
Black Bullhead	<i>Ameiurus melas</i> (Rafinesque)	F-AMME
Black Crappie	<i>Pomoxis nigromaculatus</i> (Lesueur)	F-PONI
Black Eelpout	<i>Lycodes diapterus</i> Gilbert	F-LYDI
Black Hagfish	<i>Eptatretus deani</i> (Evermann and Goldsborough)	F-EPDE
Black Oystercatcher	<i>Haematopus bachmani</i> Audubon	B-BLOY
Black Phoebe	<i>Sayornis nigricans</i> (Swainson)	B-BLPH
Black Phoebe <i>semiatra</i>	ssp: <i>semiatra</i> (Vigors)	
Black Prickleback	<i>Xiphister atropurpureus</i> (Kittlitz)	F-XIAT
Black Rat	<i>Rattus rattus</i> (Linnaeus)	M-RARA
Black Rockfish	<i>Sebastes melanops</i> Girard	F-SEME
Black Scabbardfish	<i>Aphanopus carbo</i> Lowe	F-APCA

Vertebrates of British Columbia

Black Scoter	<i>Melanitta nigra</i> (Linnaeus)	B-BLSC
Black Scoter <i>americana</i>	ssp: <i>americana</i> (Swainson)	
Black Swift	<i>Cypseloides niger</i> (Gmelin)	B-BLSW
Black Swift <i>borealis</i>	ssp: <i>borealis</i> (Kennerly)	
Black Tern	<i>Chlidonias niger</i> (Linnaeus)	B-BLTE
Black Tern <i>surinamensis</i>	ssp: <i>surinamensis</i> (Gmelin)	
Black Turnstone	<i>Arenaria melanocephala</i> (Vigors)	B-BLTU
Black Vulture	<i>Coragyps atratus</i> (Bechstein)	B-BLVU
Black-and-white Warbler	<i>Mniotilta varia</i> (Linnaeus)	B-BAWW
Black-backed Shrew	<i>Sorex arcticus</i> Kerr	M-SOAR
Black-backed Shrew <i>arcticus</i>	ssp: <i>arcticus</i> Kerr	
Black-backed Wagtail	<i>Motacilla lugens</i> Gloger	B-BBWG
Black-backed Woodpecker	<i>Picoides arcticus</i> (Swainson)	B-BBWO
Black-bellied Plover	<i>Pluvialis squatarola</i> (Linnaeus)	B-BBPL
Blackbelly Eelpout	<i>Lycodes pacificus</i> Collett	F-LYPC
Black-billed Cuckoo	<i>Coccyzus erythrophthalmus</i> (Wilson)	B-BBCU
Black-billed Magpie	<i>Pica hudsonia</i> (Linnaeus)	B-BBMA
Black-billed Magpie <i>hudsonia</i>	ssp: <i>hudsonia</i> (Sabine)	
Blackburnian Warbler	<i>Dendroica fusca</i> (Müller)	B-BBNW
Black-capped Chickadee	<i>Poecile atricapilla</i> (Linnaeus)	B-BCCH
Black-capped Chickadee <i>fortuitus</i>	ssp: <i>fortuitus</i> Dawson and Bowles	B-BCCH-FO
Black-capped Chickadee <i>occidentalis</i>	<i>occidentalis</i> (Baird)	B-BCCH-OC
Black-capped Chickadee <i>septentrionalis</i>	<i>septentrionalis</i> (Harris)	B-BCCH-SE
Black-chinned Hummingbird	<i>Archilochus alexandri</i> (Bourcier and Mulsant)	B-BCHU
Black-crowned Night-Heron	<i>Nycticorax nycticorax</i> (Linnaeus)	B-BCNH
Black-crowned Night-Heron <i>hoactli</i>	ssp: <i>hoactli</i> (Gmelin)	
Blackeye Goby	<i>Coryphopterus nicholsi</i> (Bean)	F-CONI
Blackfin Blobsculpin	<i>Malacocottus kincaidi</i> Gilbert and Thompson	F-MAKI
Blackfin Poacher	<i>Bathyagonus nigripinnis</i> Gilbert	F-BANI
Black-footed Albatross	<i>Phoebastria nigripes</i> (Audubon)	B-BFAL
Blackgill Rockfish	<i>Sebastes melanostomus</i> Eigenmann and Eigenmann	F-SEML
Black-headed Grosbeak	<i>Pheucticus melanocephalus</i> (Swainson)	B-BHGR
Black-headed Grosbeak <i>maculatus</i>	ssp: <i>maculatus</i> (Audubon)	B-BHGR-MA
Black-headed Grosbeak <i>melanocephala</i>	<i>melanocephala</i> (Swainson)	B-BHGR-ME
Black-headed Gull	<i>Larus ridibundus</i> Linnaeus	B-BHGU
Black-headed Gull <i>ridibundus</i>	ssp: <i>ridibundus</i> (Linnaeus)	
Black-legged Kittiwake	<i>Rissa tridactyla</i> (Linnaeus)	B-BLKI
Black-legged Kittiwake <i>pollicaris</i>	ssp: <i>pollicaris</i> Stejn[eger]	
Blackmouth Slipskin	<i>Lycodapus fierasfer</i> Gilbert	F-LYFI
Black-necked Stilt	<i>Himantopus mexicanus</i> (Müller)	B-BNST
Black-necked Stilt <i>mexicanus</i>	ssp: <i>mexicanus</i> (Müller)	
Blackpoll Warbler	<i>Dendroica striata</i> (Forster)	B-BKPW
Blacktail Snailfish	<i>Careproctus melanurus</i> Gilbert	F-CAME
Black-tailed Gull	<i>Larus crassirostris</i> Vieillot	B-BTGU

Alphabetical Sequence by English Names

Black-throated Blue Warbler	<i>Dendroica caerulescens</i> (Gmelin)	B-BTBW
Black-throated Blue Warbler <i>caerulescens</i>	ssp: <i>caerulescens</i> (Gmelin)	
Black-throated Gray Warbler	<i>Dendroica nigrescens</i> (Townsend)	B-BTGW
Black-throated Green Warbler	<i>Dendroica virens</i> (Gmelin)	B-BTNW
Black-throated Green Warbler <i>virens</i>	ssp: <i>virens</i> (Gmelin)	
Black-throated Sparrow	<i>Amphispiza bilineata</i> (Cassin)	B-BTSP
Black-throated Sparrow <i>deserticola</i>	ssp: <i>deserticola</i> Ridgway	
Blacktip Poacher	<i>Xeneretmus latifrons</i> (Gilbert)	F-XELA
Black-vented Shearwater	<i>Puffinus opisthomelas</i> Coues	B-BVSH
Blue Grosbeak	<i>Guiraca caerulea</i> (Linnaeus)	B-BLGB
Blue Grosbeak <i>interfusa</i>	ssp: <i>interfusa</i> Dwight and Griscom	
Blue Grouse	<i>Dendragapus obscurus</i> (Say)	B-BLGR
Blue Grouse <i>fuliginosus</i>	ssp: <i>fuliginosus</i> (Ridgway)	B-BLGR-FU
Blue Grouse <i>pallidus</i>	<i>pallidus</i> Swarth	B-BLGR-PA
Blue Grouse <i>richardsonii</i>	<i>richardsonii</i> (Douglas)	B-BLGR-RI
Blue Grouse <i>sitkensis</i>	<i>sitkensis</i> Swarth	B-BLGR-SI
Blue Jay	<i>Cyanocitta cristata</i> (Linnaeus)	B-BLJA
Blue Jay <i>bromia</i>	ssp: <i>bromia</i> Oberholser	
Blue Rockfish	<i>Sebastes mystinus</i> (Jordan and Gilbert)	F-SEMY
Blue Rock-Thrush	<i>Monticola solitarius</i> (Linnaeus)	B-BRTR
Blue Rock-Thrush <i>philippensis</i>	ssp: <i>philippensis</i> (Müller)	
Blue Shark	<i>Prionace glauca</i> (Linnaeus)	F-PRGL
Blue Whale	<i>Balaenoptera musculus</i> (Linnaeus)	M-BAMU
Blue Whale <i>musculus</i>	ssp: <i>musculus</i> (Linnaeus)	
Bluebarred Prickleback	<i>Plectobranchnus evides</i> Gilbert	F-PLEV
Bluefin Tuna	<i>Thunnus thynnus</i> (Linnaeus)	F-THTH
Blue-gray Gnatcatcher	<i>Polioptila caerulea</i> (Linnaeus)	B-BGGN
Blue-gray Gnatcatcher <i>amoenissima</i>	ssp: <i>amoenissima</i> Grinnell	
Blue-headed Vireo	<i>Vireo solitarius</i> (Wilson)	B-BHVI
Blue-headed Vireo <i>solitarius</i>	ssp: <i>solitarius</i> (Wilson)	
Bluespotted Poacher	<i>Xeneretmus triacanthus</i> (Gilbert)	F-XETR
Bluethroat Argentine	<i>Nansenia candida</i> Cohen	F-NACA
Blue-winged Teal	<i>Anas discors</i> Linnaeus	B-BWTE
Blue-winged Teal <i>discors</i>	ssp: <i>discors</i> (Linnaeus)	
Bobcat	<i>Lynx rufus</i> (Schreber)	M-LYRU
Bobcat <i>fasciatus</i>	ssp: <i>fasciatus</i> Rafinesque	M-LYRU-FA
Bobcat <i>pallescens</i>	<i>pallescens</i> Merriam	M-LYRU-PA
Bobolink	<i>Dolichonyx oryzivorus</i> (Linnaeus)	B-BOBO
Bocaccio	<i>Sebastes paucispinis</i> Ayres	F-SEPA
Bohemian Waxwing	<i>Bombycilla garrulus</i> (Linnaeus)	B-BOWA
Bohemian Waxwing <i>pallidiceps</i>	ssp: <i>pallidiceps</i> Reichenow	
Bonaparte's Gull	<i>Larus philadelphia</i> (Ord)	B-BOGU
Bonyhead Sculpin	<i>Artedius notospilotus</i> Girard	F-ARNO
Boreal Chickadee	<i>Poecile hudsonica</i> (Forster)	B-BOCH
Boreal Chickadee <i>columbianus</i>	ssp: <i>columbianus</i> Rhoads	B-BOCH-CO
Boreal Chickadee <i>farleyi</i>	<i>farleyi</i> Godfrey	B-BOCH-FA
Boreal Chorus Frog	<i>Pseudacris maculata</i> Agassiz	A-PSMA

Vertebrates of British Columbia

Boreal Owl	<i>Aegolius funereus</i> (Linnaeus)	B-BOOW
Boreal Owl <i>richardsoni</i>	ssp: <i>richardsoni</i> (Bonaparte)	
Bottlelight	<i>Danaphos oculatus</i> (Garman)	F-DAOC
Brambling	<i>Fringilla montifringilla</i> Linnaeus	B-BRAM
Brandt's Cormorant	<i>Phalacrocorax penicillatus</i> (Brandt)	B-BRCO
Brant	<i>Branta bernicla</i> (Linnaeus)	B-BRAN
Brant <i>hrota</i>	ssp: <i>hrota</i> (Müller)	B-BRAN-HR
Brant <i>nigricans</i>	<i>nigricans</i> (Lawrence)	B-BRAN-NI
Brassy Minnow	<i>Hybognathus hankinsoni</i> Hubbs and Greene	F-HYHA
Brewer's Blackbird	<i>Euphagus cyanocephalus</i> (Wagler)	B-BRBL
Brewer's Sparrow	<i>Spizella breweri</i> Cassin	B-BRSP
Brewer's Sparrow <i>breweri</i>	ssp: <i>breweri</i> (Cassin)	B-BRSP-BR
Brewer's Sparrow <i>taverneri</i>	<i>taverneri</i> (Swarth and Brooks)	B-BRSP-TA
Bridgelip Sucker	<i>Catostomus columbianus</i> (Eigenmann and Eigenmann)	F-CACO
Bristle-thighed Curlew	<i>Numenius tahitiensis</i> (Gmelin)	B-BTCU
Broadfin Snailfish	<i>Paraliparis ulochir</i> (Gilbert)	F-PAUL
Broad Skate	<i>Raja badia</i> Garman	F-RABA
Broad Whitefish	<i>Coregonus nasus</i> (Pallas)	F-CONA
Broadfin Lanternfish	<i>Lampanyctus ritteri</i> Gilbert	F-LARI
Broad-tailed Hummingbird	<i>Selasphorus platycercus</i> (Swainson)	B-BTHU
Broad-tailed Hummingbird <i>platycercus</i>	ssp: <i>platycercus</i> (Swainson)	
Broad-winged Hawk	<i>Buteo platypterus</i> (Vieillot)	B-BWHA
Broad-winged Hawk <i>platypterus</i>	ssp: <i>platypterus</i> (Vieillot)	
Brokenline Lanternfish	<i>Lampanyctus jordani</i> Gilbert	F-LAJO
Brook Stickleback	<i>Culaea inconstans</i> (Kirtland)	F-CUIN
Brook Trout	<i>Salvelinus fontinalis</i> (Mitchell)	F-SAFO
Brown Bullhead	<i>Ameiurus nebulosus</i> (Lesueur)	F-AMNE
Brown Cat Shark	<i>Apristurus brunneus</i> (Gilbert)	F-APBR
Brown Creeper	<i>Certhia americana</i> Bonaparte	B-BRCR
Brown Creeper <i>alascensis</i>	ssp: <i>alascensis</i> Webster	B-BRCR-AL
Brown Creeper <i>montana</i>	<i>montana</i> (Ridgway)	B-BRCR-MO
Brown Creeper <i>occidentalis</i>	<i>occidentalis</i> (Ridgway)	B-BRCR-OC
Brown Creeper <i>stewarti</i>	<i>stewarti</i> Webster	B-BRCR-ST
Brown Irish Lord	<i>Hemilepidotus spinosus</i> (Ayes)	F-HESP
Brown Lemming	<i>Lemmus trimucronatus</i> (Richardson)	M-LETR
Brown Lemming <i>helvolus</i>	ssp: <i>helvolus</i> (Richardson)	
Brown Pelican	<i>Pelecanus occidentalis</i> Linnaeus	B-BRPE
Brown Pelican <i>californicus</i>	ssp: <i>californicus</i> (Ridgway)	
Brown Rockfish	<i>Sebastes auriculatus</i> Girard	F-SEAU
Brown Thrasher	<i>Toxostoma rufum</i> (Linnaeus)	B-BRTH
Brown Thrasher <i>longicauda</i>	ssp: <i>longicauda</i> (Baird)	
Brown Trout	<i>Salmo trutta</i> Linnaeus	F-SATR
Brown-headed Cowbird	<i>Molothrus ater</i> (Boddaert)	B-BHCO
Brown-headed Cowbird <i>artemisiae</i>	ssp: <i>artemisiae</i> Grinnell	
Buffalo Sculpin	<i>Enophrys bison</i> (Girard)	F-ENBI
Buff-breasted Sandpiper	<i>Tryngites subruficollis</i> (Vieillot)	B-BBSA

Alphabetical Sequence by English Names

Bufflehead	<i>Bucephala albeola</i> (Linnaeus)	B-BUFF
Bulbous Dreamer	<i>Oneirodes bulbosus</i> Chapman	F-ONBU
Bull Trout	<i>Salvelinus confluentus</i> (Suckley)	F-SACO
Buller's Shearwater	<i>Puffinus bulleri</i> Salvin	B-BLSH
Bullfrog	<i>Rana catesbeiana</i> Shaw	A-RACA
Bullock's Oriole	<i>Icterus bullockii</i> (Swainson)	B-BUOR
Bullock's Oriole <i>bullockii</i>	ssp: <i>bullockii</i> (Swainson)	
Burbot	<i>Lota lota</i> (Linnaeus)	F-LOLO
Burrowing Owl	<i>Athene cunicularia</i> (Molina)	B-BUOW
Burrowing Owl <i>hypugaea</i>	ssp: <i>hypugaea</i> (Bonaparte)	
Bushtit	<i>Psaltriparus minimus</i> (Townsend)	B-BUSH
Bushtit <i>saturatus</i>	ssp: <i>saturatus</i> Ridgway	
Bushy-tailed Woodrat	<i>Neotoma cinerea</i> (Ord)	M-NECI
Bushy-tailed Woodrat <i>cinerea</i>	ssp: <i>cinerea</i> (Ord)	M-NECI-CI
Bushy-tailed Woodrat <i>drummondii</i>	<i>drummondii</i> (Richardson)	M-NECI-DR
Bushy-tailed Woodrat <i>occidentalis</i>	<i>occidentalis</i> Baird	M-NECI-OC
Butter Sole	<i>Pleuronectes isolepis</i> (Lockington)	F-PLIS
C-0 Sole	<i>Pleuronichthys coenosus</i> Girard	F-PLCO
Cabezon	<i>Scorpaenichthys marmoratus</i> (Ayres)	F-SCMA
Calico Sculpin	<i>Clinocottus embryum</i> (Jordan and Starks)	F-CLEM
Calico Surfperch	<i>Amphistichus koelzi</i> (Hubbs)	F-AMKO
California Flashlightfish	<i>Protomyctophum crockeri</i> (Bolin)	F-PRCR
California Grenadier	<i>Nezumia stelgidolepis</i> (Gilbert)	F-NEST
California Gull	<i>Larus californicus</i> Lawrence	B-CAGU
California Gull <i>albertaensis</i>	ssp: <i>albertaensis</i> Jehl	B-CAGU-AL
California Gull <i>californicus</i>	<i>californicus</i> (Lawrence)	B-CAGU-CA
California Headlightfish	<i>Diaphus theta</i> Eigenmann and Eigenmann	F-DITH
California Myotis	<i>Myotis californicus</i> (Audubon and Bachman)	M-MYCA
California Myotis <i>californicus</i>	ssp: <i>californicus</i> (Audubon and Bachman)	M-MYCA-CA
California Myotis <i>caurinus</i>	<i>caurinus</i> Miller	M-MYCA-CU
California Quail	<i>Callipepla californica</i> (Shaw)	B-CAQU
California Quail <i>brunnescens</i>	ssp: <i>brunnescens</i> (Ridgway)	B-CAQU-BR
California Quail <i>californica</i>	<i>californica</i> (Shaw)	B-CAQU-CA
California Sea Lion	<i>Zalophus californianus</i> (Lesson)	M-ZACA
California Smoothtongue	<i>Leuroglossus stilbius</i> Gilbert	F-LEST
California Skate	<i>Raja inornata</i> Jordan and Gilbert	F-RAIN
California Tonguefish	<i>Symphurus atricauda</i> (Jordan and Gilbert)	F-SYAT
Calliope Hummingbird	<i>Stellula calliope</i> (Gould)	B-CAHU

Vertebrates of British Columbia

Canada Goose	<i>Branta canadensis</i> (Linnaeus)	B-CAGO
Canada Goose <i>fulva</i>	ssp: <i>fulva</i> Delacour	B-CAGO-FU
Canada Goose <i>leucopareia</i>	<i>leucopareia</i> (Brandt)	B-CAGO-LE
Canada Goose <i>minima</i>	<i>minima</i> (Ridgway)	B-CAGO-MI
Canada Goose <i>moffitti</i>	<i>moffitti</i> Aldrich	B-CAGO-MO
Canada Goose <i>occidentalis</i>	<i>occidentalis</i> (Baird)	B-CAGO-OC
Canada Goose <i>parvipes</i>	<i>parvipes</i> (Cassin)	B-CAGO-PA
Canada Goose <i>taverneri</i>	<i>taverneri</i> Delacour	B-CAGO-TA
Canada Warbler	<i>Wilsonia canadensis</i> (Linnaeus)	B-CAWA
Canary Rockfish	<i>Sebastes pinniger</i> (Gill)	F-SEPI
Canvasback	<i>Aythya valisineria</i> (Wilson)	B-CANV
Canyon Wren	<i>Catherpes mexicanus</i> (Swainson)	B-CAWR
Canyon Wren <i>griseus</i>	ssp: <i>griseus</i> Aldrich	
Cape May Warbler	<i>Dendroica tigrina</i> (Gmelin)	B-CMWA
Capelin	<i>Mallotus villosus</i> (Muller)	F-MAVI
Caribou	<i>Rangifer tarandus</i> (Linnaeus)	M-RATA
Caribou <i>caribou</i>	ssp: <i>caribou</i> (Gmelin)	M-RATA-CA
Caribou <i>dawsoni</i>	<i>dawsoni</i> Seton-Thompson	M-RATA-DA
Cascade Mantled Ground Squirrel	<i>Spermophilus saturatus</i> (Rhoads)	M-SPSA
Caspian Tern	<i>Sterna caspia</i> Pallas	B-CATE
Cassin's Vireo	<i>Vireo cassinii</i> Xántus de Vesey	B-CAVI
Cassin's Vireo <i>cassinii</i>	ssp: <i>cassinii</i> (Xántus de Vesey)	
Cassin's Auklet	<i>Ptychoramphus aleuticus</i> (Pallas)	B-CAAU
Cassin's Auklet <i>aleuticus</i>	ssp: <i>aleuticus</i> (Pallas)	
Cassin's Finch	<i>Carpodacus cassinii</i> Baird	B-CAFI
Cattle Egret	<i>Bubulcus ibis</i> (Linnaeus)	B-CAEG
Cattle Egret <i>ibis</i>	ssp: <i>ibis</i> (Linnaeus)	
Cedar Waxwing	<i>Bombycilla cedrorum</i> Vieillot	B-CEWA
Chestnut-backed Chickadee	<i>Poecile rufescens</i> (Townsend)	B-CBCH
Chestnut-backed Chickadee <i>rufescens</i>	ssp: <i>rufescens</i> (Townsend)	
Chestnut-collared Longspur	<i>Calcarius ornatus</i> (Townsend)	B-CCLO
Chestnut-sided Warbler	<i>Dendroica pensylvanica</i> (Linnaeus)	B-CSWA
Chilipepper	<i>Sebastes goode</i> (Eigenmann and Eigenmann)	F-SEGO
China Rockfish	<i>Sebastes nebulosus</i> Ayres	F-SENE
Chinook Salmon	<i>Oncorhynchus tshawytscha</i> (Walbaum)	F-ONTS
Chipping Sparrow	<i>Spizella passerina</i> (Bechstein)	B-CHSP
Chipping Sparrow <i>boreophila</i>	ssp: <i>boreophila</i> Oberholser	
Chiselmouth	<i>Acrocheilus alutaceus</i> Agassiz and Pickering	F-ACAL
Chub Mackerel	<i>Scomber japonicus</i> Houttuyn	F-SCJA
Chukar	<i>Alectoris chukar</i> (Gray)	B-CHUK
Chum Salmon	<i>Oncorhynchus keta</i> (Walbaum)	F-ONKE
Cinnamon Teal	<i>Anas cyanoptera</i> Vieillot	B-CITE
Cinnamon Teal <i>septentrionalium</i>	ssp: <i>septentrionalium</i> Snyder and Lumsden	
Cisco	<i>Coregonus artedii</i> Lesueur	F-COAR

Alphabetical Sequence by English Names

Clark's Grebe	<i>Aechmophorus clarkii</i> (Lawrence)	B-CLGR
Clark's Grebe <i>transitionalis</i>	ssp: <i>transitionalis</i> Dickerman	
Clark's Nutcracker	<i>Nucifraga columbiana</i> (Wilson)	B-CLNU
Clay-colored Sparrow	<i>Spizella pallida</i> (Swainson)	B-CCSP
Cliff Swallow	<i>Petrochelidon pyrrhonota</i> Vieillot	B-CLSW
Cliff Swallow <i>hypopolia</i>	ssp: <i>hypopolia</i> (Oberholser)	B-CLSW-HY
Cliff Swallow <i>pyrrhonota</i>	<i>pyrrhonota</i> (Vieillot)	B-CLSW-PY
Close-spine Snipe Eel	<i>Avocettina infans</i> (Gunther)	F-AVIN
Coalfish	<i>Melanonus zugmayeri</i> Norman	F-MEZU
Coast Mole	<i>Scapanus orarius</i> True	M-SCOR
Coast Mole <i>schefferi</i>	ssp: <i>schefferi</i> Jackson	
Coastal Tailed Frog	<i>Ascaphus truei</i> Stejneger	A-ASTR
Coastrange Sculpin	<i>Cottus aleuticus</i> Gilbert	F-COAL
Coeur d'Alene Salamander	<i>Plethodon idahoensis</i> Slater and Slipp	A-PLID
Coho Salmon	<i>Oncorhynchus kisutch</i> (Walbaum)	F-ONKI
Collared Pika	<i>Ochotona collaris</i> (Nelson)	M-OCCO
Columbia Spotted Frog	<i>Rana luteiventris</i> Thompson	A-RALU
Columbian Ground Squirrel	<i>Spermophilus columbianus</i> (Ord)	M-SPCO
Columbian Ground Squirrel <i>columbianus</i>	ssp: <i>columbianus</i> (Ord)	
Common Carp	<i>Cyprinus carpio</i> Linnaeus	F-CYCA
Common Eider	<i>Somateria mollissima</i> (Linnaeus)	B-COEI
Common Eider <i>v-nigra</i>	ssp: <i>v-nigra</i> (Bonaparte)	
Common Garter Snake	<i>Thamnophis sirtalis</i> (Linnaeus)	R-THSI
Common Garter Snake <i>fitchi</i>	ssp: <i>fitchi</i> Fox	R-THSI-FI
Common Garter Snake <i>parietalis</i>	<i>parietalis</i> (Say)	R-THSI-PA
Common Garter Snake <i>pickeringii</i>	<i>pickeringii</i> (Baird and Girard)	R-THSI-PI
Common Goldeneye	<i>Bucephala clangula</i> (Linnaeus)	B-COGO
Common Goldeneye <i>americana</i>	ssp: <i>americana</i> (Bonaparte)	
Common Grackle	<i>Quiscalus quiscula</i> (Linnaeus)	B-COGR
Common Grackle <i>versicolor</i>	ssp: <i>versicolor</i> (Vieillot)	
Common Loon	<i>Gavia immer</i> (Brünnich)	B-COLO
Common Merganser	<i>Mergus merganser</i> Linnaeus	B-COME
Common Merganser <i>americanus</i>	ssp: <i>americanus</i> (Cassin)	
Common Moorhen	<i>Gallinula chloropus</i> (Linnaeus)	B-COMO
Common Moorhen <i>cachinnans</i>	ssp: <i>cachinnans</i> Bangs	
Common Murre	<i>Uria aalge</i> (Pontoppidan)	B-COMU
Common Murre <i>californica</i>	ssp: <i>californica</i> (Bryant)	B-COMU-CA
Common Murre <i>inornata</i>	<i>inornata</i> Salomonsen	B-COMU-IN
Common Nighthawk	<i>Chordeiles minor</i> (Forster)	B-CONI
Common Nighthawk <i>hesperis</i>	ssp: <i>hesperis</i> (Grinnell)	B-CONI-HE
Common Nighthawk <i>minor</i>	<i>minor</i> (Forster)	B-CONI-MI

Vertebrates of British Columbia

Common Pika	<i>Ochotona princeps</i> (Richardson)	M-OCPR
Common Pika <i>brooksi</i>	ssp: <i>brooksi</i> Howell	M-OCPR-BR
Common Pika <i>brunnescens</i>	<i>brunnescens</i> Howell	M-OCPR-BU
Common Pika <i>cuppes</i>	<i>cuppes</i> Bangs	M-OCPR-CU
Common Pika <i>fenisex</i>	<i>fenisex</i> (Lord)	M-OCPR-FE
Common Pika <i>littoralis</i>	<i>littoralis</i> Cowan	M-OCPR-LI
Common Pika <i>princeps</i>	<i>princeps</i> (Richardson)	M-OCPR-PR
Common Pika <i>saturatus</i>	<i>saturatus</i> Cowan	M-OCPR-SA
Common Pika <i>septentrionalis</i>	<i>septentrionalis</i> Cowan and Racey	M-OCPR-SE
Common Poorwill	<i>Phalaenoptilus nuttallii</i> (Audubon)	B-COPO
Common Poorwill <i>nuttallii</i>	ssp: <i>nuttallii</i> (Audubon)	
Common Raven	<i>Corvus corax</i> Linnaeus	B-CORA
Common Raven <i>principalis</i>	ssp: <i>principalis</i> Ridgway	B-CORA-PR
Common Raven <i>sinuatus</i>	<i>sinuatus</i> (Wagler)	B-CORA-SI
Common Redpoll	<i>Carduelis flammea</i> (Linnaeus)	B-CORE
Common Redpoll <i>flammea</i>	ssp: <i>flammea</i> (Linnaeus)	
Common Shrew	<i>Sorex cinereus</i> Kerr	M-SOCI
Common Shrew <i>cinereus</i>	ssp: <i>cinereus</i> Kerr	M-SOCI-CI
Common Shrew <i>streatori</i>	<i>streatori</i> Merriam	M-SOCI-ST
Common Snipe	<i>Gallinago gallinago</i> (Linnaeus)	B-COSN
Common Snipe <i>delicata</i>	ssp: <i>delicata</i> (Ord)	
Common Tern	<i>Sterna hirundo</i> Linnaeus	B-COTE
Common Tern <i>hirundo</i>	ssp: <i>hirundo</i> (Linnaeus)	
Common Wall Lizard	<i>Podarcis muralis</i> (Laurenti)	R-POMU
Common Water Shrew	<i>Sorex palustris</i> Richardson	M-SOPA
Common Water Shrew <i>brooksi</i>	ssp: <i>brooksi</i> Anderson	M-SOPA-BR
Common Water Shrew <i>navigator</i>	<i>navigator</i> Baird	M-SOPA-NA
Common Yellowthroat	<i>Geothlypis trichas</i> (Linnaeus)	B-COYE
Common Yellowthroat <i>arizela</i>	ssp: <i>arizela</i> Oberholser	B-COYE-AR
Common Yellowthroat <i>campicola</i>	<i>campicola</i> Behle and Aldrich	B-COYE-CA
Common Yellowthroat <i>yukonicola</i>	<i>yukonicola</i> Godfrey	B-COYE-YU
Connecticut Warbler	<i>Oporornis agilis</i> (Wilson)	B-COWA
Cooper's Hawk	<i>Accipiter cooperii</i> (Bonaparte)	B-COHA
Copper Rockfish	<i>Sebastes caurinus</i> Richardson	F-SECA
Coralline Sculpin	<i>Artedius corallinus</i> (Hubbs)	F-ARCO
Cordilleran Flycatcher	<i>Empidonax occidentalis</i> Nelson	B-COFL
Cordilleran Flycatcher <i>hellmayri</i>	ssp: <i>hellmayri</i> (Brodkorb)	
Costa's Hummingbird	<i>Calypte costae</i> (Bourcier)	B-COHU
Cougar	<i>Puma concolor</i> (Linnaeus)	M-PUCO
Cougar <i>missoulensis</i>	ssp: <i>missoulensis</i> (Goldman)	M-PUCO-MI
Cougar <i>oregonensis</i>	<i>oregonensis</i> (Rafinesque)	M-PUCO-OR
Cougar <i>vancouverensis</i>	<i>vancouverensis</i> (Nelson and Goldman)	M-PUCO-VA
Cowichan Lake Lamprey	<i>Lampetra macrostoma</i> Beamish	F-LAMA
Coyote	<i>Canis latrans</i> Say	M-CALA
Coyote <i>incolatus</i>	ssp: <i>incolatus</i> Hall	M-CALA-IN
Coyote <i>lestes</i>	<i>lestes</i> Merriam	M-CALA-LE

Alphabetical Sequence by English Names

Creeping Vole	<i>Microtus oregoni</i> (Bachman)	M-MIOR
Creeping Vole <i>serpens</i>	ssp: <i>serpens</i> Merriam	
Crescent Gunnel	<i>Pholis laeta</i> (Cope)	F-PHLA
Crested Auklet	<i>Aethia cristatella</i> (Pallas)	B-CRAU
Crested Caracara	<i>Caracara cheriway</i> (Jacquin)	B-CRCA
Crested Caracara <i>audubonii</i>	ssp: <i>audubonii</i> Cassin	
Crested Myna	<i>Acridotheres cristatellus</i> (Linnaeus)	B-CRMY
Crested Myna <i>cristatellus</i>	ssp: <i>cristatellus</i> (Linnaeus)	
Crested Ridgehead	<i>Poromitra crassiceps</i> (Gunther)	F-POCR
Crested Sculpin	<i>Blepsias bilobus</i> Cuvier	F-BLBI
Crevice Kelpfish	<i>Gibbonsia montereyensis</i> Hubbs	F-GIMO
Crosstroat Sawpalate	<i>Serrivomer jespersenii</i> Bauchot-Boutin	F-SEJE
Curlew Sandpiper	<i>Calidris ferruginea</i> (Pontoppidan)	B-CUSA
Curlfin Sole	<i>Pleuronichthys decurrens</i> Jordan and Gilbert	F-PLDE
Cuskpout	<i>Derepodichthys alepidotus</i> Gilbert	F-DEAL
Cutfin Poacher	<i>Xeneretmus leiops</i> Gilbert	F-XELE
Cutthroat Trout	<i>Oncorhynchus clarki</i> (Richardson)	F-ONCL
Cutthroat Trout <i>clarki</i>	ssp: <i>clarki</i> (Richardson)	F-ONCL-CL
Cutthroat Trout <i>lewisi</i>	<i>lewisi</i> (Girard)	F-ONCL-LE
Daggertooth	<i>Anotopterus pharao</i> Zugmayer	F-ANPH
Dainty Mora	<i>Halargyreus johnsoni</i> Gunther	F-HAJO
Dall's Porpoise	<i>Phocoenoides dalli</i> (True)	M-PHDA
Darkblotched Rockfish	<i>Sebastes crameri</i> (Jordan)	F-SECR
Dark-eyed Junco	<i>Junco hyemalis</i> (Linnaeus)	B-DEJU
Dark-eyed Junco <i>caniceps</i>	ssp: <i>caniceps</i> (Woodhouse)	B-DEJU-CA
Dark-eyed Junco <i>cismontanus</i>	<i>cismontanus</i> (Dwight)	B-DEJU-CI
Dark-eyed Junco <i>hyemalis</i>	<i>hyemalis</i> (Linnaeus)	B-DEJU-HY
Dark-eyed Junco <i>montanus</i>	<i>montanus</i> (Ridgway)	B-DEJU-MO
Dark-eyed Junco <i>oreganus</i>	<i>oreganus</i> (Townsend)	B-DEJU-OR
Dark-eyed Junco <i>shufeldti</i>	<i>shufeldti</i> Coale	B-DEJU-SH
Darkfin Sculpin	<i>Malacocottus zonurus</i> Bean	F-MAZO
Darter Sculpin	<i>Radulinus boleoides</i> Gilbert	F-RABO
Daubed Shanny	<i>Lumpenus maculatus</i> (Fries)	F-LUMA
Decorated Warbonnet	<i>Chirolophis decoratus</i> (Jordan and Snyder)	F-CHDE
Deepsea Skate	<i>Bathyraja abyssicola</i> (Gilbert)	F-BAAB
Deepsea Sole	<i>Embassichthys bathybius</i> (Gilbert)	F-EMBA
Deepwater Eelpout	<i>Lycodapus endemoscotus</i> Peden and Anderson	F-LYEN
Deer Mouse	<i>Peromyscus maniculatus</i> (Wagner)	M-PEMA
Deer Mouse <i>alpinus</i>	ssp: <i>alpinus</i> Cowan	M-PEMA-AL
Deer Mouse <i>artemisiae</i>	<i>artemisiae</i> (Rhoads)	M-PEMA-AR
Deer Mouse <i>austerus</i>	<i>austerus</i> (Baird)	M-PEMA-AU
Deer Mouse <i>borealis</i>	<i>borealis</i> Mearns	M-PEMA-BO
Dickcissel	<i>Spiza americana</i> (Gmelin)	B-DICK

Vertebrates of British Columbia

Dogtooth Lanternfish	<i>Ceratoscopelus townsendi</i> Eigenmann and Eigenmann	F-CETO
Dolly Varden	<i>Salvelinus malma</i> (Walbaum)	F-SAMA
Double-crested Cormorant	<i>Phalacrocorax auritus</i> (Lesson)	B-DCCO
Double-crested Cormorant <i>albociliatus</i>	ssp: <i>albociliatus</i> (Ridgway)	B-DCCO-AL
Double-crested Cormorant <i>cincinatus</i>	<i>cincinatus</i> (Brandt)	B-DCCO-CI
Douglas' Squirrel	<i>Tamiasciurus douglasii</i> (Bachman)	M-TADO
Douglas' Squirrel <i>mollipilosus</i>	ssp: <i>mollipilosus</i> (Audubon and Bachman)	
Dover Sole	<i>Microstomus pacificus</i> (Lockington)	F-MIPA
Downy Woodpecker	<i>Picoides pubescens</i> (Linnaeus)	B-DOWO
Downy Woodpecker <i>gairdneri</i>	ssp: <i>gairdneri</i> (Audubon)	B-DOWO-GA
Downy Woodpecker <i>leucurus</i>	<i>leucurus</i> (Hartlaub)	B-DOWO-LE
Downy Woodpecker <i>nelsoni</i>	<i>nelsoni</i> (Oberholser)	B-DOWO-NE
Duckbill Barracudina	<i>Paralepis atlantica</i> Kroyer	F-PAAT
Dunlin	<i>Calidris alpina</i> (Linnaeus)	B-DUNL
Dunlin <i>pacifica</i>	ssp: <i>pacifica</i> (Coues)	
Dusky Flycatcher	<i>Empidonax oberholseri</i> Phillips	B-DUFL
Dusky Rockfish	<i>Sebastes ciliatus</i> (Tilesius)	F-SECI
Dusky Sculpin	<i>Icelinus burchami</i> Evermann and Golbsborough	F-ICBU
Dusky Shrew	<i>Sorex monticolus</i> Merriam	M-SOMO
Dusky Shrew <i>calvertensis</i>	ssp: <i>calvertensis</i> Cowan	M-SOMO-CA
Dusky Shrew <i>elassodon</i>	<i>elassodon</i> Osgood	M-SOMO-EL
Dusky Shrew <i>insularis</i>	<i>insularis</i> Cowan	M-SOMO-IN
Dusky Shrew <i>isolatus</i>	<i>isolatus</i> Jackson	M-SOMO-IS
Dusky Shrew <i>longicaudus</i>	<i>longicaudus</i> Merriam	M-SOMO-LO
Dusky Shrew <i>obscurus</i>	<i>obscurus</i> Merriam	M-SOMO-OB
Dusky Shrew <i>prevostensis</i>	<i>prevostensis</i> Osgood	M-SOMO-PR
Dusky Shrew <i>setosus</i>	<i>setosus</i> Elliot	M-SOMO-SE
Dusky Thrush	<i>Turdus naumanni</i> Temminck	B-DUTH
Dusky Thrush <i>eunomus</i>	ssp: <i>eunomus</i> (Temminck)	
Dwarf Sperm Whale	<i>Kogia sima</i> (Owen)	M-KOSI
Dwarf Wrymouth	<i>Cryptacanthodes aleutensis</i> (Gilbert)	F-CRAL
Eared Grebe	<i>Podiceps nigricollis</i> Brehm	B-EAGR
Eared Grebe <i>californicus</i>	ssp: <i>californicus</i> (Heermann)	
Eastern Cottontail	<i>Sylvilagus floridanus</i> (J.A. Allen)	M-SYFL
Eastern Cottontail <i>alacer</i>	ssp: <i>alacer</i> (Bangs)	M-SYFL-AL
Eastern Cottontail <i>mearnsi</i>	<i>mearnsi</i> (J.A. Allen)	M-SYFL-ME
Eastern Fox Squirrel	<i>Sciurus niger</i> Linnaeus	M-SCNI
Eastern Grey Squirrel	<i>Sciurus carolinensis</i> Gmelin	M-SCCA
Eastern Grey Squirrel <i>pennsylvanicus</i>	ssp: <i>pennsylvanicus</i> Ord	
Eastern Kingbird	<i>Tyrannus tyrannus</i> (Linnaeus)	B-EAKI
Eastern Phoebe	<i>Sayornis phoebe</i> (Latham)	B-EAPH
Elegant Tern	<i>Sterna elegans</i> Gambel	B-ELTE
Elk	<i>Cervus elaphus</i> Linnaeus	M-CEEL
Elk <i>nelsoni</i>	ssp: <i>nelsoni</i> Bailey	M-CEEL-NE
Elk <i>roosevelti</i>	<i>roosevelti</i> Merriam	M-CEEL-RO

Alphabetical Sequence by English Names

Emerald Shiner	<i>Notropis atherinoides</i> Rafinesque	F-NOAT
Emperor Goose	<i>Chen canagica</i> (Sevastianov)	B-EMGO
English Sole	<i>Pleuronectes vetulus</i> (Girard)	F-PLVE
Ensatina	<i>Ensatina eschscholtzii</i> Gray	A-ENES
Ensatina <i>oregonensis</i>	ssp: <i>oregonensis</i> (Girard)	
Ermine	<i>Mustela erminea</i> Linnaeus	M-MUER
Ermine <i>anguinae</i>	ssp: <i>anguinae</i> Hall	M-MUER-AN
Ermine <i>fallenda</i>	<i>fallenda</i> Hall	M-MUER-FA
Ermine <i>haidarum</i>	<i>haidarum</i> (Preble)	M-MUER-HA
Ermine <i>invicta</i>	<i>invicta</i> Hall	M-MUER-IN
Ermine <i>richardsonii</i>	<i>richardsonii</i> Bonaparte	M-MUER-RI
Eulachon	<i>Thaleichthys pacificus</i> (Richardson)	F-THPA
Eurasian Kestrel	<i>Falco tinnunculus</i> Linnaeus	B-EUKE
Eurasian Kestrel <i>tinnunculus</i>	ssp: <i>tinnunculus</i> (Linnaeus)	
Eurasian Wigeon	<i>Anas penelope</i> Linnaeus	B-EUWI
European Rabbit	<i>Oryctolagus cuniculus</i> (Linnaeus)	M-ORCU
European Starling	<i>Sturnus vulgaris</i> Linnaeus	B-EUST
European Starling <i>vulgaris</i>	ssp: <i>vulgaris</i> (Linnaeus)	
Evening Grosbeak	<i>Coccothraustes vespertinus</i> (Cooper)	B-EVGR
Evening Grosbeak <i>brooksi</i>	ssp: <i>brooksi</i> (Grinnell)	B-EVGR-BR
Evening Grosbeak <i>vespertinus</i>	<i>vespertinus</i> (Cooper)	B-EVGR-VE
Falcate Snailfish	<i>Careproctus cypselurus</i> Jordan and Gilbert	F-CACY
Falcated Duck	<i>Anas falcata</i> Georgi	B-FADU
Fallow Deer	<i>Cervus dama</i> Linnaeus	M-CEDA
Fallow Deer <i>dama</i>	ssp: <i>dama</i> Linnaeus	
False Killer Whale	<i>Pseudorca crassidens</i> (Owen)	M-PSCR
Fangtooth	<i>Anoplogaster cornuta</i> (Valenciennes)	F-ANCO
Far Eastern Curlew	<i>Numenius madagascariensis</i> (Linnaeus)	B-FECU
Ferruginous Hawk	<i>Buteo regalis</i> (Gray)	B-FEHA
Filamented Grenadier	<i>Coryphaenoides filifer</i> (Gilbert)	F-COFI
Fin Whale	<i>Balaenoptera physalus</i> (Linnaeus)	M-BAPH
Fin Whale <i>physalus</i>	ssp: <i>physalus</i> (Linnaeus)	
Finescale Dace	<i>Phoxinus neogaeus</i> (Cope)	F-PHNE
Finescale Triggerfish	<i>Balistes polylepis</i> Steindachner	F-BAPO
Fisher	<i>Martes pennanti</i> (Erxleben)	M-MAPE
Fisher <i>columbiana</i>	ssp: <i>columbiana</i> Goldman	M-MAPE-CO
Fisher <i>pacifica</i>	<i>pacifica</i> (Rhoads)	M-MAPE-PA
Flabby Ridgehead	<i>Scopelogadus mizolepis</i> Gunther	F-SCMI
Flabby Sculpin	<i>Zesticulus profundorum</i> (Gilbert)	F-ZEPR
Flabby Whalefish	<i>Gyrinomimus</i> sp.	
Flammulated Owl	<i>Otus flammeolus</i> (Kaup)	B-FLOW
Flammulated Owl <i>idahoensis</i>	ssp: <i>idahoensis</i> (Merriam)	
Flathead Chub	<i>Platygobio gracilis</i> (Richardson)	F-PLGR
Flathead Minnow	<i>Pimephales promelas</i> Rafinesque	F-PIPR
Flathead Sole	<i>Hippoglossoides elassodon</i> Jordan and Gilbert	F-HIEL

Vertebrates of British Columbia

Flesh-footed Shearwater	<i>Puffinus carneipes</i> Gould	B-FFSH
Fluffy Sculpin	<i>Oligocottus snyderi</i> Greeley	F-OLSN
Fork-tailed Storm-Petrel	<i>Oceanodroma furcata</i> (Gmelin)	B-FTSP
Fork-tailed Storm-Petrel <i>plumbea</i>	ssp: <i>plumbea</i> (Peale)	
Forster's Tern	<i>Sterna forsteri</i> Nuttall	B-FOTE
Fourhorn Poacher	<i>Hypsagonus quadricornis</i> (Cuvier)	F-HYQU
Fox Sparrow	<i>Passerella iliaca</i> (Merrem)	B-FOSP
Fox Sparrow <i>altivagans</i>	ssp: <i>altivagans</i> Riley	B-FOSP-AL
Fox Sparrow <i>annectens</i>	<i>annectens</i> Ridgway	B-FOSP-AN
Fox Sparrow <i>chilcatensis</i>	<i>chilcatensis</i> Webster	B-FOSP-CH
Fox Sparrow <i>fuliginosa</i>	<i>fuliginosa</i> Ridgway	B-FOSP-FU
Fox Sparrow <i>insularis</i>	<i>insularis</i> Ridgway	B-FOSP-IN
Fox Sparrow <i>olivacea</i>	<i>olivacea</i> Aldrich	B-FOSP-OL
Fox Sparrow <i>schistacea</i>	<i>schistacea</i> (Baird)	B-FOSP-SC
Fox Sparrow <i>sinuosa</i>	<i>sinuosa</i> Grinnell	B-FOSP-SI
Fox Sparrow <i>townsendi</i>	<i>townsendi</i> (Audubon)	B-FOSP-TO
Fox Sparrow <i>unalaschensis</i>	<i>unalaschensis</i> (Gmelin)	B-FOSP-UN
Fox Sparrow <i>zaboria</i>	<i>zaboria</i> Oberholser	B-FOSP-ZA
Franklin's Gull	<i>Larus pipixcan</i> Wagler	B-FRGU
Fringed Myotis	<i>Myotis thysanodes</i> Miller	M-MYTH
Fringed Myotis <i>thysanodes</i>	ssp: <i>thysanodes</i> Miller	
Fringed Sculpin	<i>Icelinus fimbriatus</i> Gilbert	F-ICFM
Frostfish	<i>Benthodesmus elongatus</i> (Clarke)	F-BEEL
Fulvous Whistling-Duck	<i>Dendrocygna bicolor</i> (Vieillot)	B-FWDU
Fulvous Whistling-Duck <i>helva</i>	ssp: <i>helva</i> Wetmore and Peters	
Gadwall	<i>Anas strepera</i> Linnaeus	B-GADW
Gadwall <i>strepera</i>	ssp: <i>strepera</i> (Linnaeus)	
Garganey	<i>Anas querquedula</i> Linnaeus	B-GARG
Garnet Lanternfish	<i>Stenobranchius nannochir</i> (Gilbert)	F-STNA
Ghostly Eelpout	<i>Taranetzella lyoderma</i> Andriashev	F-TALY
Ghostly Grenadier	<i>Coryphaenoides leptolepis</i> Gunther	F-COLE
Giant Blobsculpin	<i>Psychrolutes phrictus</i> Stein and Bond	F-PSPH
Giant Bluethroat	<i>Nansenia crassa</i> Lavenberg	F-NACR
Giant Cuskeel	<i>Spectrunculus grandis</i> (Gunther)	F-SPGR
Giant Grenadier	<i>Albatrossia pectoralis</i> (Gilbert)	F-ALPE
Giant Kelpfish	<i>Heterostichus rostratus</i> Girard	F-HERO
Giant Wrymouth	<i>Cryptacanthodes giganteus</i> (Kittlits)	F-CRGI
Glaucous Gull	<i>Larus hyperboreus</i> Gunnerus	B-GLGU
Glaucous Gull <i>barrovianus</i>	ssp: <i>barrovianus</i> (Ridgway)	
Glaucous-winged Gull	<i>Larus glaucescens</i> Naumann	B-GWGU
Glowingfish	<i>Neoscopelus macrolepidotus</i> Johnson	F-NEMA
Golden Eagle	<i>Aquila chrysaetos</i> (Linnaeus)	B-GOEA
Golden Eagle <i>canadensis</i>	ssp: <i>canadensis</i> (Linnaeus)	
Golden-crowned Kinglet	<i>Regulus satrapa</i> Lichtenstein	B-GCKI
Golden-crowned Kinglet <i>amoenus</i>	ssp: <i>amoenus</i> van Rossem	B-GCKI-AM
Golden-crowned Kinglet <i>olivaceus</i>	<i>olivaceus</i> (Baird)	B-GCKI-OL
Golden-crowned Kinglet <i>satrapa</i>	<i>satrapa</i> (Lichtenstein)	B-GCKI-SA
Golden-crowned Sparrow	<i>Zonotrichia atricapilla</i> (Gmelin)	B-GCSP

Alphabetical Sequence by English Names

Golden-mantled Ground Squirrel	<i>Spermophilus lateralis</i> (Say)	M-SPLA
Golden-mantled Ground Squirrel <i>tescorum</i>	ssp: <i>tescorum</i> (Hollister)	
Goldeye	<i>Hiodon alosoides</i> (Rafinesque)	F-HIAL
Goldfish	<i>Carassius auratus</i> (Linnaeus)	F-CAAU
Goose-beaked Whale	<i>Ziphius cavirostris</i> G. Cuvier	M-ZICA
Gopher Snake	<i>Pituophis catenifer</i> (Blainville)	R-PICA
Gopher Snake <i>catenifer</i>	ssp: <i>catenifer</i> (Blainville)	R-PICA-CA
Gopher Snake <i>deserticola</i>	<i>deserticola</i> Stejneger	R-PICA-DE
Grasshopper Sparrow	<i>Ammodramus savannarum</i> (Gmelin)	B-GRSP
Grasshopper Sparrow <i>perpallidus</i>	ssp: <i>perpallidus</i> (Coues)	
Graveldiver	<i>Scytalina cerdale</i> Jordan and Gilbert	F-SCCE
Gray Catbird	<i>Dumetella carolinensis</i> (Linnaeus)	B-GRCA
Gray Flycatcher	<i>Empidonax wrightii</i> Baird	B-GRFL
Gray Jay	<i>Perisoreus canadensis</i> (Linnaeus)	B-GRJA
Gray Jay <i>albescens</i>	ssp: <i>albescens</i> Peters	B-GRJA-AL
Gray Jay <i>bicolor</i>	<i>bicolor</i> Miller	B-GRJA-BI
Gray Jay <i>obscurus</i>	<i>obscurus</i> (Ridgway)	B-GRJA-OB
Gray Jay <i>pacificus</i>	<i>pacificus</i> (Gmelin)	B-GRJA-PA
Gray Kingbird	<i>Tyrannus dominicensis</i> (Gmelin)	B-GRKI
Gray Kingbird <i>dominicensis</i>	ssp: <i>dominicensis</i> (Gmelin)	
Gray Partridge	<i>Perdix perdix</i> (Linnaeus)	B-GRPA
Gray Partridge <i>perdix</i>	ssp: <i>perdix</i> (Linnaeus)	
Gray Starsnout	<i>Bathyagonus alascanus</i> (Gilbert)	F-BAAL
Gray-cheeked Thrush	<i>Catharus minimus</i> (Lafresnaye)	B-GCTH
Gray-cheeked Thrush <i>aliciae</i>	ssp: <i>aliciae</i> (Baird)	
Gray-crowned Rosy-Finch	<i>Leucosticte tephrocotis</i> (Swainson)	B-GCRF
Gray-crowned Rosy-Finch <i>littoralis</i>	ssp: <i>littoralis</i> (Baird)	B-GCRF-LI
Gray-crowned Rosy-Finch <i>tephrocotis</i>	<i>tephrocotis</i> (Swainson)	B-GCRF-TE
Great Basin Pocket Mouse	<i>Perognathus parvus</i> (Peale)	M-PEPA
Great Basin Pocket Mouse <i>laingi</i>	ssp: <i>laingi</i> Anderson	M-PEPA-LA
Great Basin Pocket Mouse <i>lordi</i>	<i>lordi</i> (Gray)	M-PEPA-LO
Great Basin Spadefoot	<i>Spea intermontana</i> (Cope)	A-SPIN
Great Black-backed Gull	<i>Larus marinus</i> Linnaeus	B-GBBG
Great Blue Heron	<i>Ardea herodias</i> Linnaeus	B-GBHE
Great Blue Heron <i>fannini</i>	ssp: <i>fannini</i> Chapman	B-GBHE-FA
Great Blue Heron <i>herodias</i>	<i>herodias</i> (Linnaeus)	B-GBHE-HE
Great Crested Flycatcher	<i>Myiarchus crinitus</i> (Linnaeus)	B-GCFL
Great Crested Flycatcher <i>boreus</i>	ssp: <i>boreus</i> Bangs	
Great Egret	<i>Ardea alba</i> Linnaeus	B-GREG
Great Egret <i>egretta</i>	ssp: <i>egretta</i> (Gmelin)	
Great Gray Owl	<i>Strix nebulosa</i> Forster	B-GGOW
Great Gray Owl <i>nebulosa</i>	ssp: <i>nebulosa</i> (Forster)	
Great Horned Owl	<i>Bubo virginianus</i> (Gmelin)	B-GHOW
Great Horned Owl <i>lagophonus</i>	ssp: <i>lagophonus</i> (Oberholser)	B-GHOW-LA
Great Horned Owl <i>saturatus</i>	<i>saturatus</i> Ridgway	B-GHOW-SA
Great Horned Owl <i>subarcticus</i>	<i>subarcticus</i> (Hoy)	B-GHOW-SU
Great Knot	<i>Calidris tenuirostris</i> (Horsfield)	B-GRKN

Vertebrates of British Columbia

Great Sculpin	<i>Myoxocephalus polyacanthocephalus</i> (Pallas)	F-MYPO
Great White Shark	<i>Carcharodon carcharias</i> (Linnaeus)	F-CACA
Greater Sage-Grouse	<i>Centrocercus urophasianus</i> (Bonaparte)	B-GSGR
Greater Sage-Grouse <i>phaios</i>	ssp: <i>phaios</i> Aldrich	
Greater Scaup	<i>Aythya marila</i> (Linnaeus)	B-GRSC
Greater Scaup <i>nearctica</i>	ssp: <i>nearctica</i> Stejneger	
Greater White-fronted Goose	<i>Anser albifrons</i> (Scopoli)	B-GWFG
Greater White-fronted Goose <i>frontalis</i>	ssp: <i>frontalis</i> (Baird)	B-GWFG-FR
Greater White-fronted Goose <i>gambeli</i>	<i>gambeli</i> (Hartlaub)	B-GWFG-GA
Greater Yellowlegs	<i>Tringa melanoleuca</i> (Gmelin)	B-GRYE
Great-tailed Grackle	<i>Quiscalus mexicanus</i> (Gmelin)	B-GTGR
Green Frog	<i>Rana clamitans</i> Latreille	A-RACL
Green Frog <i>melanota</i>	ssp: <i>melanota</i> Rafinesque	
Green Heron	<i>Butorides virescens</i> (Linnaeus)	B-GRHE
Green Heron <i>anthonyi</i>	ssp: <i>anthonyi</i> (Mearns)	
Green Sturgeon	<i>Acipenser medirostris</i> Ayres	F-ACME
Green Turtle	<i>Chelonia mydas</i> (Linnaeus)	R-CHMY
Greenland Halibut	<i>Reinhardtius hippolossoides</i> (Walbaum)	F-REHI
Greenstriped Rockfish	<i>Sebastes elongatus</i> Ayres	F-SEEL
Green-tailed Towhee	<i>Pipilo chlorurus</i> (Audubon)	B-GTTO
Green-winged Teal	<i>Anas crecca</i> Linnaeus	B-GWTE
Green-winged Teal <i>carolinensis</i>	ssp: <i>carolinensis</i> (Gmelin)	B-GWTE-CA
Green-winged Teal <i>crecca</i>	<i>crecca</i> (Linnaeus)	B-GWTE-CR
Grey Whale	<i>Eschrichtius robustus</i> (Lilljeborg)	M-ESRO
Grey Wolf	<i>Canis lupus</i> Linnaeus	M-CALU
Grey Wolf <i>nubilus</i>	ssp: <i>nubilus</i> Say	M-CALU-NU
Grey Wolf <i>occidentalis</i>	<i>occidentalis</i> Richardson	M-CALU-OC
Grizzly Bear	<i>Ursus arctos</i> Linnaeus	M-URAR
Grizzly Bear <i>horribilis</i>	ssp: <i>horribilis</i> Ord	
Grunt Sculpin	<i>Rhamphocottus richardsonii</i> Gunther	F-RHRI
Gyrfalcon	<i>Falco rusticolus</i> Linnaeus	B-GYRF
Gyrfalcon <i>obsoletus</i>	ssp: <i>obsoletus</i> (Gmelin)	B-GYRF-OB
Gyrfalcon <i>uralensis</i>	<i>uralensis</i> (Severtzov and Menzbier)	B-GYRF-UR
Hairy Woodpecker	<i>Picoides villosus</i> (Linnaeus)	B-HAWO
Hairy Woodpecker <i>harrisi</i>	ssp: <i>harrisi</i> (Audubon)	B-HAWO-HA
Hairy Woodpecker <i>monticola</i>	<i>monticola</i> (Anthony)	B-HAWO-MO
Hairy Woodpecker <i>orius</i>	<i>orius</i> (Oberholser)	B-HAWO-OR
Hairy Woodpecker <i>picoideus</i>	<i>picoideus</i> (Osgood)	B-HAWO-PI
Hairy Woodpecker <i>septentrionalis</i>	<i>septentrionalis</i> (Nuttall)	B-HAWO-SE
Hairy Woodpecker <i>sitkensis</i>	<i>sitkensis</i> (Swarth)	B-HAWO-SI
Halfmoon	<i>Medialuna californiensis</i> (Steindachner)	F-MECA
Hammond's Flycatcher	<i>Empidonax hammondii</i> (Xántus de Vesey)	B-HAFL
Harbour Porpoise	<i>Phocoena phocoena</i> (Linnaeus)	M-PHPH

Alphabetical Sequence by English Names

Harbour Seal	<i>Phoca vitulina</i> Linnaeus	M-PHVI
Harbour Seal <i>richards</i>	ssp: <i>richardii</i> (Gray)	
Harlequin Duck	<i>Histrionicus histrionicus</i> (Linnaeus)	B-HADU
Harlequin Rockfish	<i>Sebastes variegatus</i> Quast	F-SEVA
Harris's Sparrow	<i>Zonotrichia querula</i> (Nuttall)	B-HASP
Heather Vole	<i>Phenacomys intermedius</i> Merriam	M-PHIN
Heather Vole <i>intermedius</i>	ssp: <i>intermedius</i> Merriam	M-PHIN-IN
Heather Vole <i>laingi</i>	<i>laingi</i> Anderson	M-PHIN-LA
Heather Vole <i>levis</i>	<i>levis</i> Howell	M-PHIN-LE
Heather Vole <i>mackenzii</i>	<i>mackenzii</i> Preble	M-PHIN-MA
Heather Vole <i>oramontis</i>	<i>oramontis</i> Rhoads	M-PHIN-OR
Heermann's Gull	<i>Larus heermanni</i> Cassin	B-HEEG
Hermit Thrush	<i>Catharus guttatus</i> (Pallas)	B-HETH
Hermit Thrush <i>euborius</i>	ssp: <i>euborius</i> (Oberholser)	B-HETH-EU
Hermit Thrush <i>guttatus</i>	<i>guttatus</i> (Pallas)	B-HETH-GU
Hermit Thrush <i>munroi</i>	<i>munroi</i> Phillips	B-HETH-MU
Hermit Thrush <i>nanus</i>	<i>nanus</i> (Audubon)	B-HETH-NA
Hermit Thrush <i>oromelus</i>	<i>oromelus</i> (Oberholser)	B-HETH-OR
Hermit Thrush <i>osgoodi</i>	<i>osgoodi</i> Phillips	B-HETH-OS
Hermit Thrush <i>vaccinius</i>	<i>vaccinius</i> (Cumming)	B-HETH-VA
Hermit Thrush <i>verecundus</i>	<i>verecundus</i> (Osgood)	B-HETH-VE
Hermit Warbler	<i>Dendroica occidentalis</i> (Townsend)	B-HEWA
Herring Gull	<i>Larus argentatus</i> Pontoppidan	B-HEGU
Herring Gull <i>smithsonianus</i>	ssp: <i>smithsonianus</i> (Coues)	B-HEGU-SM
Herring Gull <i>vegae</i>	<i>vegae</i> (Palmén)	B-HEGU-VE
High Cockscomb	<i>Anoplarchus purpurescens</i> Gill	F-ANPU
Highfin Dragonfish	<i>Bathophilus flemingi</i> Aron and McCrery	F-BAFL
Highlight Hatchetfish	<i>Sternoptyx pseudobscura</i> Baird	F-STPS
Highsnout Ridgehead	<i>Melamphaes lugubris</i> Gilbert	F-MELU
Hoary Bat	<i>Lasiurus cinereus</i> (Palisot de Beauvois)	M-LACI
Hoary Bat <i>cinereus</i>	ssp: <i>cinereus</i> Palisot de Beauvois	
Hoary Marmot	<i>Marmota caligata</i> (Eschscholtz)	M-MACA
Hoary Marmot <i>caligata</i>	ssp: <i>caligata</i> (Eschscholtz)	M-MACA-CA
Hoary Marmot <i>cascadensis</i>	<i>cascadensis</i> Howell	M-MACA-CS
Hoary Marmot <i>okanagana</i>	<i>okanagana</i> (King)	M-MACA-OK
Hoary Marmot <i>oxytona</i>	<i>oxytona</i> Hollister	M-MACA-OX
Hoary Marmot <i>raceyi</i>	<i>raceyi</i> Anderson	M-MACA-RA
Hoary Redpoll	<i>Carduelis hornemanni</i> (Holböll)	B-HORE
Hoary Redpoll <i>exilipes</i>	ssp: <i>exilipes</i> (Coues)	
Hooded Merganser	<i>Lophodytes cucullatus</i> (Linnaeus)	B-HOME
Hooded Oriole	<i>Icterus cucullatus</i> Swainson	B-HOOR
Hooded Warbler	<i>Wilsonia citrina</i> (Boddaert)	B-HOWA
Horned Grebe	<i>Podiceps auritus</i> (Linnaeus)	B-HOGR
Horned Grebe <i>cornutus</i>	ssp: <i>cornutus</i> (Gmelin)	

Vertebrates of British Columbia

Horned Lark	<i>Eremophila alpestris</i> (Linnaeus)	B-HOLA
Horned Lark <i>arcticola</i>	ssp: <i>arcticola</i> (Oberholser)	B-HOLA-AR
Horned Lark <i>hoyti</i>	<i>hoyti</i> (Bishop)	B-HOLA-HO
Horned Lark <i>merrilli</i>	<i>merrilli</i> (Dwight)	B-HOLA-ME
Horned Lark <i>strigata</i>	<i>strigata</i> (Henshaw)	B-HOLA-ST
Horned Puffin	<i>Fratercula corniculata</i> (Naumann)	B-HOPU
House Finch	<i>Carpodacus mexicanus</i> (Müller)	B-HOFI
House Finch <i>frontalis</i>	ssp: <i>frontalis</i> (Say)	
House Mouse	<i>Mus musculus</i> Linnaeus	M-MUMU
House Mouse <i>domesticus</i>	ssp: <i>domesticus</i> Ruddy	
House Sparrow	<i>Passer domesticus</i> (Linnaeus)	B-HOSP
House Sparrow <i>domesticus</i>	ssp: <i>domesticus</i> (Linnaeus)	
House Wren	<i>Troglodytes aedon</i> Vieillot	B-HOWR
House Wren <i>parkmanii</i>	ssp: <i>parkmanii</i> (Audubon)	
Hudsonian Godwit	<i>Limosa haemastica</i> (Linnaeus)	B-HUGO
Humpback Snailfish	<i>Elassodiscus caudatus</i> (Gilbert)	F-ELCA
Humpback Whale	<i>Megaptera novaeangliae</i> (Borowski)	M-MENO
Hutton's Vireo	<i>Vireo huttoni</i> Cassin	B-HUVI
Hutton's Vireo <i>insularis</i>	ssp: <i>insularis</i> Rhoads	B-HUVI-IN
Hutton's Vireo <i>obscurus</i>	<i>obscurus</i> Anthony	B-HUVI-OB
Iceland Gull	<i>Larus glaucoides</i> Meyer	B-ICGU
Iceland Gull <i>kumlieni</i>	ssp: <i>kumlieni</i> (Brewster)	
Inconnu	<i>Stenodus leucichthys</i> (Guldenstadt)	F-STLU
Indigo Bunting	<i>Passerina cyanea</i> (Linnaeus)	B-INBU
Innes Tubeshoulder	<i>Holtbyrnia innesi</i> (Fowler)	F-HOIN
Ivory Gull	<i>Pagophila eburnea</i> (Phipps)	B-IVGU
Jack Mackerel	<i>Trachurus symmetricus</i> (Ayres)	F-TRSY
Javelin Spookfish	<i>Bathylychnops exilis</i> Cohen	F-BAEX
Javelinfish	<i>Benthodesmus tenuis</i> (Gunther)	F-BETE
Kamchatka Eelpout	<i>Lycenchelys camchaticus</i> Gilbert and Burke	F-LYCA
Keen's Long-eared Myotis	<i>Myotis keenii</i> (Merriam)	M-MYKE
Keen's Mouse	<i>Peromyscus keeni</i> (Rhoads)	M-PEKE
Keen's Mouse <i>algidus</i>	ssp: <i>algidus</i> Osgood	M-PEKE-AL
Keen's Mouse <i>cancrivorosus</i>	<i>cancrivorosus</i> McCabe and Cowan	M-PEKE-CA
Keen's Mouse <i>interdictus</i>	<i>interdictus</i> Anderson	M-PEKE-IN
Keen's Mouse <i>isolatus</i>	<i>isolatus</i> Cowan	M-PEKE-IS
Keen's Mouse <i>keeni</i>	<i>keeni</i> (Rhoads)	M-PEKE-KE
Keen's Mouse <i>macrorhinus</i>	<i>macrorhinus</i> (Rhoads)	M-PEKE-MA
Keen's Mouse <i>maritimus</i>	<i>maritimus</i> McCabe and Cowan	M-PEKE-MR
Keen's Mouse <i>oreas</i>	<i>oreas</i> Bangs	M-PEKE-OR
Keen's Mouse <i>pluvialis</i>	<i>pluvialis</i> McCabe and Cowan	M-PEKE-PL
Keen's Mouse <i>prevostensis</i>	<i>prevostensis</i> Osgood	M-PEKE-PR
Keen's Mouse <i>rubriventer</i>	<i>rubriventer</i> McCabe and Cowan	M-PEKE-RU
Kelp Clingfish	<i>Rimicola muscarum</i> (Meek and Pierson)	F-RIMU
Kelp Greenling	<i>Hexagrammos decagrammus</i> (Pallas)	F-HEDE
Kelp Perch	<i>Brachyistius frenatus</i> Gill	F-BRFR

Alphabetical Sequence by English Names

Kelp Poacher	<i>Hypsogonus mozinoi</i> (Wilimovsky and Wilson)	F-HYMO
Kelp Snailfish	<i>Liparis tunicatus</i> Reinhardt	F-LITU
Killdeer	<i>Charadrius vociferus</i> Linnaeus	B-KILL
Killdeer <i>vociferus</i>	ssp: <i>vociferus</i> (Linnaeus)	
Killer Whale	<i>Orcinus orca</i> (Linnaeus)	M-OROR
King Eider	<i>Somateria spectabilis</i> (Linnaeus)	B-KIEI
King-of-the-salmon	<i>Trachipterus altivelis</i> Kner	F-TRAL
Kittlitz's Murrelet	<i>Brachyramphus brevirostris</i> (Vigors)	B-KIMU
Lake Chub	<i>Couesius plumbeus</i> (Agassiz) pop: Liard Hot Spring Chub	F-COPL
Lake Trout	<i>Salvelinus namaycush</i> (Walbaum)	F-SANA
Lake Whitefish	<i>Coregonus clupeaformis</i> (Mitchill)	F-COCL
Lapland Longspur	<i>Calcarius lapponicus</i> (Linnaeus)	B-LALO
Lapland Longspur <i>alascensis</i>	ssp: <i>alascensis</i> Ridgway	
Largemouth Bass	<i>Micropterus salmoides</i> (Lacepede)	F-MISA
Largescale Sucker	<i>Catostomus macrocheilus</i> Girard	F-CAMA
Lark Bunting	<i>Calamospiza melanocorys</i> Stejneger	B-LKBU
Lark Sparrow	<i>Chondestes grammacus</i> (Say)	B-LASP
Lark Sparrow <i>strigatus</i>	ssp: <i>strigatus</i> (Swainson)	
Laughing Gull	<i>Larus atricilla</i> Linnaeus	B-LAGU
Laysan Albatross	<i>Phoebastria immutabilis</i> (Rothschild)	B-LAAL
Lazuli Bunting	<i>Passerina amoena</i> (Say)	B-LZBU
Le Conte's Sparrow	<i>Ammodramus leconteii</i> (Audubon)	B-LCSP
Leach's Storm-Petrel	<i>Oceanodroma leucorhoa</i> (Vieillot)	B-LSPE
Leach's Storm-Petrel <i>beali</i>	ssp: <i>beali</i> (Emerson)	
Least Bittern	<i>Ixobrychus exilis</i> (Gmelin)	B-LEBI
Least Bittern <i>exilis</i>	ssp: <i>exilis</i> (Gmelin)	
Least Chipmunk	<i>Tamias minimus</i> Bachman	M-TAMI
Least Chipmunk <i>borealis</i>	ssp: <i>borealis</i> Allen	M-TAMI-BO
Least Chipmunk <i>caniceps</i>	<i>caniceps</i> (Osgood)	M-TAMI-CA
Least Chipmunk <i>oreocetes</i>	<i>oreocetes</i> (Merriam)	M-TAMI-OR
Least Chipmunk <i>selkirki</i>	<i>selkirki</i> (Cowan)	M-TAMI-SE
Least Cisco	<i>Coregonus sardinella</i> Valenciennes	F-COSR
Least Flycatcher	<i>Empidonax minimus</i> (Baird and Baird)	B-LEFL
Least Sandpiper	<i>Calidris minutilla</i> (Vieillot)	B-LESA
Least Tern	<i>Sterna antillarum</i> (Lesson)	B-LETE
Least Weasel	<i>Mustela nivalis</i> Linnaeus	M-MUNI
Least Weasel <i>rixosa</i>	ssp: <i>rixosa</i> (Bangs)	
Leatherback	<i>Dermochelys coriacea</i> (Linnaeus)	R-DECO
Leister Sculpin	<i>Enophrys lucasi</i> (Jordan and Gilbert)	F-ENLU
Leopard Dace	<i>Rhinichthys falcatus</i> (Eigenmann and Eigenmann)	F-RHFA
Lesser Black-backed Gull	<i>Larus fuscus</i> Linnaeus	B-LBBG
Lesser Black-backed Gull <i>graelsii</i>	ssp: <i>graelsii</i> (Brehm)	
Lesser Goldfinch	<i>Carduelis psaltria</i> (Say)	B-LEGO
Lesser Goldfinch <i>hesperophila</i>	ssp: <i>hesperophila</i> (Oberholser)	
Lesser Scaup	<i>Aythya affinis</i> (Eyton)	B-LESC

Vertebrates of British Columbia

Lesser Yellowlegs	<i>Tringa flavipes</i> (Gmelin)	B-LEYE
Lewis's Woodpecker	<i>Melanerpes lewis</i> (Gray)	B-LEWO
Lincoln's Sparrow	<i>Melospiza lincolnii</i> (Audubon)	B-LISP
Lincoln's Sparrow <i>gracilis</i>	ssp: <i>gracilis</i> (Kittlitz)	B-LISP-GR
Lincoln's Sparrow <i>lincolnii</i>	<i>lincolnii</i> (Audubon)	B-LISP-LI
Lingcod	<i>Ophiodon elongatus</i> Girard	F-OPEL
Little Blue Heron	<i>Egretta caerulea</i> (Linnaeus)	B-LBHE
Little Blue Heron <i>caerulea</i>	ssp: <i>caerulea</i> (Linnaeus)	
Little Brown Myotis	<i>Myotis lucifugus</i> (Le Conte)	M-MYLU
Little Brown Myotis <i>alascensis</i>	ssp: <i>alascensis</i> Miller	M-MYLU-AL
Little Brown Myotis <i>carissima</i>	<i>carissima</i> Thomas	M-MYLU-CA
Little Brown Myotis <i>lucifugus</i>	<i>lucifugus</i> (Le Conte)	M-MYLU-LU
Little Gull	<i>Larus minutus</i> Pallas	B-LIGU
Little Stint	<i>Calidris minuta</i> (Leisler)	B-LIST
Lobefin Snailfish	<i>Liparis greeni</i> (Jordan and Starks)	F-LIGR
Loggerhead Shrike	<i>Lanius ludovicianus</i> Linnaeus	B-LOSH
Loggerhead Shrike <i>gambeli</i>	ssp: <i>gambeli</i> Ridgway	
Long-billed Curlew	<i>Numenius americanus</i> Bechstein	B-LBCU
Long-billed Curlew <i>parvus</i>	ssp: <i>parvus</i> Bishop	
Long-billed Dowitcher	<i>Limnodromus scolopaceus</i> (Say)	B-LBDO
Long-eared Owl	<i>Asio otus</i> (Linnaeus)	B-LEOW
Long-eared Owl <i>tuftsi</i>	ssp: <i>tuftsi</i> Godfrey	
Longfin Dragonfish	<i>Tactostoma macropus</i> Bolin	F-TAMA
Longfin Gunnel	<i>Pholis clemensi</i> Rosenblatt	F-PHCL
Longfin Pearleye	<i>Benthabella linguoides</i> (Mead and Bohlke)	F-BELI
Longfin Sculpin	<i>Jordania zonope</i> Starks	F-JOZO
Longfin Smelt	<i>Spirinchus thaleichthys</i> (Ayres)	F-SPTH
Long-legged Myotis	<i>Myotis volans</i> (H. Allen)	M-MYVO
Long-legged Myotis <i>longricus</i>	ssp: <i>longricus</i> True	
Longnose Dace	<i>Rhinichthys cataractae</i> (Valenciennes)	F-RHCA
Longnose Lancetfish	<i>Alepisaurus ferox</i> Lowe	F-ALFE
Longnose Snailfish	<i>Rhinoliparis barbulifer</i> Gilbert	F-RHBA
Longnose Skate	<i>Raja rhina</i> Jordan and Gilbert	F-RARH
Longnose Sucker	<i>Catostomus catostomus</i> (Forster)	F-CACT
Longnose Tapirfish	<i>Polyacanthonotus challengerii</i> (Vaillant)	F-POCH
Longsnout Eelpout	<i>Bothrocara remigerum</i> Gilbert	F-BORE
Longsnout Prickleback	<i>Lumpenella longirostris</i> (Evermann and Goldsborough)	F-LULO
Longspine Combfish	<i>Zaniolepis latipinnus</i> Girard	F-ZALA
Longspine Thornyhead	<i>Sebastolobus altivelis</i> Gilbert	F-SEAI
Long-tailed Duck	<i>Clangula hyemalis</i> (Linnaeus)	B-LTDU
Long-tailed Jaeger	<i>Stercorarius longicaudus</i> Vieillot	B-LTJA

Alphabetical Sequence by English Names

Long-tailed Vole	<i>Microtus longicaudus</i> (Merriam)	M-MILO
Long-tailed Vole <i>littoralis</i>	ssp: <i>littoralis</i> Swarth	M-MILO-LI
Long-tailed Vole <i>longicaudus</i>	<i>longicaudus</i> (Merriam)	M-MILO-LO
Long-tailed Vole <i>macurus</i>	<i>macurus</i> Merriam	M-MILO-MA
Long-tailed Vole <i>vellerosus</i>	<i>vellerosus</i> Allen	M-MILO-VE
Long-tailed Weasel	<i>Mustela frenata</i> Lichenstein	M-MUFR
Long-tailed Weasel <i>altifrontali</i>	ssp: <i>altifrontalis</i> Hall	M-MUFR-AL
Long-tailed Weasel <i>nevadensis</i>	<i>nevadensis</i> Hall	M-MUFR-NE
Long-tailed Weasel <i>oribasus</i>	<i>oribasus</i> (Bangs)	M-MUFR-OR
Long-toed Salamander	<i>Ambystoma macrodactylum</i> Baird	A-AMMA
Long-toed Salamander <i>columbianum</i>	ssp: <i>columbianum</i> Ferguson	A-AMMA-CO
Long-toed Salamander <i>krausei</i>	<i>krausei</i> Peters	A-AMMA-KR
Long-toed Salamander <i>macrodactylum</i>	<i>macrodactylum</i> Baird	A-AMMA-MA
Looseskin Eelpout	<i>Lycodapus dermatinus</i> Gilbert	F-LYDE
Louvar	<i>Luvaris imperialis</i> Rafinesque	F-LUIM
Lynx	<i>Lynx canadensis</i> Kerr	M-LYCA
MacGillivray's Warbler	<i>Oporornis tolmiei</i> (Townsend)	B-MACW
MacGillivray's Warbler <i>tolmiei</i>	ssp: <i>tolmiei</i> (Townsend)	
Magnificent Frigatebird	<i>Fregata magnificens</i> Mathews	B-MAFR
Magnificent Frigatebird <i>rothschildi</i>	ssp: <i>rothschildi</i> Mathews	
Magnolia Warbler	<i>Dendroica magnolia</i> (Wilson)	B-MGNW
Mallard	<i>Anas platyrhynchos</i> Linnaeus	B-MALL
Mallard <i>platyrhynchos</i>	ssp: <i>platyrhynchos</i> (Linnaeus)	
Manacled Sculpin	<i>Synchirus gilli</i> Bean	F-SYGI
Manefish	<i>Caristius macropus</i> (Bellotti)	F-CAMC
Manx Shearwater	<i>Puffinus puffinus</i> (Brünnich)	B-MASH
Marbled Godwit	<i>Limosa fedoa</i> (Linnaeus)	B-MAGO
Marbled Godwit <i>beringiae</i>	ssp: <i>beringiae</i> Gibson and Kessel	B-MAGO-BE
Marbled Godwit <i>fedoa</i>	<i>fedoa</i> (Linnaeus)	B-MAGO-FE
Marbled Murrelet	<i>Brachyramphus marmoratus</i> (Gmelin)	B-MAMU
Marbled Snailfish	<i>Liparis dennyi</i> Jordan and Starks	F-LIDE
Marsh Wren	<i>Cistothorus palustris</i> (Wilson)	B-MAWR
Marsh Wren <i>browningi</i>	ssp: <i>browningi</i> Rea	B-MAWR-BR
Marsh Wren <i>pulverius</i>	<i>pulverius</i> (Aldrich)	B-MAWR-PU
Marten	<i>Martes americana</i> (Turton)	M-MAAM
Marten <i>abietinoides</i>	ssp: <i>abietinoides</i> Gray	M-MAAM-AB
Marten <i>actuosa</i>	<i>actuosa</i> (Osgood)	M-MAAM-AC
Marten <i>caurina</i>	<i>caurina</i> (Merriam)	M-MAAM-CA
Marten <i>nesophila</i>	<i>nesophila</i> (Osgood)	M-MAAM-NE
Masked Greenling	<i>Hexagrammos octogrammus</i> (Pallas)	F-HEOC
Matcheck Warbonnet	<i>Chirolophis tarsodes</i>	F-CHTA
	(Jordan and Snyder)	
McCown's Longspur	<i>Calcarius mccownii</i> (Lawrence)	B-MCLO
McKay's Bunting	<i>Plectrophenax hyperboreus</i> Ridgway	B-MCBU

Vertebrates of British Columbia

Meadow Jumping Mouse	<i>Zapus hudsonius</i> (Zimmermann)	M-ZAHU
Meadow Jumping Mouse <i>alascensis</i>	ssp: <i>alascensis</i> Merriam	M-ZAHU-AL
Meadow Jumping Mouse <i>hudsonius</i>	<i>hudsonius</i> (Zimmermann)	M-ZAHU-HU
Meadow Jumping Mouse <i>tenellus</i>	<i>tenellus</i> Merriam	M-ZAHU-TE
Meadow Vole	<i>Microtus pennsylvanicus</i> (Ord)	M-MIPE
Meadow Vole <i>drummondii</i>	ssp: <i>drummondii</i> (Audubon and Bachman)	M-MIPE-DR
Meadow Vole <i>modestus</i>	<i>modestus</i> (Baird)	M-MIPE-MO
Medusafish	<i>Icichthys lockingtoni</i> Jordan and Gilbert	F-ICLO
Merlin	<i>Falco columbarius</i> Linnaeus	B-MERL
Merlin <i>columbarius</i>	ssp: <i>columbarius</i> Linnaeus	B-MERL-CO
Merlin <i>richardsonii</i>	<i>richardsonii</i> (Ridgway)	B-MERL-RI
Merlin <i>suckleyi</i>	<i>suckleyi</i> (Ridgway)	B-MERL-SU
Merriam's Shrew	<i>Sorex merriami</i> Dobson	M-SOME
Mew Gull	<i>Larus canus</i> Linnaeus	B-MEGU
Mew Gull <i>brachyrhynchus</i>	ssp: <i>brachyrhynchus</i> (Richardson)	
Mink	<i>Mustela vison</i> Schreber	M-MUVI
Mink <i>energumenos</i>	ssp: <i>energumenos</i> (Bangs)	M-MUVI-EN
Mink <i>evagor</i>	<i>evagor</i> Hall	M-MUVI-EV
Minke Whale	<i>Balaenoptera acutorostrata</i> Lacépède	M-BAAC
Minke Whale <i>scammoni</i>	ssp: <i>scammoni</i> Deméré	
Mongolian Plover	<i>Charadrius mongolus</i> Pallas	B-MGPL
Mongolian Plover <i>stegmanni</i>	ssp: <i>stegmanni</i> Stresemann	
Montane Vole	<i>Microtus montanus</i> (Peale)	M-MIMO
Montane Vole <i>canescens</i>	ssp: <i>canescens</i> Bailey	
Moose	<i>Alces alces</i> (Linnaeus)	M-ALAL
Moose <i>andersoni</i>	ssp: <i>andersoni</i> Peterson	M-ALAL-AN
Moose <i>gigas</i>	<i>gigas</i> Miller	M-ALAL-GI
Moose <i>shirasi</i>	<i>shirasi</i> Nelson	M-ALAL-SH
Mosshead Sculpin	<i>Clinocottus globiceps</i> (Girard)	F-CLGL
Mosshead Warbonnet	<i>Chirolophis nugator</i> (Jordan and Williams)	F-CHNU
Mottled Petrel	<i>Pterodroma inexpectata</i> (Forster)	B-MOPE
Mottled Sculpin	<i>Cottus bairdi</i> Bailey	F-COBA
Mottled Sculpin <i>hubbsi</i>	ssp: <i>hubbsi</i> Bailey and Demick	F-COBA-HU
Mountain Beaver	<i>Aplodontia rufa</i> (Rafinesque)	M-APRU
Mountain Beaver <i>rainieri</i>	ssp: <i>rainieri</i> Merriam	M-APRU-RA
Mountain Beaver <i>rufa</i>	<i>rufa</i> (Rafinesque)	M-APRU-RU
Mountain Bluebird	<i>Sialia currucoides</i> (Bechstein)	B-MOBL
Mountain Chickadee	<i>Poecile gambeli</i> (Ridgway)	B-MOCH
Mountain Chickadee <i>abbreviatus</i>	ssp: <i>abbreviatus</i> (Grinnell)	
Mountain Goat	<i>Oreamnos americanus</i> (Blainville)	M-ORAM
Mountain Plover	<i>Charadrius montanus</i> Townsend	B-MOPL
Mountain Quail	<i>Oreortyx pictus</i> (Douglas)	B-MOQU
Mountain Quail <i>palmeri</i>	ssp: <i>palmeri</i> (Oberholser)	
Mountain Sucker	<i>Catostomus platyrhynchus</i> (Cope)	F-CAPL

Alphabetical Sequence by English Names

Mountain Whitefish	<i>Prosopium williamsoni</i> (Girard)	F-PRWI
Mourning Dove	<i>Zenaida macroura</i> (Linnaeus)	B-MODO
Mourning Dove <i>marginella</i>	ssp: <i>marginella</i> (Woodhouse)	
Mourning Warbler	<i>Oporornis philadelphia</i> (Wilson)	B-MOWA
Mule Deer	<i>Odocoileus hemionus</i> (Rafinesque)	M-ODHE
Mule Deer <i>columbianus</i>	ssp: <i>columbianus</i> (Richardson)	M-ODHE-CO
Mule Deer <i>hemionus</i>	<i>hemionus</i> (Rafinesque)	M-ODHE-HE
Mule Deer <i>sitkensis</i>	<i>sitkensis</i> Merriam	M-ODHE-SI
Murphy's Petrel	<i>Pterodroma ultima</i> Murphy	B-MUPE
Muskrat	<i>Ondatra zibethicus</i> (Linnaeus)	M-ONZI
Muskrat <i>osoyoosensis</i>	ssp: <i>osoyoosensis</i> (Lord)	M-ONZI-OS
Muskrat <i>spatulata</i>	<i>spatulata</i> (Osgood)	M-ONZI-SP
Mute Swan	<i>Cygnus olor</i> (Gmelin)	B-MUSW
Nakedneck Eelpout	<i>Pachycara gymninium</i> Anderson and Peden	F-PAGY
Nashville Warbler	<i>Vermivora ruficapilla</i> (Wilson)	B-NAWA
Nashville Warbler <i>ridgwayi</i>	ssp: <i>ridgwayi</i> van Rossem	
Nelson's Sharp-tailed Sparrow	<i>Ammodramus nelsoni</i> Allen	B-NSTS
Nelson's Sharp-tailed Sparrow <i>nelsoni</i>	ssp: <i>nelsoni</i> (J.A. Allen)	
Night Smelt	<i>Spirinchus starksi</i> (Fisk)	F-SPST
Night Snake	<i>Hypsiglena torquata</i> (Günther)	R-HYTO
Night Snake <i>deserticola</i>	ssp: <i>deserticola</i> Tanner	
Ninespine Stickleback	<i>Pungitius pungitius</i> (Linnaeus)	F-PUPU
North American Opossum	<i>Didelphis virginiana</i> Kerr	M-DIVI
North American Opossum <i>virginiana</i>	ssp: <i>virginiana</i> Linnaeus	
North Pacific Bottle-nosed Whale	<i>Berardius bairdii</i> Stenejger	M-BEBA
North Pacific Pelagic Armorhead	<i>Pentaceros wheeleri</i> Hardy	F-PEWH
Northern Alligator Lizard	<i>Elgaria coerulea</i> (Wiegmann)	R-ELCO
Northern Alligator Lizard <i>principis</i>	ssp: <i>principis</i> (Baird and Girard)	
Northern Anchovy	<i>Engraulis mordax</i> Girard	F-ENMO
Northern Blue Lanternfish	<i>Tarletonbeania taylori</i> Mead	F-TATA
Northern Bobwhite	<i>Colinus virginianus</i> (Linnaeus)	B-NOBO
Northern Bog Lemming	<i>Synaptomys borealis</i> (Richardson)	M-SYBO
Northern Bog Lemming <i>artemisiae</i>	ssp: <i>artemisiae</i> Anderson	M-SYBO-AR
Northern Bog Lemming <i>borealis</i>	<i>borealis</i> (Richardson)	M-SYBO-BO
Northern Bog Lemming <i>chapmani</i>	<i>chapmani</i> Allen	M-SYBO-CH
Northern Bog Lemming <i>dalli</i>	<i>dalli</i> Merriam	M-SYBO-DA
Northern Bog Lemming <i>truei</i>	<i>truei</i> Merriam	M-SYBO-TR
Northern Clingfish	<i>Gobiesox maeandricus</i> (Girard)	F-GOMA
Northern Elephant Seal	<i>Mirounga angustirostris</i> (Gill)	M-MIAN
Northern Flashlightfish	<i>Protomyctophum thompsoni</i> (Chapman)	F-PRTH
Northern Flicker	<i>Colaptes auratus</i> (Linnaeus)	B-NOFL
Northern Flicker <i>borealis</i>	ssp: <i>borealis</i> Ridgway	B-NOFL-BO
Northern Flicker <i>cafer</i>	<i>cafer</i> (Gmelin)	B-NOFL-CA
Northern Flicker <i>collaris</i>	<i>collaris</i> (Vigors)	B-NOFL-CO

Vertebrates of British Columbia

Northern Flying Squirrel	<i>Glaucomys sabrinus</i> (Shaw)	M-GLSA
Northern Flying Squirrel <i>alpinus</i>	ssp: <i>alpinus</i> (Richardson)	M-GLSA-AL
Northern Flying Squirrel <i>columbiensis</i>	<i>columbiensis</i> Howell	M-GLSA-CO
Northern Flying Squirrel <i>fuliginosus</i>	<i>fuliginosus</i> (Rhoads)	M-GLSA-FU
Northern Flying Squirrel <i>laticeps</i>	<i>laticeps</i> Howell	M-GLSA-LA
Northern Flying Squirrel <i>oregonensis</i>	<i>oregonensis</i> (Bachman)	M-GLSA-OR
Northern Flying Squirrel <i>reductus</i>	<i>reductus</i> Cowan	M-GLSA-RE
Northern Flying Squirrel <i>zaphaeus</i>	<i>zaphaeus</i> (Osgood)	M-GLSA-ZA
Northern Fulmar	<i>Fulmarus glacialis</i> (Linnaeus)	B-NOFU
Northern Fulmar <i>rodgersii</i>	ssp: <i>rodgersii</i> (Cassin)	
Northern Fur Seal	<i>Callorhinus ursinus</i> (Linnaeus)	M-CAUR
Northern Goshawk	<i>Accipiter gentilis</i> (Linnaeus)	B-NOGO
Northern Goshawk <i>atricapillus</i>	ssp: <i>atricapillus</i> (Wilson)	B-NOGO-AT
Northern Goshawk <i>laingi</i>	<i>laingi</i> (Taverner)	B-NOGO-LA
Northern Harrier	<i>Circus cyaneus</i> (Linnaeus)	B-NOHA
Northern Harrier <i>hudsonius</i>	ssp: <i>hudsonius</i> (Linnaeus)	
Northern Hawk Owl	<i>Surnia ulula</i> (Linnaeus)	B-NHOW
Northern Hawk Owl <i>caparoch</i>	ssp: <i>caparoch</i> (Müller)	
Northern Lanternfish	<i>Stenobrachius leucopsarus</i> (Eigenmann and Eigenmann)	F-STLE
Northern Leopard Frog	<i>Rana pipiens</i> Schreber	A-RAPI
Northern Long-eared Myotis	<i>Myotis septentrionalis</i> (Trouessart)	M-MYSE
Northern Mockingbird	<i>Mimus polyglottos</i> (Linnaeus)	B-NOMO
Northern Mockingbird <i>leucopterus</i>	ssp: <i>leucopterus</i> (Vigors)	
Northern Parula	<i>Parula americana</i> (Linnaeus)	B-NOPA
Northern Pearleye	<i>Benthalbella dentata</i> (Chapman)	F-BEDE
Northern Pike	<i>Esox lucius</i> Linnaeus	F-ESLU
Northern Pintail	<i>Anas acuta</i> Linnaeus	B-NOPI
Northern Pocket Gopher	<i>Thomomys talpoides</i> (Richardson)	M-THTA
Northern Pocket Gopher <i>cognatus</i>	ssp: <i>cognatus</i> Johnstone	M-THTA-CO
Northern Pocket Gopher <i>fuscus</i>	<i>fuscus</i> Merriam	M-THTA-FU
Northern Pocket Gopher <i>incensus</i>	<i>incensus</i> Goldman	M-THTA-IN
Northern Pocket Gopher <i>medius</i>	<i>medius</i> Goldman	M-THTA-ME
Northern Pocket Gopher <i>saturatus</i>	<i>saturatus</i> Bailey	M-THTA-SA
Northern Pocket Gopher <i>segregatus</i>	<i>segregatus</i> Johnstone	M-THTA-SE
Northern Pygmy-Owl	<i>Glaucidium gnoma</i> Wagler	B-NPOW
Northern Pygmy-Owl <i>californicum</i>	ssp: <i>californicum</i> (Sclater)	B-NPOW-CA
Northern Pygmy-Owl <i>grinnelli</i>	<i>grinnelli</i> Ridgway	B-NPOW-GR
Northern Pygmy-Owl <i>swarthi</i>	<i>swarthi</i> Grinnell	B-NPOW-SW
Northern Red-backed Vole	<i>Clethrionomys rutilus</i> (Pallas)	M-CLRU
Northern Red-backed Vole <i>dawsoni</i>	ssp: <i>dawsoni</i> (Merriam)	
Northern Redbelly Dace	<i>Phoxinus eos</i> (Cope)	F-PHEO
Northern Right Whale	<i>Balaena glacialis</i> Muller	M-BAGL
Northern Right Whale <i>glacialis</i>	ssp: <i>glacialis</i> Muller	
Northern Right-whale Dolphin	<i>Lissodelphis borealis</i> (Peale)	M-LIBO
Northern Rock Sole	<i>Lepidopsetta polyxystra</i> (Orr and Materese)	F-LEPO

Alphabetical Sequence by English Names

Northern Rockfish	<i>Sebastes polyspinis</i> (Taranetz and Moiseev)	F-SEPL
Northern Ronquil	<i>Ronquilus jordani</i> (Gilbert)	F-ROJO
Northern Rough-winged Swallow	<i>Stelgidopteryx serripennis</i> (Audubon)	B-NRWS
Northern Rough-winged Swallow <i>serripennis</i>	ssp: <i>serripennis</i> (Audubon)	
Northern Saw-whet Owl	<i>Aegolius acadicus</i> (Gmelin)	B-NSWO
Northern Saw-whet Owl <i>acadicus</i>	ssp: <i>acadicus</i> (Gmelin)	B-NSWO-AC
Northern Saw-whet Owl <i>brooksi</i>	<i>brooksi</i> (Fleming)	B-NSWO-BR
Northern Sculpin	<i>Icelinus borealis</i> Gilbert	F-ICBO
Northern Sea Lion	<i>Eumetopias jubatus</i> (Schreber)	M-EUJU
Northern Seadevil	<i>Ceratias holboelli</i> Kroeyer	F-CEHO
Northern Shoveler	<i>Anas clypeata</i> Linnaeus	B-NOSL
Northern Shrike	<i>Lanius excubitor</i> Linnaeus	B-NOSH
Northern Shrike <i>invictus</i>	ssp: <i>invictus</i> (Grinnell)	
Northern Smoothtongue	<i>Leuroglossus schmidti</i> Rass	F-LESC
Northern Spearnose Poacher	<i>Agonopsis vulsa</i> (Jordan and Gilbert)	F-AGVU
Northern Waterthrush	<i>Seiurus noveboracensis</i> (Gmelin)	B-NOWA
Northern Waterthrush <i>linnaeus</i>	ssp: <i>linnaeus</i> McCabe and Miller	B-NOWA-LI
Northern Waterthrush <i>notabilis</i>	<i>notabilis</i> (Ridgway)	B-NOWA-NO
Northern Wheatear	<i>Oenanthe oenanthe</i> (Linnaeus)	B-NOWH
Northern Wheatear <i>oenanthe</i>	ssp: <i>oenanthe</i> (Linnaeus)	
Northwestern Crow	<i>Corvus caurinus</i> Baird	B-NOCR
Northwestern Garter Snake	<i>Thamnophis ordinoides</i> (Baird and Girard)	R-THOR
Northwestern Salamander	<i>Ambystoma gracile</i> (Baird)	A-AMGR
Northwestern Salamander <i>decorticaum</i>	ssp: <i>decorticaum</i> (Cope)	A-AMGR-DE
Northwestern Salamander <i>gracile</i>	<i>gracile</i> (Baird)	A-AMGR-GR
Norway Rat	<i>Rattus norvegicus</i> (Berkenhout)	M-RANO
Nuttall's Cottontail	<i>Sylvilagus nuttallii</i> (Bachman)	M-SYNU
Nuttall's Cottontail <i>nuttallii</i>	ssp: <i>nuttallii</i> (Bachman)	
Ocean Sunfish	<i>Mola mola</i> (Linnaeus)	F-MOMO
Ocean Whitefish	<i>Caulolatilus princeps</i> (Jenyns)	F-CAPR
Olive-sided Flycatcher	<i>Contopus cooperi</i> (Nuttall)	B-OSFL
Olive-sided Flycatcher <i>cooperi</i>	ssp: <i>cooperi</i> (Nuttall)	
Opah	<i>Lampris guttatus</i> (Brunnich)	F-LAGU
Orange-crowned Warbler	<i>Vermivora celata</i> (Say)	B-OCWA
Orange-crowned Warbler <i>celata</i>	ssp: <i>celata</i> (Say)	B-OCWA-CE
Orange-crowned Warbler <i>lutescens</i>	<i>lutescens</i> (Ridgway)	B-OCWA-LU
Orange-crowned Warbler <i>orestera</i>	<i>orestera</i> Oberholser	B-OCWA-OR
Orchard Oriole	<i>Icterus spurius</i> (Linnaeus)	B-OROR
Orchard Oriole <i>spurius</i>	ssp: <i>spurius</i> (Linnaeus)	
Oregon Spotted Frog	<i>Rana pretiosa</i> Baird and Girard	A-RAPR
Oreo	<i>Alloctytus verrucosus</i> (Gilchrist)	F-ALVE
Oriental Turtle-Dove	<i>Streptopelia orientalis</i> (Latham)	B-OTDO
Osprey	<i>Pandion haliaetus</i> (Linnaeus)	B-OSPR
Osprey <i>carolinensis</i>	ssp: <i>carolinensis</i> (Gmelin)	

Vertebrates of British Columbia

Ovenbird	<i>Seiurus aurocapillus</i> (Linnaeus)	B-OVEN
Ovenbird <i>aurocapillus</i>	ssp: <i>aurocapillus</i> (Linnaeus)	
Pacific Barracuda	<i>Sphyraena argentea</i> Girard	F-SPAR
Pacific Bonito	<i>Sarda chiliensis</i> (Cuvier)	F-SACH
Pacific Cod	<i>Gadus macrocephalus</i> Tilesius	F-GAMA
Pacific Dragonfish	<i>Idiacanthus antrosomus</i> Gilbert	F-IDAN
Pacific Electric Ray	<i>Torpedo californica</i> Ayres	F-TOCA
Pacific Flatnose	<i>Antimora microlepis</i> Bean	F-ANMI
Pacific Giant Salamander	<i>Dicamptodon tenebrosus</i> Baird and Girard	A-DITE
Pacific Golden-Plover	<i>Pluvialis fulva</i> (Gmelin)	B-PGPL
Pacific Hagfish	<i>Eptatretus stouti</i> (Lockington)	F-EPST
Pacific Hake	<i>Merluccius productus</i> (Ayres)	F-MEPR
Pacific Halibut	<i>Hippoglossus stenolepis</i> Schmidt	F-HIST
Pacific Herring	<i>Clupea pallasii</i> Valenciennes	F-CLPA
Pacific Jumping Mouse	<i>Zapus trinotatus</i> Rhoads	M-ZATR
Pacific Jumping Mouse <i>trinotatus</i>	ssp: <i>trinotatus</i> Rhoads	
Pacific Lamprey	<i>Lampetra tridentata</i> (Gairdner)	F-LATR
Pacific Loon	<i>Gavia pacifica</i> (Lawrence)	B-PALO
Pacific Ocean Perch	<i>Sebastes alutus</i> (Gilbert)	F-SEAT
Pacific Pomfret	<i>Brama japonica</i> Hilgendorf	F-BRJA
Pacific Pompano	<i>Peprilus simillimus</i> (Ayres)	F-PESI
Pacific Sand Lance	<i>Ammodytes hexapterus</i> Pallas	F-AMHE
Pacific Sanddab	<i>Citharichthys sordidus</i> (Girard)	F-CISO
Pacific Sandfish	<i>Trichodon trichodon</i> (Tilesius)	F-TRTR
Pacific Sardine	<i>Sardinops sagax</i> (Jenyns)	F-SASG
Pacific Saury	<i>Cololabis saira</i> (Brevoort)	F-COSA
Pacific Sleeper Shark	<i>Somniosus pacificus</i> Bigelow and Schroeder	F-SOPA
Pacific Softpout	<i>Melanostigma pammelas</i> Gilbert	F-MEPA
Pacific Spiny Lumpsucker	<i>Eumicrotremus orbis</i> (Gunther)	F-EUOR
Pacific Tomcod	<i>Microgadus proximus</i> Girard	F-MIPR
Pacific Treefrog	<i>Hyla regilla</i> Baird and Girard	A-HYRE
Pacific Viperfish	<i>Chauliodus macouni</i> Bean	F-CHMA
Pacific Water Shrew	<i>Sorex bendirii</i> (Merriam)	M-SOBE
Pacific Water Shrew <i>bendirii</i>	ssp: <i>bendirii</i> (Merriam)	
Pacific White-sided Dolphin	<i>Lagenorhynchus obliquidens</i> Gill	M-LAOB
Pacific-slope Flycatcher	<i>Empidonax difficilis</i> Baird	B-PSFL
Pacific-slope Flycatcher <i>difficilis</i>	ssp: <i>difficilis</i> (Baird)	
Padded Sculpin	<i>Artedius fenestralis</i> Jordan and Gilbert	F-ARFE
Painted Greenling	<i>Oxylebius pictus</i> Gill	F-OXPI
Painted Redstart	<i>Myioborus pictus</i> (Swainson)	B-PARE
Painted Redstart <i>pictus</i>	ssp: <i>pictus</i> (Swainson)	
Painted Turtle	<i>Chrysemys picta</i> (Scheider)	R-CHPI
Painted Turtle <i>bellii</i>	ssp: <i>bellii</i> (Gray)	
Pale Eelpout	<i>Lycenchelys micropora</i> Andriashev	F-LYMI

Alphabetical Sequence by English Names

Pallid Bat	<i>Antrozous pallidus</i> (Le Conte)	M-ANPA
Pallid Bat <i>pallidus</i>	ssp: <i>pallidus</i> (Le Conte)	
Pallid Slipskin	<i>Lycodapus mandibularis</i> Gilbert	F-LYMA
Palm Warbler	<i>Dendroica palmarum</i> (Gmelin)	B-PAWA
Palm Warbler <i>palmarum</i>	ssp: <i>palmarum</i> (Gmelin)	
Parakeet Auklet	<i>Aethia psittacula</i> (Pallas)	B-PAAU
Parasitic Jaeger	<i>Stercorarius parasiticus</i> (Linnaeus)	B-PAJA
Passenger Pigeon	<i>Ectopistes migratorius</i> (Linnaeus)	B-PAPI
Patchwork Lampfish	<i>Notoscopelus resplendens</i> (Richardson)	F-NORE
Peamouth	<i>Mylocheilus caurinus</i> (Richardson)	F-MYCA
Pearl Dace	<i>Margariscus margarita</i> (Cope)	F-MAMA
Pearly Prickleback	<i>Bryozoichthys marjorius</i> McPhail	F-BRMR
Pectoral Sandpiper	<i>Calidris melanotos</i> (Vieillot)	B-PESA
Pectoral Snailfish	<i>Paraliparis pectoralis</i> Stein	F-PAPE
Pelagic Cormorant	<i>Phalacrocorax pelagicus</i> Pallas	B-PECO
Pelagic Cormorant <i>pelagicus</i>	ssp: <i>pelagicus</i> (Pallas)	B-PECO-PE
Pelagic Cormorant <i>resplendens</i>	<i>resplendens</i> (Audubon)	B-PECO-RE
Pelagic Stingray	<i>Dasyatis violacea</i> (Bonaparte)	F-DAVI
Penpoint Gunnel	<i>Apodichthys flavidus</i> Girard	F-APFL
Peregrine Falcon	<i>Falco peregrinus</i> Tunstall	B-PEFA
Peregrine Falcon <i>anatum</i>	ssp: <i>anatum</i> (Bonaparte)	B-PEFA-AN
Peregrine Falcon <i>pealei</i>	<i>pealei</i> (Ridgway)	B-PEFA-PE
Peregrine Falcon <i>tundrius</i>	<i>tundrius</i> White	B-PEFA-TU
Petrale Sole	<i>Eopsetta jordani</i> (Lockington)	F-EOJO
Phantom Bristlemouth	<i>Cyclothone atraria</i> Gilbert	F-CYAT
Phantom Snailfish	<i>Paraliparis melanobranchus</i> Gilbert and Burke	F-PAME
Philadelphia Vireo	<i>Vireo philadelphicus</i> (Cassin)	B-PHVI
Pied-billed Grebe	<i>Podilymbus podiceps</i> (Linnaeus)	B-PBGR
Pied-billed Grebe <i>podiceps</i>	ssp: <i>podiceps</i> (Linnaeus)	
Pigeon Guillemot	<i>Cephus columba</i> Pallas	B-PIGU
Pigeon Guillemot <i>columba</i>	ssp: <i>columba</i> (Pallas)	B-PIGU-CO
Pigeon Guillemot <i>kaiurka</i>	<i>kaiurka</i> Portenko	B-PIGU-KA
Pigmy Short-horned Lizard	<i>Phrynosoma douglasi</i> (Bell)	R-PHDO
Pikeminnow	<i>Ptychocheilus oregonensis</i> (Richardson)	F-PTOR
Pile Perch	<i>Rhacochilus vacca</i> (Girard)	F-RHVA
Pileated Woodpecker	<i>Dryocopus pileatus</i> (Linnaeus)	B-PIWO
Pileated Woodpecker <i>picinus</i>	ssp: <i>picinus</i> (Bangs)	
Pilotfish	<i>Naucrates ductor</i> (Linnaeus)	F-NADU
Pine Grosbeak	<i>Pinicola enucleator</i> (Linnaeus)	B-PIGR
Pine Grosbeak <i>alascensis</i>	ssp: <i>alascensis</i> Ridgway	B-PIGR-AL
Pine Grosbeak <i>carlottae</i>	<i>carlottae</i> Brooks	B-PIGR-CA
Pine Grosbeak <i>flammula</i>	<i>flammula</i> (Homeyer)	B-PIGR-FL
Pine Grosbeak <i>montana</i>	<i>montana</i> Ridgway	B-PIGR-MO
Pine Siskin	<i>Carduelis pinus</i> (Wilson)	B-PISI
Pine Siskin <i>pinus</i>	ssp: <i>pinus</i> (Wilson)	
Pink Salmon	<i>Oncorhynchus gorbuscha</i> (Walbaum)	F-ONGO

Vertebrates of British Columbia

Pink Snailfish	<i>Paraliparis rosaceus</i> Gilbert	F-PARO
Pink-footed Shearwater	<i>Puffinus creatopus</i> Coues	B-PFSH
Pinpoint Lanternfish	<i>Lampanyctus regalis</i> (Gilbert)	F-LARE
Pitgum Dragonfish	<i>Opostomias mitsuui</i> Imai	F-OPMI
Pitted Tubeshoulder	<i>Maulisia argipalla</i> Matsui and Rosenblatt	F-MAAR
Pixy Poacher	<i>Ocella impi</i> Gruchy	F-OCIM
Plainfin Midshipman	<i>Porichthys notatus</i> Girard	F-PONO
Pomarine Jaeger	<i>Stercorarius pomarinus</i> (Temminck)	B-POJA
Popeye	<i>Coryphaenoides cinereus</i> (Gilbert)	F-COCI
Popeye Blacksmelt	<i>Bathylagus ochotensis</i> Schmidt	F-BAOC
Porcupine	<i>Erethizon dorsatum</i> (Linnaeus)	M-ERDO
Porcupine <i>myops</i>	ssp: <i>myops</i> Merriam	M-ERDO-MY
Porcupine <i>nigrescens</i>	ssp: <i>nigrescens</i> Allen	M-ERDO-NI
Prairie Falcon	<i>Falco mexicanus</i> Schlegel	B-PRFA
Prairie Warbler	<i>Dendroica discolor</i> (Vieillot)	B-PRWA
Prairie Warbler <i>discolor</i>	ssp: <i>discolor</i> (Vieillot)	
Preble's Shrew	<i>Sorex preblei</i> Jackson	M-SOPR
Pricklebreast Poacher	<i>Stellerina xyosterna</i> (Jordan and Gilbert)	F-STXY
Prickly Sculpin	<i>Cottus asper</i> Richardson	F-COAS
Prickly Snailfish	<i>Paraliparis deani</i> Burke	F-PADE
Prowfish	<i>Zaprora silenus</i> Jordan	F-ZASI
Puget Sound Rockfish	<i>Sebastes emphaeus</i> (Starks)	F-SEEM
Puget Sound Sculpin	<i>Ruscarius meanyi</i> Jordan and Starks	F-RUME
Pumpkinseed	<i>Lepomis gibbosus</i> (Linnaeus)	F-LEGI
Purple Finch	<i>Carpodacus purpureus</i> (Gmelin)	B-PUFI
Purple Finch <i>californicus</i>	ssp: <i>californicus</i> (Baird)	B-PUFI-CA
Purple Finch <i>taverneri</i>	ssp: <i>taverneri</i> Rand	B-PUFI-TA
Purple Martin	<i>Progne subis</i> (Linnaeus)	B-PUMA
Purple Martin <i>arboricola</i>	ssp: <i>arboricola</i> Behle	B-PUMA-AR
Purple Martin <i>subis</i>	ssp: <i>subis</i> (Linnaeus)	B-PUMA-SU
Pygmy Nuthatch	<i>Sitta pygmaea</i> Vigors	B-PYNU
Pygmy Nuthatch <i>melanotis</i>	ssp: <i>melanotis</i> van Rossem	
Pygmy Poacher	<i>Odontopyxis trispinosa</i> Lockington	F-ODTR
Pygmy Rockfish	<i>Sebastes wilsoni</i> (Gilbert)	F-SEWI
Pygmy Shrew	<i>Sorex hoyi</i> Baird	M-SOHO
Pygmy Shrew <i>hoyi</i>	ssp: <i>hoyi</i> Baird	
Pygmy Snailfish	<i>Lipariscus nanus</i> Gilbert	F-LINA
Pygmy Whitefish	<i>Prosopium coulteri</i> (Eigenmann and Eigenmann)	F-PRCO
Queenfish	<i>Seriphus politus</i> Ayres	F-SEPO
Quillback Rockfish	<i>Sebastes maliger</i> (Jordan and Gilbert)	F-SEMA
Quillfish	<i>Ptilichthys goodei</i> Bean	F-PTGO

Alphabetical Sequence by English Names

Raccoon	<i>Procyon lotor</i> (Linnaeus)	M-PRLO
Raccoon <i>pacificus</i>	ssp: <i>pacificus</i> Merriam	M-PRLO-PA
Raccoon <i>vancouverensi</i>	<i>vancouverensis</i> Nelson and Goldman	M-PRLO-VA
Racer	<i>Coluber constrictor</i> Linnaeus	R-COCO
Racer <i>mormon</i>	ssp: <i>mormon</i> Baird and Girard	
Ragfish	<i>Icosteus aenigmaticus</i> Lockington	F-ICAE
Rainbow Smelt	<i>Osmerus mordax</i> (Mitchill)	F-OSMO
Rainbow Trout	<i>Oncorhynchus mykiss</i> (Walbaum)	F-ONMY
Red Brotula	<i>Brosmophycis marginata</i> (Ayres)	F-BRMA
Red Crossbill	<i>Loxia curvirostra</i> Linnaeus	B-RECR
Red Crossbill <i>minor</i>	ssp: <i>minor</i> (Brehm)	
Red Fox	<i>Vulpes vulpes</i> (Linnaeus)	M-VUVU
Red Fox <i>abietorum</i>	ssp: <i>abietorum</i> Merriam	M-VUVU-AB
Red Fox <i>cascadensis</i>	<i>cascadensis</i> Merriam	M-VUVU-CA
Red Fox <i>macroura</i>	<i>macroura</i> Baird	M-VUVU-MA
Red Gunnel	<i>Pholis schultzi</i> Hubbs	F-PHSC
Red Irish Lord	<i>Hemilepidotus hemilepidotus</i> (Tilesius)	F-HEHE
Red Knot	<i>Calidris canutus</i> (Linnaeus)	B-REKN
Red Knot <i>canutus</i>	ssp: <i>canutus</i> (Linnaeus)	
Red Phalarope	<i>Phalaropus fulicaria</i> (Linnaeus)	B-REPH
Red Squirrel	<i>Tamiasciurus hudsonicus</i> (Erxleben)	M-TAHU
Red Squirrel <i>columbiensis</i>	ssp: <i>columbiensis</i> Howell	M-TAHU-CO
Red Squirrel <i>lanuginosus</i>	<i>lanuginosus</i> Bachman	M-TAHU-LA
Red Squirrel <i>petulans</i>	<i>petulans</i> (Osgood)	M-TAHU-PE
Red Squirrel <i>picatus</i>	<i>picatus</i> (Swarth)	M-TAHU-PI
Red Squirrel <i>preblei</i>	<i>preblei</i> Howell	M-TAHU-PR
Red Squirrel <i>richardsoni</i>	<i>richardsoni</i> (Bachman)	M-TAHU-RI
Red Squirrel <i>streatori</i>	<i>streatori</i> (Allen)	M-TAHU-ST
Redbanded Rockfish	<i>Sebastes babcocki</i> (Thompson)	F-SEBA
Red-breasted Merganser	<i>Mergus serrator</i> Linnaeus	B-RBME
Red-breasted Merganser <i>serrator</i>	ssp: <i>serrator</i> (Linnaeus)	
Red-breasted Nuthatch	<i>Sitta canadensis</i> Linnaeus	B-RBNU
Red-breasted Sapsucker	<i>Sphyrapicus ruber</i> (Gmelin)	B-RBSA
Red-breasted Sapsucker <i>ruber</i>	ssp: <i>ruber</i> (Gmelin)	
Red-eyed Vireo	<i>Vireo olivaceus</i> (Linnaeus)	B-REVI
Red-eyed Vireo <i>olivaceus</i>	ssp: <i>olivaceus</i> (Linnaeus)	
Red-faced Cormorant	<i>Phalacrocorax urile</i> (Gmelin)	B-RFCO
Red-headed Woodpecker	<i>Melanerpes erythrocephalus</i> (Linnaeus)	B-RHWO
Redhead	<i>Aythya americana</i> (Eyton)	B-REDH
Red-legged Frog	<i>Rana aurora</i> Baird and Girard	A-RAAU
Red-legged Frog <i>aurora</i>	ssp: <i>aurora</i> Baird and Girard	
Red-legged Kittiwake	<i>Rissa brevirostris</i> (Bruch)	B-RLKI
Red-naped Sapsucker	<i>Sphyrapicus nuchalis</i> Baird	B-RNSA
Red-necked Grebe	<i>Podiceps grisegena</i> (Boddaert)	B-RNGR
Red-necked Grebe <i>holbollii</i>	ssp: <i>holbollii</i> (Reinhardt)	
Red-necked Phalarope	<i>Phalaropus lobatus</i> (Linnaeus)	B-RNPL
Red-necked Stint	<i>Calidris ruficollis</i> (Pallas)	B-RNST

Vertebrates of British Columbia

Redside Shiner	<i>Richardsonius balteatus</i> (Richardson)	F-RIBA
Redstripe Rockfish	<i>Sebastes proriger</i> (Jordan and Gilbert)	F-SEPR
Redtail Surfperch	<i>Amphistichus rhodoterus</i> (Agassiz)	F-AMRH
Red-tailed Chipmunk	<i>Tamias ruficaudus</i> (A. H. Howell)	M-TARU
Red-tailed Chipmunk <i>ruficaudus</i>	ssp: <i>ruficaudus</i> (Howell)	M-TARU-RU
Red-tailed Chipmunk <i>simulans</i>	ssp: <i>simulans</i> (Howell)	M-TARU-SI
Red-tailed Hawk	<i>Buteo jamaicensis</i> (Gmelin)	B-RTHA
Red-tailed Hawk <i>alascensis</i>	ssp: <i>alascensis</i> (Grinnell)	B-RTHA-AL
Red-tailed Hawk <i>calurus</i>	ssp: <i>calurus</i> (Cassin)	B-RTHA-CA
Red-tailed Hawk <i>harlani</i>	ssp: <i>harlani</i> (Audubon)	B-RTHA-HA
Red-tailed Tropicbird	<i>Phaethon rubricauda</i> Boddaert	B-RTTR
Red-tailed Tropicbird <i>rothschildi</i>	ssp: <i>rothschildi</i> (Mathews)	
Red-throated Loon	<i>Gavia stellata</i> (Pontoppidan)	B-RTLO
Red-throated Pipit	<i>Anthus cervinus</i> (Pallas)	B-RTPI
Red-winged Blackbird	<i>Agelaius phoeniceus</i> (Linnaeus)	B-RWBL
Red-winged Blackbird <i>arctolegus</i>	ssp: <i>arctolegus</i> Oberholser	B-RWBL-AR
Red-winged Blackbird <i>caurinus</i>	ssp: <i>caurinus</i> Ridgway	B-RWBL-CA
Red-winged Blackbird <i>nevadensis</i>	ssp: <i>nevadensis</i> Grinnell	B-RWBL-NE
Rex Sole	<i>Errex zachirus</i> (Lockington)	F-ERZA
Rhinoceros Auklet	<i>Cerorhinca monocerata</i> (Pallas)	B-RHAU
Ribbed Sculpin	<i>Triglops pingeli</i> Reinhardt	F-TRPI
Ribbon Prickleback	<i>Phytichthys chirus</i> (Jordan and Gilbert)	F-PHCH
Ribbon Snailfish	<i>Liparis cyclopus</i> Gunther	F-LICY
Ring-billed Gull	<i>Larus delawarensis</i> Ord	B-RBGU
Ring-necked Duck	<i>Aythya collaris</i> (Donovan)	B-RNDU
Ring-necked Pheasant	<i>Phasianus colchicus</i> Linnaeus	B-RNPH
Ringtail Snailfish	<i>Liparis rutteri</i> (Gilbert and Snyder)	F-LIRU
Risso's Dolphin	<i>Grampus griseus</i> (Cuvier)	M-GRGR
River Lamprey	<i>Lampetra ayresi</i> (Gunther)	F-LAAY
River Otter	<i>Lontra canadensis</i> (Schreber)	M-LOCA
River Otter <i>mira</i>	ssp: <i>mira</i> (Goldman)	M-LOCA-MI
River Otter <i>pacifica</i>	ssp: <i>pacifica</i> (Rhoads)	M-LOCA-PA
River Otter <i>pericyzomae</i>	ssp: <i>pericyzomae</i> (Elliot)	M-LOCA-PE
Rock Dove	<i>Columba livia</i> Gmelin	B-RODO
Rock Greenling	<i>Hexagrammos lagocephalus</i> (Pallas)	F-HELA
Rock Prickleback	<i>Xiphister mucosus</i> (Girard)	F-XIMU
Rock Ptarmigan	<i>Lagopus mutus</i> (Montin)	B-ROPT
Rock Ptarmigan <i>rupestris</i>	ssp: <i>rupestris</i> (Gmelin)	
Rock Sandpiper	<i>Calidris ptilocnemis</i> (Coues)	B-ROSA
Rock Sandpiper <i>tshuktschorum</i>	ssp: <i>tshuktschorum</i> (Portenko)	
Rock Wren	<i>Salpinctes obsoletus</i> (Say)	B-ROWR
Rock Wren <i>obsoletus</i>	ssp: <i>obsoletus</i> (Say)	
Rockhead	<i>Bothragonus swani</i> (Steindachner)	F-BOSW
Rockweed Gunnel	<i>Apodichthys fucorum</i> Jordan and Gilbert	F-APFU
Rocky Mountain Sculpin	<i>Cottus punctulatus</i> (Gill)	F-COPU
Rocky Mountain Tailed Frog	<i>Ascaphus montanus</i> Mittleman and Myers	A-ASMO

Alphabetical Sequence by English Names

Rose-breasted Grosbeak	<i>Pheucticus ludovicianus</i> (Linnaeus)	B-RBGR
Rosethorn Rockfish	<i>Sebastes helvomaculatus</i> Ayres	F-SEHE
Ross's Goose	<i>Chen rossii</i> (Cassin)	B-ROGO
Ross's Gull	<i>Rhodostethia rosea</i> (MacGillivray)	B-ROGU
Rosylip Sculpin	<i>Ascelichthys rhodorus</i> Jordan and Gilbert	F-ASRH
Rough Pomfet	<i>Taractes asper</i> Lowe	F-TAAS
Roughback Sculpin	<i>Chitonotus pugetensis</i> (Steindachner)	F-CHPU
Rougheye Rockfish	<i>Sebastes aleutianus</i> (Jordan and Evermann)	F-SEAL
Rough-legged Hawk	<i>Buteo lagopus</i> (Pontoppidan)	B-RLHA
Rough-legged Hawk <i>sanctijohannis</i>	ssp: <i>sanctijohannis</i> (Gmelin)	
Roughscale Grenadier	<i>Coryphaenoides acrolepis</i> (Bean)	F-COAC
Roughscale Sole	<i>Clidoderma asperrimum</i> (Temminck and Schlegel)	F-CLAS
Rough-skinned Newt	<i>Taricha granulosa</i> (Skilton)	A-TAGR
Rough-skinned Newt <i>granulosa</i>	ssp: <i>granulosa</i> (Skilton)	
Roughspine Sculpin	<i>Triglops macellus</i> (Bean)	F-TRMA
Roughtail Skate	<i>Bathyraja trachura</i> (Gilbert)	F-BATR
Round Whitefish	<i>Prosopium cylindraceum</i> (Pallas)	F-PRCY
Rubber Boa	<i>Charina bottae</i> (Blainville)	R-CHBO
Ruby-crowned Kinglet	<i>Regulus calendula</i> (Linnaeus)	B-RCKI
Ruby-crowned Kinglet <i>calendula</i>	ssp: <i>calendula</i> (Linnaeus)	B-RCKI-CA
Ruby-crowned Kinglet <i>cineraceus</i>	<i>cineraceus</i> Grinnell	B-RCKI-CI
Ruby-crowned Kinglet <i>grinnelli</i>	<i>grinnelli</i> Palmer	B-RCKI-GR
Ruby-throated Hummingbird	<i>Archilochus colubris</i> (Linnaeus)	B-RTHU
Ruddy Duck	<i>Oxyura jamaicensis</i> (Gmelin)	B-RUDU
Ruddy Duck <i>rubida</i>	ssp: <i>rubida</i> (Wilson)	
Ruddy Turnstone	<i>Arenaria interpres</i> (Linnaeus)	B-RUTU
Ruddy Turnstone <i>interpres</i>	ssp: <i>interpres</i> (Linnaeus)	B-RUTU-IN
Ruddy Turnstone <i>morinella</i>	<i>morinella</i> (Linnaeus)	B-RUTU-MO
Ruff	<i>Philomachus pugnax</i> (Linnaeus)	B-RUFF
Ruffed Grouse	<i>Bonasa umbellus</i> (Linnaeus)	B-RUGR
Ruffed Grouse <i>brunnescens</i>	ssp: <i>brunnescens</i> Conover	B-RUGR-BR
Ruffed Grouse <i>phaia</i>	<i>phaia</i> (Aldrich and Friedmann)	B-RUGR-PH
Ruffed Grouse <i>sabini</i>	<i>sabini</i> (Douglas)	B-RUGR-SA
Ruffed Grouse <i>umbelloides</i>	<i>umbelloides</i> (Douglas)	B-RUGR-UM
Rufous Hummingbird	<i>Selasphorus rufus</i> (Gmelin)	B-RUHU
Rustic Bunting	<i>Emberiza rustica</i> Pallas	B-RUBU
Rustic Bunting <i>latifascia</i>	ssp: <i>latifascia</i> Portenko	
Rusty Blackbird	<i>Euphagus carolinus</i> (Müller)	B-RUBL
Rusty Blackbird <i>carolinus</i>	ssp: <i>carolinus</i> (Müller)	
Sabine's Gull	<i>Xema sabini</i> (Sabine)	B-SAGU
Sabine's Gull <i>woznesenskii</i>	ssp: <i>woznesenskii</i> Portenko	
Sablefish	<i>Anoplopoma fimbria</i> (Pallas)	F-ANFI
Saddleback Gunnel	<i>Pholis ornata</i> (Girard)	F-PHOR
Saddleback Sculpin	<i>Oligocottus rimensis</i> (Greeley)	F-OLRI
Saddle-backed Dolphin	<i>Delphinus delphis</i> Linnaeus	M-DEDE

Vertebrates of British Columbia

Sage Sparrow	<i>Amphispiza belli</i> (Cassin)	B-SASP
Sage Sparrow <i>nevadensis</i>	ssp: <i>nevadensis</i> (Ridgway)	
Sage Thrasher	<i>Oreoscoptes montanus</i> (Townsend)	B-SATH
Sailfin Sculpin	<i>Nautichthys oculofasciatus</i> (Girard)	F-NAOC
Salmon Shark	<i>Lamna ditropis</i> Hubbs and Follett	F-LADI
Salmon Slickhead	<i>Conocara salmoneum</i> (Gill & Townsend)	F-COSL
Sand Sole	<i>Psettichthys melanostictus</i> Girard	F-PSME
Sanderling	<i>Calidris alba</i> (Pallas)	B-SAND
Sandhill Crane	<i>Grus canadensis</i> (Linnaeus)	B-SACR
Sandhill Crane <i>canadensis</i>	ssp: <i>canadensis</i> (Linnaeus)	B-SACR-CA
Sandhill Crane <i>rowani</i>	ssp: <i>rowani</i> Walkinshaw	B-SACR-RO
Sandhill Crane <i>tabida</i>	ssp: <i>tabida</i> (Peters)	B-SACR-TA
Sandpaper Skate	<i>Bathyraja interrupta</i> (Gill and Townsend)	F-BAIT
Savannah Sparrow	<i>Passerculus sandwichensis</i> (Gmelin)	B-SAVS
Savannah Sparrow <i>anthinus</i>	ssp: <i>anthinus</i> (Bonaparte)	B-SAVS-AN
Savannah Sparrow <i>brooksi</i>	ssp: <i>brooksi</i> Bishop	B-SAVS-BR
Savannah Sparrow <i>nevadensis</i>	ssp: <i>nevadensis</i> Grinnell	B-SAVS-NE
Savannah Sparrow <i>sandwichensis</i>	ssp: <i>sandwichensis</i> (Gmelin)	B-SAVS-SA
Sawback Poacher	<i>Leptagonus frenatus</i> (Gilbert)	F-LEFR
Say's Phoebe	<i>Sayornis saya</i> (Bonaparte)	B-SAPH
Scaly Waryfish	<i>Scopelosaurus harryi</i> Mead	F-SCHA
Scalyhead Sculpin	<i>Artedius harringtoni</i> (Starks)	F-ARHA
Scalyneck Eelpout	<i>Pachycara lepinium</i> Anderson and Peden	F-PALE
Scarlet Tanager	<i>Piranga olivacea</i> (Gmelin)	B-SCTA
Scissor-tailed Flycatcher	<i>Tyrannus forficatus</i> (Gmelin)	B-STFL
Sea Otter	<i>Enhydra lutris</i> (Linnaeus)	M-ENLU
Sea Otter <i>kenyoni</i>	ssp: <i>kenyoni</i> Wilson <i>et al.</i>	
Searcher	<i>Bathymaster signatus</i> Cope	F-BASI
Sei Whale	<i>Balaenoptera borealis</i> Lesson	M-BABO
Sei Whale <i>borealis</i>	ssp: <i>borealis</i> Lesson	
Semipalmated Plover	<i>Charadrius semipalmatus</i> Bonaparte	B-SEPL
Semipalmated Sandpiper	<i>Calidris pusilla</i> (Linnaeus)	B-SESA
Sevengill Shark	<i>Notorynchus cepedianus</i> (Peron)	F-NOCE
Sharksucker	<i>Remora remora</i> (Linnaeus)	F-RERE
Sharpchin Rockfish	<i>Sebastes zacentrus</i> (Gilbert)	F-SEZA
Sharpnose Sculpin	<i>Clinocottus acuticeps</i> (Gilbert)	F-CLAC
Sharp-shinned Hawk	<i>Accipiter striatus</i> Vieillot	B-SSHA
Sharp-shinned Hawk <i>perobscurus</i>	ssp: <i>perobscurus</i> Snyder	B-SSHA-PE
Sharp-shinned Hawk <i>velox</i>	ssp: <i>velox</i> (Wilson)	B-SSHA-VE
Sharp-tailed Snake	<i>Contia tenuis</i> (Baird and Girard)	R-COTE
Sharp-tailed Grouse	<i>Tympanuchus phasianellus</i> (Linnaeus)	B-STGR
Sharp-tailed Grouse <i>caurus</i>	ssp: <i>caurus</i> (Friedmann)	B-STGR-CA
Sharp-tailed Grouse <i>columbianus</i>	ssp: <i>columbianus</i> (Ord)	B-STGR-CO
Sharp-tailed Grouse <i>jamesi</i>	ssp: <i>jamesi</i> (Lincoln)	B-STGR-JA

Alphabetical Sequence by English Names

Sharp-tailed Sandpiper	<i>Calidris acuminata</i> (Horsfield)	B-SHSA
Shiner Perch	<i>Cymatogaster aggregata</i> Gibbons	F-CYAG
Shining Loosejaw	<i>Aristostomias scintillans</i> (Gilbert)	F-ARSC
Shining Tubeshoulder	<i>Sagamichthys abei</i> Parr	F-SAAB
Shortbelly Rockfish	<i>Sebastes jordani</i> (Gilbert)	F-SEJO
Short-billed Dowitcher	<i>Limnodromus griseus</i> (Gmelin)	B-SBDO
Short-billed Dowitcher <i>caurinus</i>	ssp: <i>caurinus</i> Pitelka	B-SBDO-CA
Short-billed Dowitcher <i>hendersoni</i>	<i>hendersoni</i> Rowan	B-SBDO-HE
Short-eared Owl	<i>Asio flammeus</i> (Pontoppidan)	B-SEOW
Short-eared Owl <i>flammeus</i>	ssp: <i>flammeus</i> (Pontoppidan)	
Shortfin Eelpout	<i>Lycodes brevipes</i> Bean	F-LYBR
Shortfin Mako	<i>Isurus oxyrinchus</i> Rafinesque	F-ISOX
Short-finned Pilot Whale	<i>Globicephala macrorhynchus</i> Gray	M-GLMA
Shorthead Sculpin	<i>Cottus confusus</i> Bailey and Bond	F-COCN
Shortjaw Eelpout	<i>Lycenchelys jordani</i>	F-LYJO
	(Evermann and Goldsborough)	
Shortnose Loosejaw	<i>Malacosteus danae</i>	F-MADA
	(Regan and Trewavas)	
Shorthead Rockfish	<i>Sebastes borealis</i> Barsukov	F-SEBO
Shortspine Thornyhead	<i>Sebastolobus alascanus</i> Bean	F-SEAS
Short-tailed Albatross	<i>Phoebastria albatrus</i> (Pallas)	B-STAL
Short-tailed Shearwater	<i>Puffinus tenuirostris</i> (Temminck)	B-STSH
Showy Bristlemouth	<i>Cyclothone signata</i> Garman	F-CYSI
Showy Snailfish	<i>Liparis pulchellus</i> Ayres	F-LIPU
Shrew-mole	<i>Neurotrichus gibbsii</i> (Baird)	M-NEGI
Shrew-mole <i>gibbsii</i>	ssp: <i>gibbsii</i> (Baird)	
Siberian Accentor	<i>Prunella montanella</i> (Pallas)	B-SIAC
Silver Surfperch	<i>Hyperprosopon ellipticum</i> (Gibbons)	F-HYEL
Silvergray Rockfish	<i>Sebastes brevispinis</i> (Bean)	F-SEBR
Silver-haired Bat	<i>Lasionycteris noctivagans</i> (Le Conte)	M-LANO
Silverspot Sculpin	<i>Blepsias cirrhosus</i> (Pallas)	F-BLCI
Silvery Hatchetfish	<i>Argyropelecus sladeni</i> Regan	F-ARSL
Sixgill Shark	<i>Hexanchus griseus</i> (Bonnaterre)	F-HEGR
Skilfish	<i>Erilepis zonifer</i> (Lockington)	F-ERZO
Skipjack Tuna	<i>Katsuwonus pelamis</i> (Linnaeus)	F-KAPE
Sky Lark	<i>Alauda arvensis</i> Linnaeus	B-SKLA
Sky Lark <i>arvensis</i>	ssp: <i>arvensis</i> (Linnaeus)	B-SKLA-AR
Sky Lark <i>pekinensis</i>	<i>pekinensis</i> Swinhoe	B-SKLA-PE
Slaty-backed Gull	<i>Larus schistisagus</i> Stejneger	B-SBGU
Slender Barracudina	<i>Lestidiops ringens</i> (Jordan and Gilbert)	F-LERI
Slender Blacksmelt	<i>Bathylagus pacificus</i> Gilbert	F-BAPA
Slender Cockscomb	<i>Anoplarchus insignis</i> Gilbert and Burke	F-ANIS
Slender Fangjaw	<i>Gonostoma gracile</i> Gunther	F-GOGR
Slender Snipe Eel	<i>Nemichthys scolopaceus</i> Richardson	F-NESC
Slender Sole	<i>Eopsetta exilis</i> (Jordan and Gilbert)	F-EOEX
Slickhead	<i>Alepocephalus tenebrosus</i> Gilbert	F-ALTE
Slider	<i>Trachemys scripta</i> (Schoepff)	R-TRSC
Slider <i>elegans</i>	ssp: <i>elegans</i> Wied	

Vertebrates of British Columbia

Slim Lightfish	<i>Ichthyococcus elongatus</i> Imai	F-ICEL
Slim Sculpin	<i>Radulinus asprellus</i> Gilbert	F-RAAS
Slim Snailfish	<i>Rhinoliparis attenuatus</i> Burke	F-RHAT
Slimy Sculpin	<i>Cottus cognatus</i> Richardson	F-COCO
Slimy Snailfish	<i>Liparis mucosus</i> Ayres	F-LIMU
Slipskin Snailfish	<i>Liparis fucensis</i> Gilbert	F-LIFU
Smalldisk Snailfish	<i>Careproctus gilberti</i> Burke	F-CAGI
Smalleye Squaretail	<i>Tetragonurus cuvieri</i> Risso	F-TECU
Smallfin Snailfish	<i>Careproctus oregonensis</i> Stein	F-CAOR
Smallmouth Bass	<i>Micropterus dolomieu</i> Lacepede	F-MIDO
Smallsail Sculpin	<i>Nautichthys robustus</i> Peden	F-NARO
Smallscale Lizardfish	<i>Synodus lucioceps</i> (Ayres)	F-SYLU
Smew	<i>Mergellus albellus</i> (Linnaeus)	B-SMEW
Smith's Longspur	<i>Calcarius pictus</i> (Swainson)	B-SMLO
Smooth Abyssal Grenadier	<i>Coryphaenoides armatus</i> (Hector)	F-COAM
Smooth Alligatorfish	<i>Anoplagonus inermis</i> (Gunther)	F-ANIN
Smooth Dreamer	<i>Chaenophryne melanorhabdus</i> Regan and Trewavas	F-CHME
Smooth Lump sucker	<i>Aptocyclops ventricosus</i> (Pallas)	F-APVE
Smoothhead Sculpin	<i>Artedius lateralis</i> (Girard)	F-ARLA
Snake Prickleback	<i>Lumpenus sagitta</i> Wilimovsky	F-LUSA
Snakehead Eelpout	<i>Lycenchelys crotalinus</i> (Gilbert)	F-LYCR
Snow Bunting	<i>Plectrophenax nivalis</i> (Linnaeus)	B-SNBU
Snow Bunting <i>nivalis</i>	ssp: <i>nivalis</i> (Linnaeus)	
Snow Goose	<i>Chen caerulescens</i> (Linnaeus)	B-SNGO
Snow Goose <i>caerulescens</i>	ssp: <i>caerulescens</i> (Linnaeus)	
Snowshoe Hare	<i>Lepus americanus</i> Erxleben	M-LEAM
Snowshoe Hare <i>bairdii</i>	ssp: <i>bairdii</i> Hayden	M-LEAM-BA
Snowshoe Hare <i>cascadensis</i>	<i>cascadensis</i> Nelson	M-LEAM-CA
Snowshoe Hare <i>columbiensis</i>	<i>columbiensis</i> Rhoads	M-LEAM-CO
Snowshoe Hare <i>dalli</i>	<i>dalli</i> Merriam	M-LEAM-DA
Snowshoe Hare <i>pallidus</i>	<i>pallidus</i> Cowan	M-LEAM-PA
Snowshoe Hare <i>pineus</i>	<i>pineus</i> Dalquest	M-LEAM-PI
Snowshoe Hare <i>washingtonii</i>	<i>washingtonii</i> Baird	M-LEAM-WA
Snowy Egret	<i>Egretta thula</i> (Molina)	B-SNEG
Snowy Egret <i>brewsteri</i>	ssp: <i>brewsteri</i> (Thayer and Bangs)	
Snowy Owl	<i>Nyctea scandiaca</i> (Linnaeus)	B-SNOW
Snowy Plover	<i>Charadrius alexandrinus</i> Linnaeus	B-SNPL
Snowy Plover <i>nivosus</i>	ssp: <i>nivosus</i> (Cassin)	
Snubnosed Spinyeel	<i>Notacanthus chemnitzii</i> Bloch	F-NOCH
Sockeye Salmon	<i>Oncorhynchus nerka</i> (Walbaum) pop: Kokanee Okanagan Kokanee	F-ONNE
Soft Eelpout	<i>Bothrocara molle</i> Bean	F-BOMO
Soft Sculpin	<i>Psychrolutes sigalutes</i> (Jordan and Starks)	F-PSSI

Alphabetical Sequence by English Names

Solitary Sandpiper	<i>Tringa solitaria</i> Wilson	B-SOSA
Solitary Sandpiper <i>cinnamomea</i>	ssp: <i>cinnamomea</i> (Brewster)	B-SOSA-CI
Solitary Sandpiper <i>solitaria</i>	<i>solitaria</i> (Wilson)	B-SOSA-SO
Song Sparrow	<i>Melospiza melodia</i> (Wilson)	B-SOSP
Song Sparrow <i>caurina</i>	ssp: <i>caurina</i> (Ridgway)	B-SOSP-CA
Song Sparrow <i>inexpectata</i>	<i>inexpectata</i> Riley	B-SOSP-IN
Song Sparrow <i>juddi</i>	<i>juddi</i> (Bishop)	B-SOSP-JU
Song Sparrow <i>merrilli</i>	<i>merrilli</i> (Brewster)	B-SOSP-ME
Song Sparrow <i>morphna</i>	<i>morphna</i> Oberholser	B-SOSP-MO
Song Sparrow <i>rufina</i>	<i>rufina</i> (Bonaparte)	B-SOSP-RU
Sooty Shearwater	<i>Puffinus griseus</i> (Gmelin)	B-SOSH
Sora	<i>Porzana carolina</i> (Linnaeus)	B-SORA
Soupin Shark	<i>Galeorhinus zyopterus</i> Jordan and Gilbert	F-GAZY
South Polar Skua	<i>Stercorarius maccormicki</i> (Saunders)	B-SPSK
Southern Blue Lanternfish	<i>Tarletonbeania crenularis</i> (Jordan and Gilbert)	F-TACR
Southern Red-backed Vole	<i>Clethrionomys gapperi</i> (Vigors)	M-CLGA
Southern Red-backed Vole <i>athabascae</i>	ssp: <i>athabascae</i> (Preble)	M-CLGA-AT
Southern Red-backed Vole <i>cascadensis</i>	<i>cascadensis</i> Booth	M-CLGA-CA
Southern Red-backed Vole <i>caurinus</i>	<i>caurinus</i> (Bailey)	M-CLGA-CU
Southern Red-backed Vole <i>galei</i>	<i>galei</i> (Merriam)	M-CLGA-GA
Southern Red-backed Vole <i>occidentalis</i>	<i>occidentalis</i> (Merriam)	M-CLGA-OC
Southern Red-backed Vole <i>phaeus</i>	<i>phaeus</i> (Swarth)	M-CLGA-PH
Southern Red-backed Vole <i>saturatus</i>	<i>saturatus</i> (Rhoads)	M-CLGA-SA
Southern Red-backed Vole <i>stikinensis</i>	<i>stikinensis</i> Hall and Cockrum	M-CLGA-ST
Southern Rock Sole	<i>Lepidopsetta bilineatus</i> (Ayres)	F-LEBI
Southern Rock Sole <i>bilineata</i>	ssp: <i>bilineata</i> (Ayres)	F-LEBI-BI
Southern Rock Sole <i>perarcuata</i>	<i>perarcuata</i> (Cope)	F-LEBI-PE
Speckled Dace	<i>Rhinichthys osculus</i> Girard	F-RHOS
Speckled Sanddab	<i>Citharichthys stigmaeus</i> Jordan and Gilbert	F-CIST
Specklemouth Eelpout	<i>Lycodapus psarostomatus</i> Peden and Anderson	F-LYPS
Spectacled Eider	<i>Somateria fischeri</i> (Brandt)	B-SPEI
Sperm Whale	<i>Physeter macrocephalus</i> Linnaeus	M-PHMA
Spiny Dogfish	<i>Squalus acanthias</i> Linnaeus	F-SQAC
Spiny Dreamer	<i>Oneirodes thompsoni</i> (Schultz)	F-ONTH
Spiny Lanternfish	<i>Notoscopelus japonicus</i> (Tanaka)	F-NOJA
Spiny Snailfish	<i>Acantholiparis opercularis</i> Gilbert and Burke	F-ACOP
Spinycheek Starsnout	<i>Bathyagonus infraspinus</i> (Gilbert)	F-BAIN
Spinyhead Sculpin	<i>Dasycottus setiger</i> Bean	F-DASE
Spinynose Sculpin	<i>Asemichthys taylori</i> Gilbert	F-ASTA
Splitnose Rockfish	<i>Sebastes diploprora</i> (Gilbert)	F-SEDI
Spookfish	<i>Dolichopteryx</i> sp.	F-DOLI
Spoonbill Sandpiper	<i>Eurynorhynchus pygmeus</i> (Linnaeus)	B-SBSA
Spoonhead Sculpin	<i>Cottus ricei</i> (Nelson)	F-CORI

Vertebrates of British Columbia

Spotfin Sculpin	<i>Icelinus tenuis</i> Gilbert	F-ICTE
Spottail Shiner	<i>Notropis hudsonius</i> (Clinton)	F-NOHU
Spotted Bat	<i>Euderma maculatum</i> (J.A. Allen)	M-EUMA
Spotted Owl	<i>Strix occidentalis</i> (Xántus de Vesey)	B-SPOW
Spotted Owl <i>caurina</i>	ssp: <i>caurina</i> (Merriam)	
Spotted Ratfish	<i>Hydrolagus colliei</i> (Lay and Bennett)	F-HYCO
Spotted Redshank	<i>Tringa erythropus</i> (Pallas)	B-SPRE
Spotted Sandpiper	<i>Actitis macularia</i> (Linnaeus)	B-SPSA
Spotted Snailfish	<i>Liparis callyodon</i> (Pallas)	F-LICA
Spotted Towhee	<i>Pipilo maculatus</i> Swainson	B-SPTO
Spotted Towhee <i>curtatus</i>	ssp: <i>curtatus</i> Grinnell	B-SPTO-CU
Spotted Towhee <i>oregonus</i>	ssp: <i>oregonus</i> (Bell)	B-SPTO-OR
Sprague's Pipit	<i>Anthus spragueii</i> (Audubon)	B-SPPI
Spruce Grouse	<i>Falcapennis canadensis</i> (Linnaeus)	B-SPGR
Spruce Grouse <i>canadensis</i>	ssp: <i>canadensis</i> (Linnaeus)	B-SPGR-CA
Spruce Grouse <i>franklinii</i>	ssp: <i>franklinii</i> (Douglas)	B-SPGR-FR
Spruce Grouse <i>osgoodi</i>	ssp: <i>osgoodi</i> (Bishop)	B-SPGR-OS
Staghorn Sculpin	<i>Leptocottus armatus</i> Girard	F-LEAR
Starry Flounder	<i>Platichthys stellatus</i> Pallas	F-PLST
Steller's Eider	<i>Polysticta stelleri</i> (Pallas)	B-STEI
Steller's Jay	<i>Cyanocitta stelleri</i> (Gmelin)	B-STJA
Steller's Jay <i>annectens</i>	ssp: <i>annectens</i> (Baird)	B-STJA-AN
Steller's Jay <i>carlottae</i>	ssp: <i>carlottae</i> Osgood	B-STJA-CA
Steller's Jay <i>paralia</i>	ssp: <i>paralia</i> Oberholser	B-STJA-PA
Steller's Jay <i>stelleri</i>	ssp: <i>stelleri</i> (Gmelin)	B-STJA-ST
Stilt Sandpiper	<i>Calidris himantopus</i> (Bonaparte)	B-STSA
Stout Blacksmelt	<i>Bathylagus milleri</i> Jordan and Gilbert	F-BAMI
Stout Slipskin	<i>Lycodapus pachysoma</i> Peden and Anderson	F-LYPA
Striped Bass	<i>Morone saxatilis</i> (Walbaum)	F-MOSA
Striped Dolphin	<i>Stenella coeruleoalba</i> (Meyen)	M-STCO
Striped Kelpfish	<i>Gibbonsia metzi</i> Hubbs	F-GIME
Striped Seaperch	<i>Embiotoca lateralis</i> Agassiz	F-EMLA
Striped Skunk	<i>Mephitis mephitis</i> (Schreber)	M-MEME
Striped Skunk <i>hudsonica</i>	ssp: <i>hudsonica</i> Richardson	M-MEME-HU
Striped Skunk <i>spissigrada</i>	ssp: <i>spissigrada</i> Bangs	M-MEME-SP
Stripetail Rockfish	<i>Sebastes saxicola</i> (Gilbert)	F-SESA
Stubraker Slipskin	<i>Lycodapus parviceps</i> Gilbert	F-LYPR
Sturgeon Poacher	<i>Podothecus acipenserinus</i> (Pallas)	F-POAC
Surf Scoter	<i>Melanitta perspicillata</i> (Linnaeus)	B-SUSC
Surf Smelt	<i>Hypomesus pretiosus</i> (Girard)	F-HYPR
Surf Smelt <i>pretiosus</i>	ssp: <i>pretiosus</i> (Girard)	
Surfbird	<i>Aphriza virgata</i> (Gmelin)	B-SURF
Swainson's Hawk	<i>Buteo swainsoni</i> Bonaparte	B-SWHA

Alphabetical Sequence by English Names

Swainson's Thrush	<i>Catharus ustulatus</i> (Nuttall)	B-SWTH
Swainson's Thrush <i>incanus</i>	ssp: <i>incanus</i> (Godfrey)	B-SWTH-IN
Swainson's Thrush <i>phillipsi</i>	<i>phillipsi</i> Ramos	B-SWTH-PH
Swainson's Thrush <i>swainsoni</i>	<i>swainsoni</i> (Tschudi)	B-SWTH-SW
Swainson's Thrush <i>ustulatus</i>	<i>ustulatus</i> (Nuttall)	B-SWTH-US
Swamp Sparrow	<i>Melospiza georgiana</i> (Latham)	B-SWSP
Swamp Sparrow <i>ericrypta</i>	ssp: <i>ericrypta</i> Oberholser	
Swellhead Snailfish	<i>Paraliparis cephalus</i> Gilbert	F-PACE
Swordfish	<i>Xiphias gladius</i> Linnaeus	F-XIGL
Tadpole Sculpin	<i>Psychrolutes paradoxus</i> Gunther	F-PSPA
Tadpole Snailfish	<i>Nectoliparis pelagicus</i> Gilbert and Burke	F-NEPE
Taillight Lanternfish	<i>Lampadena urophaos</i> Paxton	F-LAUR
Tan Bristlemouth	<i>Cyclothone pallida</i> Brauer	F-CYPL
Teardrop Tubeshoulder	<i>Holtbyrnia latifrons</i> Sazonov	F-HOLA
Temminck's Stint	<i>Calidris temminckii</i> (Leisler)	B-TEST
Tench	<i>Tinca tinca</i> (Linnaeus)	F-TITI
Tennessee Warbler	<i>Vermivora peregrina</i> (Wilson)	B-TEWA
Terek Sandpiper	<i>Xenus cinereus</i> (Güldenstädt)	B-TESA
Thayer's Gull	<i>Larus thayeri</i> Brooks	B-THGU
Thick-billed Kingbird	<i>Tyrannus crassirostris</i> Swainson	B-TBKI
Thick-billed Murre	<i>Uria lomvia</i> (Linnaeus)	B-TBMU
Thick-billed Murre <i>arra</i>	ssp: <i>arra</i> (Pallas)	
Thinhorn Sheep	<i>Ovis dalli</i> Nelson	M-OVDA
Thinhorn Sheep <i>dalli</i>	ssp: <i>dalli</i> Nelson	M-OVDA-DA
Thinhorn Sheep <i>stonei</i>	<i>stonei</i> Allen	M-OVDA-ST
Thornback Sculpin	<i>Paricelinus hopliticus</i> Eigenmann and Eigenmann	F-PAHO
Thorny Sculpin	<i>Icelus spiniger</i> Gilbert	F-ICSP
Threadfin Cusk-Eel	<i>Dicrolina filamentosa</i> Garman	F-DIFI
Threadfin Sculpin	<i>Icelinus filamentosus</i> Gilbert	F-ICFI
Threadfin Slickhead	<i>Talismania bifurcata</i> (Parr)	F-TABI
Threespine Stickleback	<i>Gasterosteus aculeatus</i> Linnaeus	F-GAAC
Three-toed Woodpecker	<i>Picoides tridactylus</i> (Linnaeus)	B-TTWO
Three-toed Woodpecker <i>fasciatus</i>	ssp: <i>fasciatus</i> (Baird)	
Thresher Shark	<i>Alopias vulpinus</i> (Bonnaterre)	F-ALVU
Tidepool Sculpin	<i>Oligocottus maculosus</i> Girard	F-OLMA
Tidepool Snailfish	<i>Liparis florum</i> Jordan and Starks	F-LIFL
Tiger Rockfish	<i>Sebastes nigrocinctus</i> Ayres	F-SENI
Tiger Salamander	<i>Ambystoma tigrinum</i> (Green)	A-AMTI
Tiger Salamander <i>melanostictum</i>	ssp: <i>melanostictum</i> (Baird)	
Toothless Snailfish	<i>Paraliparis paucidens</i> Stein	F-PAPA
Topsmelt	<i>Atherinops affinis</i> (Ayres)	F-ATAF
Torrent Sculpin	<i>Cottus rhotheus</i> (Smith)	F-CORH
Townsend's Big-eared Bat	<i>Corynorhinus townsendii</i> (Cooper)	M-COTO
Townsend's Big-eared Bat <i>pallescens</i>	ssp: <i>pallescens</i> (Miller)	M-COTO-PA
Townsend's Big-eared Bat <i>townsendii</i>	<i>townsendii</i> (Cooper)	M-COTO-TO

Vertebrates of British Columbia

Townsend's Chipmunk	<i>Tamias townsendii</i> Bachman	M-TATO
Townsend's Chipmunk <i>cooperi</i>	ssp: <i>cooperi</i> Baird	M-TATO-CO
Townsend's Chipmunk <i>townsendii</i>	<i>townsendii</i> Bachman	M-TATO-TO
Townsend's Mole	<i>Scapanus townsendii</i> (Bachman)	M-SCTO
Townsend's Mole <i>townsendii</i>	ssp: <i>townsendii</i> (Bachman)	
Townsend's Solitaire	<i>Myadestes townsendi</i> (Audubon)	B-TOSO
Townsend's Solitaire <i>townsendi</i>	ssp: <i>townsendi</i> (Audubon)	
Townsend's Vole	<i>Microtus townsendii</i> (Bachman)	M-MITO
Townsend's Vole <i>cowani</i>	ssp: <i>cowani</i> Guiguet	M-MITO-CO
Townsend's Vole <i>cummingsi</i>	<i>cummingsi</i> Hall	M-MITO-CU
Townsend's Vole <i>laingi</i>	<i>laingi</i> Anderson and Rand	M-MITO-LA
Townsend's Vole <i>tetramerus</i>	<i>tetramerus</i> (Rhoads)	M-MITO-TE
Townsend's Vole <i>townsendii</i>	<i>townsendii</i> (Bachman)	M-MITO-TO
Townsend's Warbler	<i>Dendroica townsendi</i> (Townsend)	B-TOWA
Transparent Eel	<i>Thalassenchelys coheni</i> Castle and Raju	F-THCO
Tree Swallow	<i>Tachycineta bicolor</i> (Vieillot)	B-TRSW
Tropical Kingbird	<i>Tyrannus melancholicus</i> Vieillot	B-TRKI
Tropical Kingbird <i>satrapa</i>	ssp: <i>satrapa</i> (Cabanis and Heine)	
Troutperch	<i>Percopsis omiscomaycus</i> (Walbaum)	F-PEOM
Trowbridge's Shrew	<i>Sorex trowbridgii</i> Baird	M-SOTR
Trowbridge's Shrew <i>trowbridgii</i>	ssp: <i>trowbridgii</i> Baird	
Trumpeter Swan	<i>Cygnus buccinator</i> Richardson	B-TRUS
Tube-nose Poacher	<i>Pallasina barbata</i> (Steindachner)	F-PABA
Tube-nout	<i>Aulorhynchus flavidus</i> Gill	F-AUFL
Tufted Duck	<i>Aythya fuligula</i> (Linnaeus)	B-TUDU
Tufted Puffin	<i>Fratercula cirrhata</i> (Pallas)	B-TUPU
Tundra Shrew	<i>Sorex tundrensis</i> Merriam	M-SOTU
Tundra Shrew <i>tundrensis</i>	ssp: <i>tundrensis</i> Merriam	
Tundra Swan	<i>Cygnus columbianus</i> (Ord)	B-TUSW
Tundra Swan <i>columbianus</i>	ssp: <i>columbianus</i> (Ord)	
Tundra Vole	<i>Microtus oeconomus</i> (Pallas)	M-MIOE
Tundra Vole <i>yakutatensis</i>	ssp: <i>yakutatensis</i> Merriam	
Turkey Vulture	<i>Cathartes aura</i> (Linnaeus)	B-TUVU
Turkey Vulture <i>teter</i>	ssp: <i>teter</i> Friedmann	
Twinpored Eel	<i>Xenomystax atrarius</i> Gilbert	F-XEAT
Twoline Eelpout	<i>Bothrocara brunneum</i> (Bean)	F-BOBR
Umatilla Dace	<i>Rhinichthys umatilla</i> (Gilbert and Evermann)	F-RHUM
Upland Sandpiper	<i>Bartramia longicauda</i> (Bechstein)	B-UPSA
Vagrant Shrew	<i>Sorex vagrans</i> Baird	M-SOVA
Vagrant Shrew <i>vagrans</i>	ssp: <i>vagrans</i> Baird	
Vancouver Island Marmot	<i>Marmota vancouverensis</i> Swarth	M-MAVA
Varied Thrush	<i>Ixoreus naevius</i> (Gmelin)	B-VATH
Varied Thrush <i>carlottae</i>	ssp: <i>carlottae</i> (Phillips)	B-VATH-CA
Varied Thrush <i>godfreii</i>	<i>godfreii</i> (Phillips)	B-VATH-GO
Varied Thrush <i>meruloides</i>	<i>meruloides</i> (Swainson)	B-VATH-ME
Varied Thrush <i>naevius</i>	<i>naevius</i> (Gmelin)	B-VATH-NA

Alphabetical Sequence by English Names

Variiegated Snailfish	<i>Liparis gibbus</i> Bean	F-LIGI
Vaux's Swift	<i>Chaetura vauxi</i> (Townsend)	B-VASW
Vaux's Swift <i>vauxi</i>	ssp: <i>vauxi</i> (Townsend)	
Veery	<i>Catharus fuscescens</i> (Stephens)	B-VEER
Veery <i>salicicola</i>	ssp: <i>salicicola</i> (Ridgway)	
Velvet Whale Fish	<i>Barbourisia rufa</i> Parr	F-BARU
Vermilion Rockfish	<i>Sebastes miniatus</i> (Jordan and Gilbert)	F-SEMI
Vesper Sparrow	<i>Poocetes gramineus</i> (Gmelin)	B-VESP
Vesper Sparrow <i>affinis</i>	ssp: <i>affinis</i> Miller	B-VESP-AF
Vesper Sparrow <i>confinis</i>	ssp: <i>confinis</i> (Baird)	B-VESP-CO
Violet-green Swallow	<i>Tachycineta thalassina</i> (Swainson)	B-VGSW
Violet-green Swallow <i>lepida</i>	ssp: <i>lepida</i> (Mearns)	
Virginia Rail	<i>Rallus limicola</i> Vieillot	B-VIRA
Virginia Rail <i>limicola</i>	ssp: <i>limicola</i> (Vieillot)	
Walleye	<i>Stizostedion vitreum</i> (Mitchill)	F-STVI
Walleye Polloch	<i>Theragra chalcogramma</i> (Pallas)	F-THCH
Walleye Surfperch	<i>Hyperprosopon argenteum</i> Gibbons	F-HYAR
Wandering Salamander	<i>Aneides vagrans</i> Wake and Jackman	A-ANVA
Wandering Tattler	<i>Heteroscelus incanus</i> (Gmelin)	B-WATA
Warbling Vireo	<i>Vireo gilvus</i> (Vieillot)	B-WAVI
Warbling Vireo <i>swainsonii</i>	ssp: <i>swainsonii</i> (Baird)	
Warty Poacher	<i>Chesnona verrucosa</i> (Lockington)	F-CHVE
Warty Sculpin	<i>Myoxocephalus verrucosus</i> (Bean)	F-MYVE
Water Vole	<i>Microtus richardsoni</i> (DeKay)	M-MIRI
Water Vole <i>arvicoloides</i>	ssp: <i>arvicoloides</i> (Rhoads)	M-MIRI-AR
Water Vole <i>richardsoni</i>	ssp: <i>richardsoni</i> (DeKay)	M-MIRI-RI
Wattled Eelpout	<i>Lycodes palearis</i> Gilbert	F-LYPL
Western Bluebird	<i>Sialia mexicana</i> Swainson	B-WEBL
Western Bluebird <i>occidentalis</i>	ssp: <i>occidentalis</i> (Townsend)	
Western Brook Lamprey	<i>Lampetra richardsoni</i> Vladykov and Follett pop: Morrison Creek Lamprey	F-LARC
Western Grebe	<i>Aechmophorus occidentalis</i> (Lawrence)	B-WEGR
Western Grebe <i>occidentalis</i>	ssp: <i>occidentalis</i> (Lawrence)	
Western Gull	<i>Larus occidentalis</i> Audubon	B-WEGU
Western Gull <i>occidentalis</i>	ssp: <i>occidentalis</i> (Audubon)	
Western Harvest Mouse	<i>Reithrodontomys megalotis</i> (Baird)	M-REME
Western Harvest Mouse <i>megalotis</i>	ssp: <i>megalotis</i> (Baird)	
Western Jumping Mouse	<i>Zapus princeps</i> J.A. Allen	M-ZAPR
Western Jumping Mouse <i>idahoensis</i>	ssp: <i>idahoensis</i> Davis	M-ZAPR-ID
Western Jumping Mouse <i>kootenayensis</i>	ssp: <i>kootenayensis</i> Anderson	M-ZAPR-KO
Western Jumping Mouse <i>saltator</i>	ssp: <i>saltator</i> Allen	M-ZAPR-SA
Western Kingbird	<i>Tyrannus verticalis</i> Say	B-WEKI
Western Long-eared Myotis	<i>Myotis evotis</i> (H. Allen)	M-MYEV
Western Long-eared Myotis <i>chrysonotus</i>	ssp: <i>chrysonotus</i> (J.A. Allen)	M-MYEV-CH
Western Long-eared Myotis <i>pacificus</i>	ssp: <i>pacificus</i> Dalquest	M-MYEV-PA

Vertebrates of British Columbia

Western Meadowlark	<i>Sturnella neglecta</i> Audubon	B-WEME
Western Meadowlark <i>confluenta</i>	ssp: <i>confluenta</i> Rathbun	B-WEME-CO
Western Meadowlark <i>neglecta</i>	<i>neglecta</i> (Audubon)	B-WEME-NE
Western Pond Turtle	<i>Clemmys marmorata</i> (Baird and Girard)	R-CLMA
Western Pond Turtle <i>marmorata</i>	ssp: <i>marmorata</i> (Baird and Girard)	
Western Rattlesnake	<i>Crotalus viridis</i> (Rafinesque)	R-CRVI
Western Rattlesnake <i>oreganus</i>	ssp: <i>oreganus</i> Holbrook	
Western Red Bat	<i>Lasiurus blossevillii</i>	M-LABL
	(Lesson and Garnot)	
Western Red Bat <i>frantzi</i>	ssp: <i>frantzi</i> (Peters)	
Western Red-backed Salamander	<i>Plethodon vehiculum</i> (Cooper)	A-PLVE
Western Sandpiper	<i>Calidris mauri</i> (Cabanis)	B-WESA
Western Screech-Owl	<i>Otus kennicottii</i> (Elliot)	B-WSOW
Western Screech-Owl <i>kennicottii</i>	ssp: <i>kennicottii</i> (Elliot)	B-WSOW-KE
Western Screech-Owl <i>macfarlanei</i>	<i>macfarlanei</i> (Brewster)	B-WSOW-MA
Western Scrub-Jay	<i>Aphelocoma californica</i> (Vigors)	B-WSJA
Western Scrub-Jay <i>immanis</i>	ssp: <i>immanis</i> Grinnell	
Western Skink	<i>Eumeces skiltonianus</i>	R-EUSK
	(Baird and Girard)	
Western Skink <i>skiltonianus</i>	ssp: <i>skiltonianus</i> (Baird and Girard)	
Western Small-footed Myotis	<i>Myotis ciliolabrum</i> (Merriam)	M-MYCI
Western Small-footed Myotis <i>melanorhinus</i>	ssp: <i>melanorhinus</i> (Merriam)	
Western Spotted Skunk	<i>Spilogale gracilis</i> Merriam	M-SPGR
Western Spotted Skunk <i>latifrons</i>	ssp: <i>latifrons</i> Merriam	
Western Tanager	<i>Piranga ludoviciana</i> (Wilson)	B-WETA
Western Terrestrial Garter Snake	<i>Thamnophis elegans</i> (Baird and Girard)	R-THEL
Western Terrestrial Garter Snake <i>nigrescens</i>	ssp: <i>nigrescens</i> Johnson	R-THEL-NI
Western Terrestrial Garter Snake <i>vagrans</i>	<i>vagrans</i> (Baird and Girard)	R-THEL-VA
Western Toad	<i>Bufo boreas</i> Baird and Girard	A-BUBO
Western Toad <i>boreas</i>	ssp: <i>boreas</i> Baird and Girard	
Western Wood-Pewee	<i>Contopus sordidulus</i> Sclater	B-WWPE
Western Wood-Pewee <i>saturatus</i>	ssp: <i>saturatus</i> (Bishop)	B-WWPE-SA
Western Wood-Pewee <i>veliei</i>	<i>veliei</i> (Coues)	B-WWPE-VE
Whalesucker	<i>Remora australis</i> (Bennett)	F-REAU
Whimbrel	<i>Numenius phaeopus</i> (Linnaeus)	B-WHIM
Whimbrel <i>hudsonicus</i>	ssp: <i>hudsonicus</i> (Latham)	
White Barracudina	<i>Notolepis rissoi</i> (Bonaparte)	F-NORI
White Croaker	<i>Genyonemus lineatus</i> (Ayres)	F-GELI
White Seabass	<i>Atractoscion nobilis</i> (Ayres)	F-ATNO
White Seaperch	<i>Phanerodon furcatus</i> Girard	F-PHFU
White Sturgeon	<i>Acipenser transmontanus</i> Richardson	F-ACTR
White Sucker	<i>Catostomus commersoni</i> (Lacepede)	F-CACM
Whitebait Smelt	<i>Allosmerus elongatus</i> (Ayres)	F-ALEL
Whitebarred Prickleback	<i>Poroclinus rothrocki</i> Bean	F-PORO

Alphabetical Sequence by English Names

White-breasted Nuthatch	<i>Sitta carolinensis</i> Latham	B-WBNU
White-breasted Nuthatch <i>aculeata</i>	ssp: <i>aculeata</i> (Cassin)	B-WBNU-AC
White-breasted Nuthatch <i>cookei</i>	<i>cookei</i> Oberholser	B-WBNU-CO
White-breasted Nuthatch <i>tenuissima</i>	<i>tenuissima</i> Grinnell	B-WBNU-TE
White-crowned Sparrow	<i>Zonotrichia leucophrys</i> (Forster)	B-WCSP
White-crowned Sparrow <i>gambelii</i>	ssp: <i>gambelii</i> (Nuttall)	B-WCSP-GA
White-crowned Sparrow <i>pugetensis</i>	<i>pugetensis</i> Grinnell	B-WCSP-PU
White-faced Ibis	<i>Plegadis chihi</i> (Vieillot)	B-WFIB
White-headed Woodpecker	<i>Picoides albolarvatus</i> (Cassin)	B-WHWO
White-headed Woodpecker <i>albolarvatus</i>	ssp: <i>albolarvatus</i> (Cassin)	
White-rumped Sandpiper	<i>Calidris fuscicollis</i> (Vieillot)	B-WRSA
Whitespotted Greenling	<i>Hexagrammos stelleri</i> Tilesius	F-HEST
White-tailed Deer	<i>Odocoileus virginianus</i> (Zimmermann)	M-ODVI
White-tailed Deer <i>dacotensis</i>	ssp: <i>dacotensis</i> Goldman and Kellog	M-ODVI-DA
White-tailed Deer <i>ochrourus</i>	<i>ochrourus</i> Bailey	M-ODVI-OC
White-tailed Jackrabbit	<i>Lepus townsendii</i> Bachman	M-LETO
White-tailed Jackrabbit <i>townsendii</i>	ssp: <i>townsendii</i> Bachman	
White-tailed Kite	<i>Elanus leucurus</i> (Vieillot)	B-WTKI
White-tailed Kite <i>majusculus</i>	ssp: <i>majusculus</i> Bangs and Penard	
White-tailed Ptarmigan	<i>Lagopus leucurus</i> (Richardson)	B-WTPT
White-tailed Ptarmigan <i>leucurus</i>	ssp: <i>leucurus</i> (Richardson)	B-WTPT-LE
White-tailed Ptarmigan <i>saxatilis</i>	<i>saxatilis</i> Cowan	B-WTPT-SA
White-throated Sparrow	<i>Zonotrichia albicollis</i> (Gmelin)	B-WTSP
White-throated Swift	<i>Aeronautes saxatilis</i> (Woodhouse)	B-WTSW
White-throated Swift <i>saxatilis</i>	ssp: <i>saxatilis</i> (Woodhouse)	
White-winged Crossbill	<i>Loxia leucoptera</i> Gmelin	B-WWCR
White-winged Crossbill <i>leucoptera</i>	ssp: <i>leucoptera</i> (Gmelin)	
White-winged Dove	<i>Zenaida asiatica</i> (Linnaeus)	B-WWDO
White-winged Dove <i>mearnsi</i>	ssp: <i>mearnsi</i> (Ridgway)	
White-winged Scoter	<i>Melanitta fusca</i> (Linnaeus)	B-WWSC
White-winged Scoter <i>deglandi</i>	ssp: <i>deglandi</i> (Bonaparte)	B-WWSC-DE
White-winged Scoter <i>dixonii</i>	<i>dixonii</i> (Brooks)	B-WWSC-DI
Whooper Swan	<i>Cygnus cygnus</i> (Linnaeus)	B-WHSW
Whooping Crane	<i>Grus americana</i> (Linnaeus)	B-WHCR
Widow Rockfish	<i>Sebastes entomelas</i> (Jordan and Gilbert)	F-SEEN
Wild Turkey	<i>Meleagris gallopavo</i> Linnaeus	B-WITU
Willet	<i>Catoptrophorus semipalmatus</i> (Gmelin)	B-WILL
Willet <i>inornatus</i>	ssp: <i>inornatus</i> (Brewster)	
Williamson's Sapsucker	<i>Sphyrapicus thyroideus</i> (Cassin)	B-WISA
Williamson's Sapsucker <i>nataliae</i>	ssp: <i>nataliae</i> (Malherbe)	B-WISA-NA
Williamson's Sapsucker <i>thyroideus</i>	<i>thyroideus</i> (Cassin)	B-WISA-TH
Willow Flycatcher	<i>Empidonax traillii</i> (Audubon)	B-WIFL
Willow Flycatcher <i>adastus</i>	ssp: <i>adastus</i> Oberholser	B-WIFL-AD
Willow Flycatcher <i>brewsteri</i>	<i>brewsteri</i> Oberholser	B-WIFL-BR
Willow Ptarmigan	<i>Lagopus lagopus</i> (Linnaeus)	B-WIPT
Willow Ptarmigan <i>alexandrae</i>	ssp: <i>alexandrae</i> (Grinnell)	B-WIPT-AE
Willow Ptarmigan <i>albus</i>	<i>albus</i> (Gmelin)	B-WIPT-AL
Wilson's Phalarope	<i>Phalaropus tricolor</i> (Vieillot)	B-WIPH

Vertebrates of British Columbia

Wilson's Warbler	<i>Wilsonia pusilla</i> (Wilson)	B-WIWA
Wilson's Warbler <i>chryseola</i>	ssp: <i>chryseola</i> Ridgway	B-WIWA-CH
Wilson's Warbler <i>pileolata</i>	<i>pileolata</i> (Pallas)	B-WIWA-PI
Winter Wren	<i>Troglodytes troglodytes</i> (Linnaeus)	B-WIWR
Winter Wren <i>hiemalis</i>	ssp: <i>hiemalis</i> (Vieillot)	B-WIWR-HI
Winter Wren <i>pacificus</i>	<i>pacificus</i> (Baird)	B-WIWR-PA
Winter Wren <i>salebrosus</i>	<i>salebrosus</i> Burleigh	B-WIWR-SA
Wolf-eel	<i>Anarrhichthys ocellatus</i> Ayres	F-ANOC
Wolverine	<i>Gulo gulo</i> (Linnaeus)	M-GUGU
Wolverine <i>luscus</i>	ssp: <i>luscus</i> (Linnaeus)	M-GUGU-LU
Wolverine <i>vancouverensi</i>	<i>vancouverensis</i> Goldman	M-GUGU-VA
Wood Duck	<i>Aix sponsa</i> (Linnaeus)	B-WODU
Wood Frog	<i>Rana sylvatica</i> LeConte	A-RASY
Wood Sandpiper	<i>Tringa glareola</i> Linnaeus	B-WOSA
Wood Stork	<i>Mycteria americana</i> Linnaeus	B-WOST
Woodchuck	<i>Marmota monax</i> (Linnaeus)	M-MAMO
Woodchuck <i>canadensis</i>	ssp: <i>canadensis</i> (Erxleben)	M-MAMO-CA
Woodchuck <i>ochracea</i>	<i>ochracea</i> Swarth	M-MAMO-OC
Woodchuck <i>petrensis</i>	<i>petrensis</i> Howell	M-MAMO-PE
Xantus's Hummingbird	<i>Hylocharis xantusii</i> (Lawrence)	B-XAHU
Xantus's Murrelet	<i>Synthliboramphus hypoleucus</i> (Xántus de Vesey)	B-XAMU
Xantus's Murrelet <i>hypoleucus</i>	ssp: <i>hypoleucus</i> (Xántus de Vesey)	
Yellow Bristlemouth	<i>Cyclothone atraria</i> Gilbert	F-CYAT
Yellow Perch	<i>Perca flavescens</i> (Mitchill)	F-PEFL
Yellow Rail	<i>Coturnicops noveboracensis</i> (Gmelin)	B-YERA
Yellow Rail <i>noveboracensis</i>	ssp: <i>noveboracensis</i> (Gmelin)	
Yellow Wagtail	<i>Motacilla flava</i> Linnaeus	B-YEWG
Yellow Wagtail <i>tschutschensis</i>	ssp: <i>tschutschensis</i> (Gmelin)	
Yellow Warbler	<i>Dendroica petechia</i> (Linnaeus)	B-YEWA
Yellow Warbler <i>amnicola</i>	ssp: <i>amnicola</i> (Batchelder)	B-YEWA-AM
Yellow Warbler <i>morcomi</i>	<i>morcomi</i> (Coale)	B-YEWA-MO
Yellow Warbler <i>rubiginosa</i>	<i>rubiginosa</i> (Pallas)	B-YEWA-RU
Yellow-bellied Flycatcher	<i>Empidonax flaviventris</i> (Baird and Baird)	B-YBFL
Yellow-bellied Marmot	<i>Marmota flaviventris</i> (Audubon and Bachman)	M-MAFL
Yellow-bellied Marmot <i>avara</i>	ssp: <i>avara</i> (Bangs)	
Yellow-bellied Sapsucker	<i>Sphyrapicus varius</i> (Linnaeus)	B-YBSA
Yellow-bellied Sapsucker <i>varius</i>	ssp: <i>varius</i> (Linnaeus)	
Yellow-billed Cuckoo	<i>Coccyzus americanus</i> (Linnaeus)	B-YBCU
Yellow-billed Cuckoo <i>occidentalis</i>	ssp: <i>occidentalis</i> Ridgway	
Yellow-billed Loon	<i>Gavia adamsii</i> (Gray)	B-YBLO
Yellow-breasted Chat	<i>Icteria virens</i> (Linnaeus)	B-YBCH
Yellow-breasted Chat <i>auricollis</i>	ssp: <i>auricollis</i> (Deppe)	
Yelloweye Rockfish	<i>Sebastes ruberrimus</i> (Cramer)	F-SERU
Yellowfin Sole	<i>Pleuronectes asper</i> Pallas	F-PLAS

Alphabetical Sequence by English Names

Yellow-headed Blackbird	<i>Xanthocephalus xanthocephalus</i> (Bonaparte)	B-YHBL
Yellowmouth Rockfish	<i>Sebastes reedi</i> (Westrheim and Tsuyuki)	F-SERE
Yellow-pine Chipmunk	<i>Tamias amoenus</i> J.A. Allen	M-TAAM
Yellow-pine Chipmunk <i>affinis</i>	ssp: <i>affinis</i> Allen	M-TAAM-AF
Yellow-pine Chipmunk <i>felix</i>	<i>felix</i> Rhoads	M-TAAM-FE
Yellow-pine Chipmunk <i>luteiventris</i>	<i>luteiventris</i> Allen	M-TAAM-LT
Yellow-pine Chipmunk <i>ludibundus</i>	<i>ludibundus</i> (Hollister)	M-TAAM-LU
Yellow-pine Chipmunk <i>septentrionalis</i>	<i>septentrionalis</i> (Cowan)	M-TAAM-SE
Yellow-rumped Warbler	<i>Dendroica coronata</i> (Linnaeus)	B-YRWA
Yellow-rumped Warbler <i>auduboni</i>	ssp: <i>auduboni</i> (Townsend)	B-YRWA-AU
Yellow-rumped Warbler <i>hooveri</i>	<i>hooveri</i> McGregor	B-YRWA-HO
Yellow-rumped Warbler <i>memorabilis</i>	<i>memorabilis</i> (Oberholser)	B-YRWA-ME
Yellowtail	<i>Seriola lalandi</i> Valenciennes	F-SELA
Yellowtail Rockfish	<i>Sebastes flavidus</i> (Ayres)	F-SEFL
Yellow-throated Warbler	<i>Dendroica dominica</i> (Linnaeus)	B-YTWA
Y-prickleback	<i>Allolumpenus hypochromus</i> Hubbs and Schultz	F-ALHY
Yuma Myotis	<i>Myotis yumanensis</i> (H. Allen)	M-MYYU
Yuma Myotis <i>saturatus</i>	ssp: <i>saturatus</i> Miller	M-MYYU-SA
Yuma Myotis <i>sociabilis</i>	<i>sociabilis</i> Grinnell	M-MYYU-SO

Alphabetical Sequence by Scientific Names

The following list is ordered alphabetically by scientific names. Associated English names and species codes are also listed. Note: subspecies codes are listed when more than one subspecies exists in the province for a given species (if only one subspecies exists in the province for a given species, then only the species code is usually used).

<i>Acantholiparis opercularis</i> Gilbert and Burke	Spiny Snailfish	F-ACOP
<i>Accipiter cooperii</i> (Bonaparte)	Cooper's Hawk	B-COHA
<i>Accipiter gentilis</i> (Linnaeus)	Northern Goshawk	B-NOGO
ssp: <i>atricapillus</i> (Wilson)	Northern Goshawk <i>atricapillus</i>	B-NOGO-AT
<i>laingi</i> (Taverner)	Northern Goshawk <i>laingi</i>	B-NOGO-LA
<i>Accipiter striatus</i> Vieillot	Sharp-shinned Hawk	B-SSHA
ssp: <i>perobscurus</i> Snyder	Sharp-shinned Hawk <i>perobscurus</i>	B-SSHA-PE
<i>velox</i> (Wilson)	Sharp-shinned Hawk <i>velox</i>	B-SSHA-VE
<i>Acipenser medirostris</i> Ayres	Green Sturgeon	F-ACME
<i>Acipenser transmontanus</i> Richardson	White Sturgeon	F-ACTR
<i>Acridotheres cristatellus</i> (Linnaeus)	Crested Myna	B-CRMY
ssp: <i>cristatellus</i> (Linnaeus)	Crested Myna <i>cristatellus</i>	
<i>Acrocheilus alutaceus</i> Agassiz and Pickering	Chiselmouth	F-ACAL
<i>Actitis macularia</i> (Linnaeus)	Spotted Sandpiper	B-SPSA
<i>Aechmophorus clarkii</i> (Lawrence)	Clark's Grebe	B-CLGR
ssp: <i>transitionalis</i> Dickerman	Clark's Grebe <i>transitionalis</i>	
<i>Aechmophorus occidentalis</i> (Lawrence)	Western Grebe	B-WEGR
ssp: <i>occidentalis</i> (Lawrence)	Western Grebe <i>occidentalis</i>	
<i>Aegolius acadicus</i> (Gmelin)	Northern Saw-whet Owl	B-NSWO
ssp: <i>acadicus</i> (Gmelin)	Northern Saw-whet Owl <i>acadicus</i>	B-NSWO-AC
<i>brooksi</i> (Fleming)	Northern Saw-whet Owl <i>brooksi</i>	B-NSWO-BR
<i>Aegolius funereus</i> (Linnaeus)	Boreal Owl	B-BOOW
ssp: <i>richardsoni</i> (Bonaparte)	Boreal Owl <i>richardsoni</i>	
<i>Aeronautes saxatilis</i> (Woodhouse)	White-throated Swift	B-WTSW
ssp: <i>saxatilis</i> (Woodhouse)	White-throated Swift <i>saxatilis</i>	
<i>Aethia cristatella</i> (Pallas)	Crested Auklet	B-CRAU
<i>Aethia psittacula</i> (Pallas)	Parakeet Auklet	B-PAAU
<i>Agelaius phoeniceus</i> (Linnaeus)	Red-winged Blackbird	B-RWBL
ssp: <i>arctolegus</i> Oberholser	Red-winged Blackbird <i>arctolegus</i>	B-RWBL-AR
<i>caurinus</i> Ridgway	Red-winged Blackbird <i>caurinus</i>	B-RWBL-CA
<i>nevadensis</i> Grinnell	Red-winged Blackbird <i>nevadensis</i>	B-RWBL-NE
<i>Agonopsis vulsa</i> (Jordan and Gilbert)	Northern Spearnose Poacher	F-AGVU
<i>Aix sponsa</i> (Linnaeus)	Wood Duck	B-WODU

Vertebrates of British Columbia

<i>Alauda arvensis</i> Linnaeus	Sky Lark	B-SKLA
ssp: <i>arvensis</i> (Linnaeus)	Sky Lark <i>arvensis</i>	B-SKLA-AR
<i>pekinensis</i> Swinhoe	Sky Lark <i>pekinensis</i>	B-SKLA-PE
<i>Albatrossia pectoralis</i> (Gilbert)	Giant Grenadier	F-ALPE
<i>Alces alces</i> (Linnaeus)	Moose	M-ALAL
ssp: <i>andersoni</i> Peterson	Moose <i>andersoni</i>	M-ALAL-AN
<i>gigas</i> Miller	Moose <i>gigas</i>	M-ALAL-GI
<i>shirasi</i> Nelson	Moose <i>shirasi</i>	M-ALAL-SH
<i>Alectoris chukar</i> (Gray)	Chukar	B-CHUK
<i>Alepisaurus ferox</i> Lowe	Longnose Lancetfish	F-ALFE
<i>Alepocephalus tenebrosus</i> Gilbert	Slickhead	F-ALTE
<i>Allocyttus verrucosus</i> (Gilchrist)	Oreo	F-ALVE
<i>Allolumpenus hypochromus</i> Hubbs and Schultz	Y-prickleback	F-ALHY
<i>Allosmerus elongatus</i> (Ayres)	Whitebait Smelt	F-ALEL
<i>Alopias vulpinus</i> (Bonnaterre)	Thresher Shark	F-ALVU
<i>Alosa sapidissima</i> (Wilson)	American Shad	F-ALSA
<i>Ambystoma gracile</i> (Baird)	Northwestern Salamander	A-AMGR
ssp: <i>decorticaum</i> (Cope)	Northwestern Salamander <i>decorticaum</i>	A-AMGR-DE
<i>gracile</i> (Baird)	Northwestern Salamander <i>gracile</i>	A-AMGR-GR
<i>Ambystoma macrodactylum</i> Baird	Long-toed Salamander	A-AMMA
ssp: <i>columbianum</i> Ferguson	Long-toed Salamander <i>columbianum</i>	A-AMMA-CO
<i>krausei</i> Peters	Long-toed Salamander <i>krausei</i>	A-AMMA-KR
<i>macrodactylum</i> Baird	Long-toed Salamander <i>macrodactylum</i>	A-AMMA-MA
<i>Ambystoma tigrinum</i> (Green)	Tiger Salamander	A-AMTI
ssp: <i>melanostictum</i> (Baird)	Tiger Salamander <i>melanostictum</i>	
<i>Ameiurus melas</i> (Rafinesque)	Black Bullhead	F-AMME
<i>Ameiurus nebulosus</i> (Lesueur)	Brown Bullhead	F-AMNE
<i>Ammodramus bairdii</i> (Audubon)	Baird's Sparrow	B-BASP
<i>Ammodramus leconteii</i> (Audubon)	Le Conte's Sparrow	B-LCSP
<i>Ammodramus nelsoni</i> Allen	Nelson's Sharp-tailed Sparrow	B-NSTS
ssp: <i>nelsoni</i> (J.A. Allen)	Nelson's Sharp-tailed Sparrow <i>nelsoni</i>	
<i>Ammodramus savannarum</i> (Gmelin)	Grasshopper Sparrow	B-GRSP
ssp: <i>perpallidus</i> (Coues)	Grasshopper Sparrow <i>perpallidus</i>	
<i>Ammodytes hexapterus</i> Pallas	Pacific Sand Lance	F-AMHE
<i>Amphispiza belli</i> (Cassin)	Sage Sparrow	B-SASP
ssp: <i>nevadensis</i> (Ridgway)	Sage Sparrow <i>nevadensis</i>	
<i>Amphispiza bilineata</i> (Cassin)	Black-throated Sparrow	B-BTSP
ssp: <i>deserticola</i> Ridgway	Black-throated Sparrow <i>deserticola</i>	
<i>Amphistichus koelzi</i> (Hubbs)	Calico Surfperch	F-AMKO
<i>Amphistichus rhodoterus</i> (Agassiz)	Redtail Surfperch	F-AMRH
<i>Anarrhichthys ocellatus</i> Ayres	Wolf-eel	F-ANOC
<i>Anas acuta</i> Linnaeus	Northern Pintail	B-NOPI
<i>Anas americana</i> Gmelin	American Wigeon	B-AMWI
<i>Anas clypeata</i> Linnaeus	Northern Shoveler	B-NOSL

Alphabetical Sequence by Scientific Names

<i>Anas crecca</i> Linnaeus	Green-winged Teal	B-GWTE
ssp: <i>carolinensis</i> (Gmelin)	Green-winged Teal <i>carolinensis</i>	B-GWTE-CA
<i>crecca</i> (Linnaeus)	Green-winged Teal <i>crecca</i>	B-GWTE-CR
<i>Anas cyanoptera</i> Vieillot	Cinnamon Teal	B-CITE
ssp: <i>septentrionalium</i>	Cinnamon Teal <i>septentrionalium</i>	
Snyder and Lumsden		
<i>Anas discors</i> Linnaeus	Blue-winged Teal	B-BWTE
ssp: <i>discors</i> (Linnaeus)	Blue-winged Teal <i>discors</i>	
<i>Anas falcata</i> Georgi	Falcated Duck	B-FADU
<i>Anas formosa</i> Georgi	Baikal Teal	B-BATE
<i>Anas penelope</i> Linnaeus	Eurasian Wigeon	B-EUWI
<i>Anas platyrhynchos</i> Linnaeus	Mallard	B-MALL
ssp: <i>platyrhynchos</i> (Linnaeus)	Mallard <i>platyrhynchos</i>	
<i>Anas querquedula</i> Linnaeus	Garganey	B-GARG
<i>Anas rubripes</i> Brewster	American Black Duck	B-ABDU
<i>Anas strepera</i> Linnaeus	Gadwall	B-GADW
ssp: <i>strepera</i> (Linnaeus)	Gadwall <i>strepera</i>	
<i>Aneides vagrans</i> Wake and Jackman	Wandering Salamander	A-ANVA
<i>Anoplagonus inermis</i> (Gunther)	Smooth Alligatorfish	F-ANIN
<i>Anoplarchus insignis</i> Gilbert and Burke	Slender Cockscomb	F-ANIS
<i>Anoplarchus purpurescens</i> Gill	High Cockscomb	F-ANPU
<i>Anoplogaster cornuta</i> (Valenciennes)	Fangtooth	F-ANCO
<i>Anoplopoma fimbria</i> (Pallas)	Sablefish	F-ANFI
<i>Anotopterus pharao</i> Zugmayer	Daggertooth	F-ANPH
<i>Anser albifrons</i> (Scopoli)	Greater White-fronted Goose	B-GWFG
ssp: <i>frontalis</i> (Baird)	Greater White-fronted Goose <i>frontalis</i>	B-GWFG-FR
<i>gambeli</i> (Hartlaub)	Greater White-fronted Goose <i>gambeli</i>	B-GWFG-GA
<i>Anthus cervinus</i> (Pallas)	Red-throated Pipit	B-RTPI
<i>Anthus rubescens</i> (Tunstall)	American Pipit	B-AMPI
ssp: <i>pacificus</i> Todd	American Pipit <i>pacificus</i>	B-AMPI-PA
<i>rubescens</i> (Tunstall)	American Pipit <i>rubescens</i>	B-AMPI-RU
<i>Anthus spragueii</i> (Audubon)	Sprague's Pipit	B-SPPI
<i>Antimora microlepis</i> Bean	Pacific Flatnose	F-ANMI
<i>Antrozous pallidus</i> (Le Conte)	Pallid Bat	M-ANPA
ssp: <i>pallidus</i> (Le Conte)	Pallid Bat <i>pallidus</i>	
<i>Aphanopus carbo</i> Lowe	Black Scabbardfish	F-APCA
<i>Aphelocoma californica</i> (Vigors)	Western Scrub-Jay	B-WSJA
ssp: <i>immanis</i> Grinnell	Western Scrub-Jay <i>immanis</i>	
<i>Aphriza virgata</i> (Gmelin)	Surfbird	B-SURF
<i>Aplodontia rufa</i> (Rafinesque)	Mountain Beaver	M-APRU
ssp: <i>rainieri</i> Merriam	Mountain Beaver <i>rainieri</i>	M-APRU-RA
<i>rufa</i> (Rafinesque)	Mountain Beaver <i>rufa</i>	M-APRU-RU
<i>Apodichthys flavidus</i> Girard	Penpoint Gunnel	F-APFL
<i>Apodichthys fucorum</i>	Rockweed Gunnel	F-APFU
Jordan and Gilbert		
<i>Apristurus brunneus</i> (Gilbert)	Brown Cat Shark	F-APBR
<i>Aptocyclus ventricosus</i> (Pallas)	Smooth Lump sucker	F-APVE

Vertebrates of British Columbia

<i>Aquila chrysaetos</i> (Linnaeus)	Golden Eagle	B-GOEA
ssp: <i>canadensis</i> (Linnaeus)	Golden Eagle <i>canadensis</i>	
<i>Archilochus alexandri</i>	Black-chinned Hummingbird	B-BCHU
(Bourcier and Mulsant)		
<i>Archilochus colubris</i> (Linnaeus)	Ruby-throated Hummingbird	B-RTHU
<i>Ardea alba</i> Linnaeus	Great Egret	B-GREG
ssp: <i>egretta</i> (Gmelin)	Great Egret <i>egretta</i>	
<i>Ardea herodias</i> Linnaeus	Great Blue Heron	B-GBHE
ssp: <i>fannini</i> Chapman	Great Blue Heron <i>fannini</i>	B-GBHE-FA
<i>herodias</i> (Linnaeus)	Great Blue Heron <i>herodias</i>	B-GBHE-HE
<i>Arenaria interpres</i> (Linnaeus)	Ruddy Turnstone	B-RUTU
ssp: <i>interpres</i> (Linnaeus)	Ruddy Turnstone <i>interpres</i>	B-RUTU-IN
<i>morinella</i> (Linnaeus)	Ruddy Turnstone <i>morinella</i>	B-RUTU-MO
<i>Arenaria melanocephala</i> (Vigors)	Black Turnstone	B-BLTU
<i>Argyropelecus sladeni</i> Regan	Silvery Hatchetfish	F-ARSL
<i>Aristostomias scintillans</i> (Gilbert)	Shining Loosejaw	F-ARSC
<i>Artedius corallinus</i> (Hubbs)	Coralline Sculpin	F-ARCO
<i>Artedius fenestralis</i>	Padded Sculpin	F-ARFE
Jordan and Gilbert		
<i>Artedius harringtoni</i> (Starks)	Scalyhead Sculpin	F-ARHA
<i>Artedius lateralis</i> (Girard)	Smoothhead Sculpin	F-ARLA
<i>Artedius notospilotus</i> Girard	Bonyhead Sculpin	F-ARNO
<i>Ascaphus montanus</i>	Rocky Mountain Tailed Frog	A-ASMO
Mittleman and Myers		
<i>Ascaphus truei</i> Stejneger	Coastal Tailed Frog	A-ASTR
<i>Ascelichthys rhodorus</i>	Rosylip Sculpin	F-ASRH
Jordan and Gilbert		
<i>Asemichthys taylori</i> Gilbert	Spinynose Sculpin	F-ASTA
<i>Asio flammeus</i> (Pontoppidan)	Short-eared Owl	B-SEOW
ssp: <i>flammeus</i> (Pontoppidan)	Short-eared Owl <i>flammeus</i>	
<i>Asio otus</i> (Linnaeus)	Long-eared Owl	B-LEOW
ssp: <i>tuftsi</i> Godfrey	Long-eared Owl <i>tuftsi</i>	
<i>Athene cunicularia</i> (Molina)	Burrowing Owl	B-BUOW
ssp: <i>hypugaea</i> (Bonaparte)	Burrowing Owl <i>hypugaea</i>	
<i>Atheresthes stomias</i> (Jordan and Gilbert)	Arrowtooth Flounder	F-ATST
<i>Atherinops affinis</i> (Ayres)	Topsmelt	F-ATAF
<i>Atractoscion nobilis</i> (Ayres)	White Seabass	F-ATNO
<i>Aulorhynchus flavidus</i> Gill	Tubesnout	F-AUFL
<i>Avocettina infans</i> (Gunther)	Close-spine Snipe Eel	F-AVIN
<i>Aythya affinis</i> (Eyton)	Lesser Scaup	B-LESC
<i>Aythya americana</i> (Eyton)	Redhead	B-REDH
<i>Aythya collaris</i> (Donovan)	Ring-necked Duck	B-RNDU
<i>Aythya fuligula</i> (Linnaeus)	Tufted Duck	B-TUDU
<i>Aythya marila</i> (Linnaeus)	Greater Scaup	B-GRSC
ssp: <i>nearctica</i> Stejneger	Greater Scaup <i>nearctica</i>	
<i>Aythya valisineria</i> (Wilson)	Canvasback	B-CANV
<i>Balaena glacialis</i> Muller	Northern Right Whale	M-BAGL
ssp: <i>glacialis</i> Muller	Northern Right Whale <i>glacialis</i>	

Alphabetical Sequence by Scientific Names

<i>Balaenoptera acutorostrata</i> Lacépède	Minke Whale	M-BAAC
ssp: <i>scammoni</i> Deméré	Minke Whale <i>scammoni</i>	
<i>Balaenoptera borealis</i> Lesson	Sei Whale	M-BABO
ssp: <i>borealis</i> Lesson	Sei Whale <i>borealis</i>	
<i>Balaenoptera musculus</i> (Linnaeus)	Blue Whale	M-BAMU
ssp: <i>musculus</i> (Linnaeus)	Blue Whale <i>musculus</i>	
<i>Balaenoptera physalus</i> (Linnaeus)	Fin Whale	M-BAPH
ssp: <i>physalus</i> (Linnaeus)	Fin Whale <i>physalus</i>	
<i>Balistes polylepis</i> Steindachner	Finescale Triggerfish	F-BAPO
<i>Barbourisia rufa</i> Parr	Velvet Whale Fish	F-BARU
<i>Bartramia longicauda</i> (Bechstein)	Upland Sandpiper	B-UPSA
<i>Bathophilus flemingi</i> Aron and McCrery	Highfin Dragonfish	F-BAFL
<i>Bathyagonus alascanus</i> (Gilbert)	Gray Starsnout	F-BAAL
<i>Bathyagonus infraspinatus</i> (Gilbert)	Spinycheek Starsnout	F-BAIN
<i>Bathyagonus nigripinnis</i> Gilbert	Blackfin Poacher	F-BANI
<i>Bathyagonus pentacanthus</i> (Gilbert)	Bigeye Poacher	F-BAPE
<i>Bathylagus milleri</i> Jordan and Gilbert	Stout Blacksmelt	F-BAMI
<i>Bathylagus ochotensis</i> Schmidt	Popeye Blacksmelt	F-BAOC
<i>Bathylagus pacificus</i> Gilbert	Slender Blacksmelt	F-BAPA
<i>Bathylchnops exilis</i> Cohen	Javelin Spookfish	F-BAEX
<i>Bathymaster caeruleofasciatus</i> Gilbert and Burke	Alaskan Ronquil	F-BACA
<i>Bathymaster signatus</i> Cope	Searcher	F-BASI
<i>Bathyraja abyssicola</i> (Gilbert)	Deepsea Skate	F-BAAB
<i>Bathyraja aleutica</i> (Gilbert)	Aleutian Skate	F-BAAE
<i>Bathyraja interrupta</i> (Gill and Townsend)	Sandpaper Skate	F-BAIT
<i>Bathyraja trachura</i> (Gilbert)	Roughtail Skate	F-BATR
<i>Benthalbella dentata</i> (Chapman)	Northern Pearleye	F-BEDE
<i>Benthabella linguidens</i> (Mead and Bohlke)	Longfin Pearleye	F-BELI
<i>Benthodesmus elongatus</i> (Clarke)	Frostfish	F-BEEL
<i>Benthodesmus tenuis</i> (Gunther)	Javelinfin	F-BETE
<i>Berardius bairdii</i> Stenejger	North Pacific Bottle-nosed Whale	M-BEBA
<i>Bison bison</i> (Linnaeus)	Bison	M-BIBI
ssp: <i>athabasca</i> Rhoads	Bison <i>athabasca</i>	M-BIBI-AT
<i>bison</i> (Linnaeus)	Bison <i>bison</i>	M-BIBI-BI
<i>Blepsias bilobus</i> Cuvier	Crested Sculpin	F-BLBI
<i>Blepsias cirrhosus</i> (Pallas)	Silverspot Sculpin	F-BLCI
<i>Bombycilla cedrorum</i> Vieillot	Cedar Waxwing	B-CEWA
<i>Bombycilla garrulus</i> (Linnaeus)	Bohemian Waxwing	B-BOWA
ssp: <i>pallidiceps</i> Reichenow	Bohemian Waxwing <i>pallidiceps</i>	

Vertebrates of British Columbia

<i>Bonasa umbellus</i> (Linnaeus)	Ruffed Grouse	B-RUGR
ssp: <i>brunnescens</i> Conover	Ruffed Grouse <i>brunnescens</i>	B-RUGR-BR
<i>phaia</i> (Aldrich and Friedmann)	Ruffed Grouse <i>phaia</i>	B-RUGR-PH
<i>sabini</i> (Douglas)	Ruffed Grouse <i>sabini</i>	B-RUGR-SA
<i>umbelloides</i> (Douglas)	Ruffed Grouse <i>umbelloides</i>	B-RUGR-UM
<i>Botaurus lentiginosus</i> (Rackett)	American Bittern	B-AMBI
<i>Bothragonus swani</i> (Steindachner)	Rockhead	F-BOSW
<i>Bothrocara brunneum</i> (Bean)	Twoline Eelpout	F-BOBR
<i>Bothrocara molle</i> Bean	Soft Eelpout	F-BOMO
<i>Bothrocara pusillum</i> (Bean)	Alaska Eelpout	F-BOPU
<i>Bothrocara remigerum</i> Gilbert	Longsnout Eelpout	F-BORE
<i>Brachyistius frenatus</i> Gill	Kelp Perch	F-BRFR
<i>Brachyramphus brevirostris</i> (Vigors)	Kittlitz's Murrelet	B-KIMU
<i>Brachyramphus marmoratus</i> (Gmelin)	Marbled Murrelet	B-MAMU
<i>Brama japonica</i> Hilgendorf	Pacific Pomfret	F-BRJA
<i>Branta bernicla</i> (Linnaeus)	Brant	B-BRAN
ssp: <i>hrota</i> (Müller)	Brant <i>hrota</i>	B-BRAN-HR
<i>nigricans</i> (Lawrence)	Brant <i>nigricans</i>	B-BRAN-NI
<i>Branta canadensis</i> (Linnaeus)	Canada Goose	B-CAGO
ssp: <i>fulva</i> Delacour	Canada Goose <i>fulva</i>	B-CAGO-FU
<i>leucopareia</i> (Brandt)	Canada Goose <i>leucopareia</i>	B-CAGO-LE
<i>minima</i> (Ridgway)	Canada Goose <i>minima</i>	B-CAGO-MI
<i>moffitti</i> Aldrich	Canada Goose <i>moffitti</i>	B-CAGO-MO
<i>occidentalis</i> (Baird)	Canada Goose <i>occidentalis</i>	B-CAGO-OC
<i>parvipes</i> (Cassin)	Canada Goose <i>parvipes</i>	B-CAGO-PA
<i>taverneri</i> Delacour	Canada Goose <i>taverneri</i>	B-CAGO-TA
<i>Brosomphycis marginata</i> (Ayres)	Red Brotula	F-BRMA
<i>Bryozoichthys marjorius</i> McPhail	Pearly Prickleback	F-BRMR
<i>Bubo virginianus</i> (Gmelin)	Great Horned Owl	B-GHOW
ssp: <i>lagophonus</i> (Oberholser)	Great Horned Owl <i>lagophonus</i>	B-GHOW-LA
<i>saturatus</i> Ridgway	Great Horned Owl <i>saturatus</i>	B-GHOW-SA
<i>subarcticus</i> (Hoy)	Great Horned Owl <i>subarcticus</i>	B-GHOW-SU
<i>Bubulcus ibis</i> (Linnaeus)	Cattle Egret	B-CAEG
ssp: <i>ibis</i> (Linnaeus)	Cattle Egret <i>ibis</i>	
<i>Bucephala albeola</i> (Linnaeus)	Bufflehead	B-BUFF
<i>Bucephala clangula</i> (Linnaeus)	Common Goldeneye	B-COGO
ssp: <i>americana</i> (Bonaparte)	Common Goldeneye <i>americana</i>	
<i>Bucephala islandica</i> (Gmelin)	Barrow's Goldeneye	B-BAGO
<i>Bufo boreas</i> Baird and Girard	Western Toad	A-BUBO
ssp: <i>boreas</i> Baird and Girard	Western Toad <i>boreas</i>	
<i>Buteo jamaicensis</i> (Gmelin)	Red-tailed Hawk	B-RTHA
ssp: <i>alascensis</i> (Grinnell)	Red-tailed Hawk <i>alascensis</i>	B-RTHA-AL
<i>calurus</i> (Cassin)	Red-tailed Hawk <i>calurus</i>	B-RTHA-CA
<i>harlani</i> (Audubon)	Red-tailed Hawk <i>harlani</i>	B-RTHA-HA
<i>Buteo lagopus</i> (Pontoppidan)	Rough-legged Hawk	B-RLHA
ssp: <i>sanctijohannis</i> (Gmelin)	Rough-legged Hawk <i>sanctijohannis</i>	

Alphabetical Sequence by Scientific Names

<i>Buteo platypterus</i> (Vieillot)	Broad-winged Hawk	B-BWHA
ssp: <i>platypterus</i> (Vieillot)	Broad-winged Hawk <i>platypterus</i>	
<i>Buteo regalis</i> (Gray)	Ferruginous Hawk	B-FEHA
<i>Buteo swainsoni</i> Bonaparte	Swainson's Hawk	B-SWHA
<i>Butorides virescens</i> (Linnaeus)	Green Heron	B-GRHE
ssp: <i>anthonyi</i> (Mearns)	Green Heron <i>anthonyi</i>	
<i>Calamospiza melanocorys</i> Stejneger	Lark Bunting	B-LKBU
<i>Calcarius lapponicus</i> (Linnaeus)	Lapland Longspur	B-LALO
ssp: <i>alascensis</i> Ridgway	Lapland Longspur <i>alascensis</i>	
<i>Calcarius mccownii</i> (Lawrence)	McCown's Longspur	B-MCLO
<i>Calcarius ornatus</i> (Townsend)	Chestnut-collared Longspur	B-CCLO
<i>Calcarius pictus</i> (Swainson)	Smith's Longspur	B-SMLO
<i>Calidris acuminata</i> (Horsfield)	Sharp-tailed Sandpiper	B-SHSA
<i>Calidris alba</i> (Pallas)	Sanderling	B-SAND
<i>Calidris alpina</i> (Linnaeus)	Dunlin	B-DUNL
ssp: <i>pacifica</i> (Coues)	Dunlin <i>pacifica</i>	
<i>Calidris bairdii</i> (Coues)	Baird's Sandpiper	B-BASA
<i>Calidris canutus</i> (Linnaeus)	Red Knot	B-REKN
ssp: <i>canutus</i> (Linnaeus)	Red Knot <i>canutus</i>	
<i>Calidris ferruginea</i> (Pontoppidan)	Curlew Sandpiper	B-CUSA
<i>Calidris fuscicollis</i> (Vieillot)	White-rumped Sandpiper	B-WRSA
<i>Calidris himantopus</i> (Bonaparte)	Stilt Sandpiper	B-STSA
<i>Calidris mauri</i> (Cabanis)	Western Sandpiper	B-WESA
<i>Calidris melanotos</i> (Vieillot)	Pectoral Sandpiper	B-PESA
<i>Calidris minuta</i> (Leisler)	Little Stint	B-LIST
<i>Calidris minutilla</i> (Vieillot)	Least Sandpiper	B-LESA
<i>Calidris ptilocnemis</i> (Coues)	Rock Sandpiper	B-ROSA
ssp: <i>tshuktschorum</i> (Portenko)	Rock Sandpiper <i>tshuktschorum</i>	
<i>Calidris pusilla</i> (Linnaeus)	Semipalmated Sandpiper	B-SESA
<i>Calidris ruficollis</i> (Pallas)	Red-necked Stint	B-RNST
<i>Calidris temminckii</i> (Leisler)	Temminck's Stint	B-TEST
<i>Calidris tenuirostris</i> (Horsfield)	Great Knot	B-GRKN
<i>Callipepla californica</i> (Shaw)	California Quail	B-CAQU
ssp: <i>brunnescens</i> (Ridgway)	California Quail <i>brunnescens</i>	B-CAQU-BR
<i>californica</i> (Shaw)	California Quail <i>californica</i>	B-CAQU-CA
<i>Callorhinus ursinus</i> (Linnaeus)	Northern Fur Seal	M-CAUR
<i>Calypte anna</i> (Lesson)	Anna's Hummingbird	B-ANHU
<i>Calypte costae</i> (Bourcier)	Costa's Hummingbird	B-COHU
<i>Canis latrans</i> Say	Coyote	M-CALA
ssp: <i>incolatus</i> Hall	Coyote <i>incolatus</i>	M-CALA-IN
<i>lestes</i> Merriam	Coyote <i>lestes</i>	M-CALA-LE
<i>Canis lupus</i> Linnaeus	Grey Wolf	M-CALU
ssp: <i>nubilus</i> Say	Grey Wolf <i>nubilus</i>	M-CALU-NU
<i>occidentalis</i> Richardson	Grey Wolf <i>occidentalis</i>	M-CALU-OC
<i>Caracara cheriway</i> (Jacquin)	Crested Caracara	B-CRCA
ssp: <i>audubonii</i> Cassin	Crested Caracara <i>audubonii</i>	
<i>Carassius auratus</i> (Linnaeus)	Goldfish	F-CAAU
<i>Carcharodon carcharias</i> (Linnaeus)	Great White Shark	F-CACA

Vertebrates of British Columbia

<i>Carduelis flammea</i> (Linnaeus)	Common Redpoll	B-CORE
ssp: <i>flammea</i> (Linnaeus)	Common Redpoll <i>flammea</i>	
<i>Carduelis hornemanni</i> (Holböll)	Hoary Redpoll	B-HORE
ssp: <i>exilipes</i> (Coues)	Hoary Redpoll <i>exilipes</i>	
<i>Carduelis pinus</i> (Wilson)	Pine Siskin	B-PISI
ssp: <i>pinus</i> (Wilson)	Pine Siskin <i>pinus</i>	
<i>Carduelis psaltria</i> (Say)	Lesser Goldfinch	B-LEGO
ssp: <i>hesperophila</i> (Oberholser)	Lesser Goldfinch <i>hesperophila</i>	
<i>Carduelis tristis</i> (Linnaeus)	American Goldfinch	B-AMGO
ssp: <i>jewetti</i> (van Rossem)	American Goldfinch <i>jewetti</i>	B-AMGO-JE
<i>pallidus</i> (Mearns)	American Goldfinch <i>pallidus</i>	B-AMGO-PA
<i>Careproctus cypselurus</i>	Falcate Snailfish	F-CACY
Jordan and Gilbert		
<i>Careproctus gilberti</i> Burke	Smalldisk Snailfish	F-CAGI
<i>Careproctus melanurus</i> Gilbert	Blacktail Snailfish	F-CAME
<i>Careproctus oregonensis</i> Stein	Smallfin Snailfish	F-CAOR
<i>Careproctus ovigerum</i> (Gilbert)	Abyssal Snailfish	F-CAOV
<i>Caristius macropus</i> (Bellotti)	Manefish	F-CAMC
<i>Carpodacus cassinii</i> Baird	Cassin's Finch	B-CAFI
<i>Carpodacus mexicanus</i> (Müller)	House Finch	B-HOFI
ssp: <i>frontalis</i> (Say)	House Finch <i>frontalis</i>	
<i>Carpodacus purpureus</i> (Gmelin)	Purple Finch	B-PUFI
ssp: <i>californicus</i> (Baird)	Purple Finch <i>californicus</i>	B-PUFI-CA
<i>taverneri</i> Rand	Purple Finch <i>taverneri</i>	B-PUFI-TA
<i>Castor canadensis</i> Kuhl	Beaver	M-CACA
ssp: <i>belugae</i> Taylor	Beaver <i>belugae</i>	M-CACA-BE
<i>canadensis</i> Kuhl	Beaver <i>canadensis</i>	M-CACA-CA
<i>leucodontus</i> Gray	Beaver <i>leucodontus</i>	M-CACA-LE
<i>sagittatus</i> Benson	Beaver <i>sagittatus</i>	M-CACA-SA
<i>Cathartes aura</i> (Linnaeus)	Turkey Vulture	B-TUVU
ssp: <i>teter</i> Friedmann	Turkey Vulture <i>teter</i>	
<i>Catharus fuscescens</i> (Stephens)	Veery	B-VEER
ssp: <i>salicicola</i> (Ridgway)	Veery <i>salicicola</i>	
<i>Catharus guttatus</i> (Pallas)	Hermit Thrush	B-HETH
ssp: <i>euborius</i> (Oberholser)	Hermit Thrush <i>euborius</i>	B-HETH-EU
<i>guttatus</i> (Pallas)	Hermit Thrush <i>guttatus</i>	B-HETH-GU
<i>munroi</i> Phillips	Hermit Thrush <i>munroi</i>	B-HETH-MU
<i>nanus</i> (Audubon)	Hermit Thrush <i>nanus</i>	B-HETH-NA
<i>oromelus</i> (Oberholser)	Hermit Thrush <i>oromelus</i>	B-HETH-OR
<i>osgoodi</i> Phillips	Hermit Thrush <i>osgoodi</i>	B-HETH-OS
<i>vaccinius</i> (Cumming)	Hermit Thrush <i>vaccinius</i>	B-HETH-VA
<i>verecundus</i> (Osgood)	Hermit Thrush <i>verecundus</i>	B-HETH-VE
<i>Catharus minimus</i> (Lafresnaye)	Gray-cheeked Thrush	B-GCTH
ssp: <i>aliciae</i> (Baird)	Gray-cheeked Thrush <i>aliciae</i>	

Alphabetical Sequence by Scientific Names

<i>Catharus ustulatus</i> (Nuttall)	Swainson's Thrush	B-SWTH
ssp: <i>incanus</i> (Godfrey)	Swainson's Thrush <i>incanus</i>	B-SWTH-IN
<i>phillipsi</i> Ramos	Swainson's Thrush <i>phillipsi</i>	B-SWTH-PH
<i>swainsoni</i> (Tschudi)	Swainson's Thrush <i>swainsoni</i>	B-SWTH-SW
<i>ustulatus</i> (Nuttall)	Swainson's Thrush <i>ustulatus</i>	B-SWTH-US
<i>Catherpes mexicanus</i> (Swainson)	Canyon Wren	B-CAWR
ssp: <i>griseus</i> Aldrich	Canyon Wren <i>griseus</i>	
<i>Catoptrophorus semipalmatus</i> (Gmelin)	Willet	B-WILL
ssp: <i>inornatus</i> (Brewster)	Willet <i>inornatus</i>	
<i>Catostomus catostomus</i> (Forster)	Longnose Sucker	F-CACT
<i>Catostomus columbianus</i> (Eigenmann and Eigenmann)	Bridgelip Sucker	F-CACO
<i>Catostomus commersoni</i> (Lacepede)	White Sucker	F-CACM
<i>Catostomus macrocheilus</i> Girard	Largescale Sucker	F-CAMA
<i>Catostomus platyrhynchus</i> (Cope)	Mountain Sucker	F-CAPL
<i>Caulolatilus princeps</i> (Jenyns)	Ocean Whitefish	F-CAPR
<i>Centrocerus urophasianus</i> (Bonaparte)	Greater Sage-Grouse	B-GSGR
ssp: <i>phaios</i> Aldrich	Greater Sage-Grouse <i>phaios</i>	
<i>Cephus columba</i> Pallas	Pigeon Guillemot	B-PIGU
ssp: <i>columba</i> (Pallas)	Pigeon Guillemot <i>columba</i>	B-PIGU-CO
<i>kaiurka</i> Portenko	Pigeon Guillemot <i>kaiurka</i>	B-PIGU-KA
<i>Ceratias holboelli</i> Kroeyer	Northern Seadevil	F-CEHO
<i>Ceratospelus townsendi</i> Eigenmann and Eigenmann	Dogtooth Lanternfish	F-CETO
<i>Cerorhinca monocerata</i> (Pallas)	Rhinoceros Auklet	B-RHAU
<i>Certhia americana</i> Bonaparte	Brown Creeper	B-BRCR
ssp: <i>alascensis</i> Webster	Brown Creeper <i>alascensis</i>	B-BRCR-AL
<i>montana</i> (Ridgway)	Brown Creeper <i>montana</i>	B-BRCR-MO
<i>occidentalis</i> (Ridgway)	Brown Creeper <i>occidentalis</i>	B-BRCR-OC
<i>stewarti</i> Webster	Brown Creeper <i>stewarti</i>	B-BRCR-ST
<i>Cervus dama</i> Linnaeus	Fallow Deer	M-CEDA
ssp: <i>dama</i> Linnaeus	Fallow Deer <i>dama</i>	
<i>Cervus elaphus</i> Linnaeus	Elk	M-CEEL
ssp: <i>nelsoni</i> Bailey	Elk <i>nelsoni</i>	M-CEEL-NE
<i>roosevelti</i> Merriam	Elk <i>roosevelti</i>	M-CEEL-RO
<i>Ceryle alcyon</i> (Linnaeus)	Belted Kingfisher	B-BEKI
ssp: <i>alcyon</i> (Linnaeus)	Belted Kingfisher <i>alcyon</i>	B-BEKI-AL
<i>caurina</i> Grinnell	Belted Kingfisher <i>caurina</i>	B-BEKI-CA
<i>Cetorhinus maximus</i> (Gunnerus)	Basking Shark	F-CEMA
<i>Chaenophryne melanorhabdus</i> Regan and Trewavas	Smooth Dreamer	F-CHME
<i>Chaetura vauxi</i> (Townsend)	Vaux's Swift	B-VASW
ssp: <i>vauxi</i> (Townsend)	Vaux's Swift <i>vauxi</i>	
<i>Charadrius alexandrinus</i> Linnaeus	Snowy Plover	B-SNPL
ssp: <i>nivosus</i> (Cassin)	Snowy Plover <i>nivosus</i>	

Vertebrates of British Columbia

<i>Charadrius mongolus</i> Pallas	Mongolian Plover	B-MGPL
ssp: <i>stegmanni</i> Stresemann	Mongolian Plover <i>stegmanni</i>	
<i>Charadrius montanus</i> Townsend	Mountain Plover	B-MOPL
<i>Charadrius semipalmatus</i> Bonaparte	Semipalmated Plover	B-SEPL
<i>Charadrius vociferus</i> Linnaeus	Killdeer	B-KILL
ssp: <i>vociferus</i> (Linnaeus)	Killdeer <i>vociferus</i>	
<i>Charina bottae</i> (Blainville)	Rubber Boa	R-CHBO
<i>Chauliodus macouni</i> Bean	Pacific Viperfish	F-CHMA
<i>Chelonia mydas</i> (Linnaeus)	Green Turtle	R-CHMY
<i>Chen caerulescens</i> (Linnaeus)	Snow Goose	B-SNGO
ssp: <i>caerulescens</i> (Linnaeus)	Snow Goose <i>caerulescens</i>	
<i>Chen canagica</i> (Sevastianov)	Emperor Goose	B-EMGO
<i>Chen rossii</i> (Cassin)	Ross's Goose	B-ROGO
<i>Chesnona verrucosa</i> (Lockington)	Warty Poacher	F-CHVE
<i>Chirolophis decoratus</i>	Decorated Warbonnet	F-CHDE
(Jordan and Snyder)		
<i>Chirolophis nugator</i>	Mosshead Warbonnet	F-CHNU
(Jordan and Williams)		
<i>Chirolophis tarsodes</i>	Matcheck Warbonnet	F-CHTA
(Jordan and Snyder)		
<i>Chitonotus pugetensis</i> (Steindachner)	Roughback Sculpin	F-CHPU
<i>Chlidonias niger</i> (Linnaeus)	Black Tern	B-BLTE
ssp: <i>surinamensis</i> (Gmelin)	Black Tern <i>surinamensis</i>	
<i>Chondestes grammacus</i> (Say)	Lark Sparrow	B-LASP
ssp: <i>strigatus</i> (Swainson)	Lark Sparrow <i>strigatus</i>	
<i>Chordeiles minor</i> (Forster)	Common Nighthawk	B-CONI
ssp: <i>hesperis</i> (Grinnell)	Common Nighthawk <i>hesperis</i>	B-CONI-HE
<i>minor</i> (Forster)	Common Nighthawk <i>minor</i>	B-CONI-MI
<i>Chrysemys picta</i> (Scheider)	Painted Turtle	R-CHPI
ssp: <i>bellii</i> (Gray)	Painted Turtle <i>bellii</i>	
<i>Cinclus mexicanus</i> Swainson	American Dipper	B-AMDI
ssp: <i>unicolor</i> (Bonaparte)	American Dipper <i>unicolor</i>	
<i>Circus cyaneus</i> (Linnaeus)	Northern Harrier	B-NOHA
ssp: <i>hudsonius</i> (Linnaeus)	Northern Harrier <i>hudsonius</i>	
<i>Cistothorus palustris</i> (Wilson)	Marsh Wren	B-MAWR
ssp: <i>browningi</i> Rea	Marsh Wren <i>browningi</i>	B-MAWR-BR
<i>pulverius</i> (Aldrich)	Marsh Wren <i>pulverius</i>	B-MAWR-PU
<i>Citharichthys sordidus</i> (Girard)	Pacific Sanddab	F-CISO
<i>Citharichthys stigmaeus</i>	Speckled Sanddab	F-CIST
Jordan and Gilbert		
<i>Clangula hyemalis</i> (Linnaeus)	Long-tailed Duck	B-LTDU
<i>Clemmys marmorata</i> (Baird and Girard)	Western Pond Turtle	R-CLMA
ssp: <i>marmorata</i> (Baird and Girard)	Western Pond Turtle <i>marmorata</i>	

Alphabetical Sequence by Scientific Names

<i>Clethrionomys gapperi</i> (Vigors)	Southern Red-backed Vole	M-CLGA
ssp: <i>athabascae</i> (Preble)	Southern Red-backed Vole <i>athabascae</i>	M-CLGA-AT
<i>cascadensis</i> Booth	Southern Red-backed Vole <i>cascadensis</i>	M-CLGA-CA
<i>caurinus</i> (Bailey)	Southern Red-backed Vole <i>caurinus</i>	M-CLGA-CU
<i>galei</i> (Merriam)	Southern Red-backed Vole <i>galei</i>	M-CLGA-GA
<i>occidentalis</i> (Merriam)	Southern Red-backed Vole <i>occidentalis</i>	M-CLGA-OC
<i>phaeus</i> (Swarth)	Southern Red-backed Vole <i>phaeus</i>	M-CLGA-PH
<i>saturatus</i> (Rhoads)	Southern Red-backed Vole <i>saturatus</i>	M-CLGA-SA
<i>stikinensis</i> Hall and Cockrum	Southern Red-backed Vole <i>stikinensis</i>	M-CLGA-ST
<i>Clethrionomys rutilus</i> (Pallas)	Northern red-backed Vole	M-CLRU
ssp: <i>dawsoni</i> (Merriam)	Northern red-backed Vole <i>dawsoni</i>	
<i>Clevelandia ios</i> (Jordan and Gilbert)	Arrow Goby	F-CLIO
<i>Clidoderma asperrimum</i> (Temminck and Schlegel)	Roughscale Sole	F-CLAS
<i>Clinocottus acuticeps</i> (Gilbert)	Sharpnose Sculpin	F-CLAC
<i>Clinocottus embryum</i> (Jordan and Starks)	Calico Sculpin	F-CLEM
<i>Clinocottus globiceps</i> (Girard)	Mosshead Sculpin	F-CLGL
<i>Clupea pallasi</i> Valenciennes	Pacific Herring	F-CLPA
<i>Coccothraustes vespertinus</i> (Cooper)	Evening Grosbeak	B-EVGR
ssp: <i>brooksi</i> (Grinnell)	Evening Grosbeak <i>brooksi</i>	B-EVGR-BR
<i>vespertinus</i> (Cooper)	Evening Grosbeak <i>vespertinus</i>	B-EVGR-VE
<i>Coccyzus americanus</i> (Linnaeus)	Yellow-billed Cuckoo	B-YBCU
ssp: <i>occidentalis</i> Ridgway	Yellow-billed Cuckoo <i>occidentalis</i>	
<i>Coccyzus erythrophthalmus</i> (Wilson)	Black-billed Cuckoo	B-BBCU
<i>Colaptes auratus</i> (Linnaeus)	Northern Flicker	B-NOFL
ssp: <i>borealis</i> Ridgway	Northern Flicker <i>borealis</i>	B-NOFL-BO
<i>cafer</i> (Gmelin)	Northern Flicker <i>cafer</i>	B-NOFL-CA
<i>collaris</i> (Vigors)	Northern Flicker <i>collaris</i>	B-NOFL-CO
<i>Colinus virginianus</i> (Linnaeus)	Northern Bobwhite	B-NOBO
<i>Cololabis saira</i> (Brevoort)	Pacific Saury	F-COSA
<i>Coluber constrictor</i> Linnaeus	Racer	R-COCO
ssp: <i>mormon</i> Baird and Girard	Racer <i>mormon</i>	
<i>Columba fasciata</i> Say	Band-tailed Pigeon	B-BTPI
ssp: <i>monilis</i> (Vigors)	Band-tailed Pigeon <i>monilis</i>	
<i>Columba livia</i> Gmelin	Rock Dove	B-RODO
<i>Conocara salmoneum</i> (Gill & Townsend)	Salmon Slickhead	F-COSL
<i>Contia tenuis</i> (Baird and Girard)	Sharp-tailed Snake	R-COTE
<i>Contopus cooperi</i> (Nuttall)	Olive-sided Flycatcher	B-OSFL
ssp: <i>cooperi</i> (Nuttall)	Olive-sided Flycatcher <i>cooperi</i>	
<i>Contopus sordidulus</i> Sclater	Western Wood-Pewee	B-WWPE
ssp: <i>saturatus</i> (Bishop)	Western Wood-Pewee <i>saturatus</i>	B-WWPE-SA
<i>veliei</i> (Coues)	Western Wood-Pewee <i>veliei</i>	B-WWPE-VE
<i>Coragyps atratus</i> (Bechstein)	Black Vulture	B-BLVU
<i>Coregonus artedii</i> Lesueur	Cisco	F-COAR
<i>Coregonus autumnalis</i> (Pallas)	Arctic Cisco	F-COAU
<i>Coregonus clupeaformis</i> (Mitchill)	Lake Whitefish	F-COCL

Vertebrates of British Columbia

<i>Coregonus nasus</i> (Pallas)	Broad Whitefish	F-CONA
<i>Coregonus sardinella</i> Valenciennes	Least Cisco	F-COSR
<i>Corvus brachyrhynchos</i> Brehm	American Crow	B-AMCR
ssp: <i>hesperis</i> (Ridgway)	American Crow <i>hesperis</i>	
<i>Corvus caurinus</i> Baird	Northwestern Crow	B-NOCR
<i>Corvus corax</i> Linnaeus	Common Raven	B-CORA
ssp: <i>principalis</i> Ridgway	Common Raven <i>principalis</i>	B-CORA-PR
<i>sinuatus</i> (Wagler)	Common Raven <i>sinuatus</i>	B-CORA-SI
<i>Corynorhinus townsendii</i> (Cooper)	Townsend's Big-eared Bat	M-COTO
ssp: <i>pallescens</i> (Miller)	Townsend's Big-eared Bat <i>pallescens</i>	M-COTO-PA
<i>townsendii</i> (Cooper)	Townsend's Big-eared Bat <i>townsendii</i>	M-COTO-TO
<i>Coryphaenoides acrolepis</i> (Bean)	Roughscale Grenadier	F-COAC
<i>Coryphaenoides armatus</i> (Hector)	Smooth Abyssal Grenadier	F-COAM
<i>Coryphaenoides cinereus</i> (Gilbert)	Popeye	F-COCI
<i>Coryphaenoides filifer</i> (Gilbert)	Filamented Grenadier	F-COFI
<i>Coryphaenoides leptolepis</i> Gunther	Ghostly Grenadier	F-COLE
<i>Coryphopterus nicholsi</i> (Bean)	Blackeye Goby	F-CONI
<i>Cottus aleuticus</i> Gilbert	Coastrange Sculpin	F-COAL
<i>Cottus asper</i> Richardson	Prickly Sculpin	F-COAS
<i>Cottus bairdi</i> Bailey	Mottled Sculpin	F-COBA
ssp: <i>hubbsi</i> Bailey and Demick	Mottled Sculpin <i>hubbsi</i>	F-COBA-HU
<i>Cottus cognatus</i> Richardson	Slimy Sculpin	F-COCO
<i>Cottus confusus</i> Bailey and Bond	Shorthead Sculpin	F-COCN
<i>Cottus punctulatus</i> (Gill)	Rocky Mountain Sculpin	F-COPU
<i>Cottus rhotheus</i> (Smith)	Torrent Sculpin	F-CORH
<i>Cottus ricei</i> (Nelson)	Spoonhead Sculpin	F-CORI
<i>Coturnicops noveboracensis</i> (Gmelin)	Yellow Rail	B-YERA
ssp: <i>noveboracensis</i> (Gmelin)	Yellow Rail <i>noveboracensis</i>	
<i>Couesius plumbeus</i> (Agassiz)	Lake Chub	F-COPL
pop: Liard Hot Spring Chub		
<i>Crotalus viridis</i> (Rafinesque)	Western Rattlesnake	R-CRVI
ssp: <i>oreganus</i> Holbrook	Western Rattlesnake <i>oreganus</i>	
<i>Cryptacanthodes aleutensis</i> (Gilbert)	Dwarf Wrymouth	F-CRAL
<i>Cryptacanthodes giganteus</i> (Kittlits)	Giant Wrymouth	F-CRGI
<i>Culaea inconstans</i> (Kirtland)	Brook Stickleback	F-CUIN
<i>Cyanocitta cristata</i> (Linnaeus)	Blue Jay	B-BLJA
ssp: <i>bromia</i> Oberholser	Blue Jay <i>bromia</i>	
<i>Cyanocitta stelleri</i> (Gmelin)	Steller's Jay	B-STJA
ssp: <i>annectens</i> (Baird)	Steller's Jay <i>annectens</i>	B-STJA-AN
<i>carlottae</i> Osgood	Steller's Jay <i>carlottae</i>	B-STJA-CA
<i>paralia</i> Oberholser	Steller's Jay <i>paralia</i>	B-STJA-PA
<i>stelleri</i> (Gmelin)	Steller's Jay <i>stelleri</i>	B-STJA-ST
<i>Cyclothone atraria</i> Gilbert	Yellow Bristlemouth	F-CYAT
<i>Cyclothone pallida</i> Brauer	Tan Bristlemouth	F-CYPL
<i>Cyclothone pseudopallida</i> Mukhacheva	Phantom Bristlemouth	F-CYPS
<i>Cyclothone signata</i> Garman	Showy Bristlemouth	F-CYSI
<i>Cygnus buccinator</i> Richardson	Trumpeter Swan	B-TRUS

Alphabetical Sequence by Scientific Names

<i>Cygnus columbianus</i> (Ord)	Tundra Swan	B-TUSW
ssp: <i>columbianus</i> (Ord)	Tundra Swan <i>columbianus</i>	
<i>Cygnus cygnus</i> (Linnaeus)	Whooper Swan	B-WHSW
<i>Cygnus olor</i> (Gmelin)	Mute Swan	B-MUSW
<i>Cymatogaster aggregata</i> Gibbons	Shiner Perch	F-CYAG
<i>Cyprinus carpio</i> Linnaeus	Common Carp	F-CYCA
<i>Cypseloides niger</i> (Gmelin)	Black Swift	B-BLSW
ssp: <i>borealis</i> (Kennerly)	Black Swift <i>borealis</i>	
<i>Danaphos oculatus</i> (Garman)	Bottlelight	F-DAOC
<i>Dasyatis violacea</i> (Bonaparte)	Pelagic Stingray	F-DAVI
<i>Dasycottus setiger</i> Bean	Spinyhead Sculpin	F-DASE
<i>Delphinus delphis</i> Linnaeus	Saddle-backed Dolphin	M-DEDE
<i>Dendragapus obscurus</i> (Say)	Blue Grouse	B-BLGR
ssp: <i>fuliginosus</i> (Ridgway)	Blue Grouse <i>fuliginosus</i>	B-BLGR-FU
<i>pallidus</i> Swarth	Blue Grouse <i>pallidus</i>	B-BLGR-PA
<i>richardsonii</i> (Douglas)	Blue Grouse <i>richardsonii</i>	B-BLGR-RI
<i>sitkensis</i> Swarth	Blue Grouse <i>sitkensis</i>	B-BLGR-SI
<i>Dendrocygna bicolor</i> (Vieillot)	Fulvous Whistling-Duck	B-FWDU
ssp: <i>helva</i> Wetmore and Peters	Fulvous Whistling-Duck <i>helva</i>	
<i>Dendroica caerulescens</i> (Gmelin)	Black-throated Blue Warbler	B-BTBW
ssp: <i>caerulescens</i> (Gmelin)	Black-throated Blue Warbler <i>caerulescens</i>	
<i>Dendroica castanea</i> (Wilson)	Bay-breasted Warbler	B-BAYW
<i>Dendroica coronata</i> (Linnaeus)	Yellow-rumped Warbler	B-YRWA
ssp: <i>auduboni</i> (Townsend)	Yellow-rumped Warbler <i>auduboni</i>	B-YRWA-AU
<i>hooveri</i> McGregor	Yellow-rumped Warbler <i>hooveri</i>	B-YRWA-HO
<i>memorabilis</i> (Oberholser)	Yellow-rumped Warbler <i>memorabilis</i>	B-YRWA-ME
<i>Dendroica discolor</i> (Vieillot)	Prairie Warbler	B-PRWA
ssp: <i>discolor</i> (Vieillot)	Prairie Warbler <i>discolor</i>	
<i>Dendroica dominica</i> (Linnaeus)	Yellow-throated Warbler	B-YTWA
<i>Dendroica fusca</i> (Müller)	Blackburnian Warbler	B-BBNW
<i>Dendroica magnolia</i> (Wilson)	Magnolia Warbler	B-MGNW
<i>Dendroica nigrescens</i> (Townsend)	Black-throated Gray Warbler	B-BTGW
<i>Dendroica occidentalis</i> (Townsend)	Hermit Warbler	B-HEWA
<i>Dendroica palmarum</i> (Gmelin)	Palm Warbler	B-PAWA
ssp: <i>palmarum</i> (Gmelin)	Palm Warbler <i>palmarum</i>	
<i>Dendroica pensylvanica</i> (Linnaeus)	Chestnut-sided Warbler	B-CSWA
<i>Dendroica petechia</i> (Linnaeus)	Yellow Warbler	B-YEWA
ssp: <i>annicola</i> (Batchelder)	Yellow Warbler <i>annicola</i>	B-YEWA-AM
<i>morcomi</i> (Coale)	Yellow Warbler <i>morcomi</i>	B-YEWA-MO
<i>rubiginosa</i> (Pallas)	Yellow Warbler <i>rubiginosa</i>	B-YEWA-RU
<i>Dendroica striata</i> (Forster)	Blackpoll Warbler	B-BKPW
<i>Dendroica tigrina</i> (Gmelin)	Cape May Warbler	B-CMWA
<i>Dendroica townsendi</i> (Townsend)	Townsend's Warbler	B-TOWA
<i>Dendroica virens</i> (Gmelin)	Black-throated Green Warbler	B-BTNW
ssp: <i>virens</i> (Gmelin)	Black-throated Green Warbler <i>virens</i>	
<i>Derepodichthys alepidotus</i> Gilbert	Cuskpout	F-DEAL
<i>Dermochelys coriacea</i> (Linnaeus)	Leatherback	R-DECO

Vertebrates of British Columbia

<i>Diaphus theta</i> Eigenmann and Eigenmann	California Headlightfish	F-DITH
<i>Dicamptodon tenebrosus</i> Baird and Girard	Pacific Giant Salamander	A-DITE
<i>Dicroline filamentosa</i> Garman	Threadfin Cusk-Eel	F-DIFI
<i>Didelphis virginiana</i> Kerr ssp: <i>virginiana</i> Linnaeus	North American Opossum North American Opossum <i>virginiana</i>	M-DIVI
<i>Dolichonyx oryzivorus</i> (Linnaeus)	Bobolink	B-BOBO
<i>Dolichopteryx</i> sp.	Spookfish	F-DOLI
<i>Dryocopus pileatus</i> (Linnaeus) ssp: <i>picinus</i> (Bangs)	Pileated Woodpecker Pileated Woodpecker <i>picinus</i>	B-PIWO
<i>Dumetella carolinensis</i> (Linnaeus)	Gray Catbird	B-GRCA
<i>Ectopistes migratorius</i> (Linnaeus)	Passenger Pigeon	B-PAPI
<i>Egretta caerulea</i> (Linnaeus) ssp: <i>caerulea</i> (Linnaeus)	Little Blue Heron Little Blue Heron <i>caerulea</i>	B-LBHE
<i>Egretta thula</i> (Molina) ssp: <i>brewsteri</i> (Thayer and Bangs)	Snowy Egret Snowy Egret <i>brewsteri</i>	B-SNEG
<i>Elanus leucurus</i> (Vieillot) ssp: <i>majusculus</i> Bangs and Penard	White-tailed Kite White-tailed Kite <i>majusculus</i>	B-WTKI
<i>Elassodiscus caudatus</i> (Gilbert)	Humpback Snailfish	F-ELCA
<i>Elgaria coerulea</i> (Wiegmann) ssp: <i>principis</i> (Baird and Girard)	Northern Alligator Lizard Northern Alligator Lizard <i>principis</i>	R-ELCO
<i>Embassichthys bathybius</i> (Gilbert)	Deepsea Sole	F-EMBA
<i>Emberiza rustica</i> Pallas ssp: <i>latifascia</i> Portenko	Rustic Bunting Rustic Bunting <i>latifascia</i>	B-RUBU
<i>Embiotoca lateralis</i> Agassiz	Striped Seaperch	F-EMLA
<i>Empidonax alnorum</i> Brewster	Alder Flycatcher	B-ALFL
<i>Empidonax difficilis</i> Baird ssp: <i>difficilis</i> (Baird)	Pacific-slope Flycatcher Pacific-slope Flycatcher <i>difficilis</i>	B-PSFL
<i>Empidonax flaviventris</i> (Baird and Baird)	Yellow-bellied Flycatcher	B-YBFL
<i>Empidonax hammondii</i> (Xántus de Vesey)	Hammond's Flycatcher	B-HAFL
<i>Empidonax minimus</i> (Baird and Baird)	Least Flycatcher	B-LEFL
<i>Empidonax oberholseri</i> Phillips	Dusky Flycatcher	B-DUFL
<i>Empidonax occidentalis</i> Nelson ssp: <i>hellmayri</i> (Brodkorb)	Cordilleran Flycatcher Cordilleran Flycatcher <i>hellmayri</i>	B-COFL
<i>Empidonax traillii</i> (Audubon) ssp: <i>adastus</i> Oberholser <i>brewsteri</i> Oberholser	Willow Flycatcher Willow Flycatcher <i>adastus</i> Willow Flycatcher <i>brewsteri</i>	B-WIFL B-WIFL-AD B-WIFL-BR
<i>Empidonax virescens</i> (Vieillot)	Acadian Flycatcher	B-ACFL
<i>Empidonax wrightii</i> Baird	Gray Flycatcher	B-GRFL
<i>Engraulis mordax</i> Girard	Northern Anchovy	F-ENMO
<i>Enhydra lutris</i> (Linnaeus) ssp: <i>kenyoni</i> Wilson <i>et al.</i>	Sea Otter Sea Otter <i>kenyoni</i>	M-ENLU
<i>Enophrys bison</i> (Girard)	Buffalo Sculpin	F-ENBI
<i>Enophrys lucasi</i> (Jordan and Gilbert)	Leister Sculpin	F-ENLU

Alphabetical Sequence by Scientific Names

<i>Ensatina eschscholtzii</i> Gray	Ensatina	A-ENES
ssp: <i>oregonensis</i> (Girard)	<i>Ensatina oregonensis</i>	
<i>Eopsetta exilis</i> (Jordan and Gilbert)	Slender Sole	F-EOEX
<i>Eopsetta jordani</i> (Lockington)	Petrale Sole	F-EOJO
<i>Eptatretus deani</i>	Black Hagfish	F-EPDE
(Evermann and Goldsborough)		
<i>Eptatretus stouti</i> (Lockington)	Pacific Hagfish	F-EPST
<i>Eptesicus fuscus</i> (Palisot de Beauvois)	Big Brown Bat	M-EPFU
ssp: <i>bernardinus</i> Rhoads	Big Brown Bat <i>bernardinus</i>	
<i>Eremophila alpestris</i> (Linnaeus)	Horned Lark	B-HOLA
ssp: <i>arctica</i> (Oberholser)	Horned Lark <i>arctica</i>	B-HOLA-AR
<i>hoyti</i> (Bishop)	Horned Lark <i>hoyti</i>	B-HOLA-HO
<i>merrilli</i> (Dwight)	Horned Lark <i>merrilli</i>	B-HOLA-ME
<i>strigata</i> (Henshaw)	Horned Lark <i>strigata</i>	B-HOLA-ST
<i>Erethizon dorsatum</i> (Linnaeus)	Porcupine	M-ERDO
ssp: <i>myops</i> Merriam	Porcupine <i>myops</i>	M-ERDO-MY
<i>nigrescens</i> Allen	Porcupine <i>nigrescens</i>	M-ERDO-NI
<i>Erilepis zonifer</i> (Lockington)	Skilfish	F-ERZO
<i>Errex zachirus</i> (Lockington)	Rex Sole	F-ERZA
<i>Eschrichtius robustus</i> (Lilljeborg)	Grey Whale	M-ESRO
<i>Esox lucius</i> Linnaeus	Northern Pike	F-ESLU
<i>Euderma maculatum</i> (J.A. Allen)	Spotted Bat	M-EUMA
<i>Eumeces skiltonianus</i> (Baird and Girard)	Western Skink	R-EUSK
ssp: <i>skiltonianus</i> (Baird and Girard)	Western Skink <i>skiltonianus</i>	
<i>Eumetopias jubatus</i> (Schreber)	Northern Sea Lion	M-EUJU
<i>Eumicrotremus orbis</i> (Gunther)	Pacific Spiny Lumpsucker	F-EUOR
<i>Euphagus carolinus</i> (Müller)	Rusty Blackbird	B-RUBL
ssp: <i>carolinus</i> (Müller)	Rusty Blackbird <i>carolinus</i>	
<i>Euphagus cyanocephalus</i> (Wagler)	Brewer's Blackbird	B-BRBL
<i>Eurynorhynchus pygmeus</i> (Linnaeus)	Spoonbill Sandpiper	B-SBSA
<i>Falcapennis canadensis</i> (Linnaeus)	Spruce Grouse	B-SPGR
ssp: <i>canadensis</i> (Linnaeus)	Spruce Grouse <i>canadensis</i>	B-SPGR-CA
<i>franklinii</i> (Douglas)	Spruce Grouse <i>franklinii</i>	B-SPGR-FR
<i>osgoodi</i> (Bishop)	Spruce Grouse <i>osgoodi</i>	B-SPGR-OS
<i>Falco columbarius</i> Linnaeus	Merlin	B-MERL
ssp: <i>columbarius</i> Linnaeus	Merlin <i>columbarius</i>	B-MERL-CO
<i>richardsonii</i> (Ridgway)	Merlin <i>richardsonii</i>	B-MERL-RI
<i>suckleyi</i> (Ridgway)	Merlin <i>suckleyi</i>	B-MERL-SU
<i>Falco mexicanus</i> Schlegel	Prairie Falcon	B-PRFA
<i>Falco peregrinus</i> Tunstall	Peregrine Falcon	B-PEFA
ssp: <i>anatum</i> (Bonaparte)	Peregrine Falcon <i>anatum</i>	B-PEFA-AN
<i>pealei</i> (Ridgway)	Peregrine Falcon <i>pealei</i>	B-PEFA-PE
<i>tundrius</i> White	Peregrine Falcon <i>tundrius</i>	B-PEFA-TU
<i>Falco rusticolus</i> Linnaeus	Gyr Falcon	B-GYRF
ssp: <i>obsoletus</i> (Gmelin)	Gyr Falcon <i>obsoletus</i>	B-GYRF-OB
<i>uralensis</i>	Gyr Falcon <i>uralensis</i>	B-GYRF-UR
(Severtzov and Menzbier)		

Vertebrates of British Columbia

<i>Falco sparverius</i> Linnaeus	American Kestrel	B-AMKE
ssp: <i>sparverius</i> (Linnaeus)	American Kestrel <i>sparverius</i>	
<i>Falco tinnunculus</i> Linnaeus	Eurasian Kestrel	B-EUKE
ssp: <i>tinnunculus</i> (Linnaeus)	Eurasian Kestrel <i>tinnunculus</i>	
<i>Fratercula cirrhata</i> (Pallas)	Tufted Puffin	B-TUPU
<i>Fratercula corniculata</i> (Naumann)	Horned Puffin	B-HOPU
<i>Fregata magnificens</i> Mathews	Magnificent Frigatebird	B-MAFR
ssp: <i>rothschildi</i> Mathews	Magnificent Frigatebird <i>rothschildi</i>	
<i>Fringilla montifringilla</i> Linnaeus	Brambling	B-BRAM
<i>Fulica americana</i> Gmelin	American Coot	B-AMCO
ssp: <i>americana</i> (Gmelin)	American Coot <i>americana</i>	
<i>Fulmarus glacialis</i> (Linnaeus)	Northern Fulmar	B-NOFU
ssp: <i>rodgersii</i> (Cassin)	Northern Fulmar <i>rodgersii</i>	
<i>Gadus macrocephalus</i> Tilesius	Pacific Cod	F-GAMA
<i>Galeorhinus zyopterus</i> Jordan and Gilbert	Soupin Shark	F-GAZY
<i>Gallinago gallinago</i> (Linnaeus)	Common Snipe	B-COSN
ssp: <i>delicata</i> (Ord)	Common Snipe <i>delicata</i>	
<i>Gallinula chloropus</i> (Linnaeus)	Common Moorhen	B-COMO
ssp: <i>cachinnans</i> Bangs	Common Moorhen <i>cachinnans</i>	
<i>Gasterosteus aculeatus</i> Linnaeus	Threespine Stickleback	F-GAAC
<i>Gavia adamsii</i> (Gray)	Yellow-billed Loon	B-YBLO
<i>Gavia immer</i> (Brünnich)	Common Loon	B-COLO
<i>Gavia pacifica</i> (Lawrence)	Pacific Loon	B-PALO
<i>Gavia stellata</i> (Pontoppidan)	Red-throated Loon	B-RTLO
<i>Genyonemus lineatus</i> (Ayres)	White Croaker	F-GELI
<i>Geothlypis trichas</i> (Linnaeus)	Common Yellowthroat	B-COYE
ssp: <i>arizela</i> Oberholser	Common Yellowthroat <i>arizela</i>	B-COYE-AR
<i>campicola</i> Behle and Aldrich	Common Yellowthroat <i>campicola</i>	B-COYE-CA
<i>yukonicola</i> Godfrey	Common Yellowthroat <i>yukonicola</i>	B-COYE-YU
<i>Gibbonsia metzi</i> Hubbs	Striped Kelpfish	F-GIME
<i>Gibbonsia montereyensis</i> Hubbs	Crevice Kelpfish	F-GIMO
<i>Glaucidium gnoma</i> Wagler	Northern Pygmy-Owl	B-NPOW
ssp: <i>californicum</i> (Sclater)	Northern Pygmy-Owl <i>californicum</i>	B-NPOW-CA
<i>grinnelli</i> Ridgway	Northern Pygmy-Owl <i>grinnelli</i>	B-NPOW-GR
<i>swarhi</i> Grinnell	Northern Pygmy-Owl <i>swarhi</i>	B-NPOW-SW
<i>Glaucornis sabrinus</i> (Shaw)	Northern Flying Squirrel	M-GLSA
ssp: <i>alpinus</i> (Richardson)	Northern Flying Squirrel <i>alpinus</i>	M-GLSA-AL
<i>columbiensis</i> Howell	Northern Flying Squirrel <i>columbiensis</i>	M-GLSA-CO
<i>fuliginosus</i> (Rhoads)	Northern Flying Squirrel <i>fuliginosus</i>	M-GLSA-FU
<i>laticeps</i> Howell	Northern Flying Squirrel <i>laticeps</i>	M-GLSA-LA
<i>oregonensis</i> (Bachman)	Northern Flying Squirrel <i>oregonensis</i>	M-GLSA-OR
<i>reductus</i> Cowan	Northern Flying Squirrel <i>reductus</i>	M-GLSA-RE
<i>zaphaeus</i> (Osgood)	Northern Flying Squirrel <i>zaphaeus</i>	M-GLSA-ZA
<i>Globicephala macrorhynchus</i> Gray	Short-finned Pilot Whale	M-GLMA
<i>Gobiesox maeandricus</i> (Girard)	Northern Clingfish	F-GOMA
<i>Gonostoma gracile</i> Gunther	Slender Fangjaw	F-GOGR
<i>Grampus griseus</i> (Cuvier)	Risso's Dolphin	M-GRGR

Alphabetical Sequence by Scientific Names

<i>Grus americana</i> (Linnaeus)	Whooping Crane	B-WHCR
<i>Grus canadensis</i> (Linnaeus)	Sandhill Crane	B-SACR
ssp: <i>canadensis</i> (Linnaeus)	Sandhill Crane <i>canadensis</i>	B-SACR-CA
<i>rowani</i> Walkinshaw	Sandhill Crane <i>rowani</i>	B-SACR-RO
<i>tabida</i> (Peters)	Sandhill Crane <i>tabida</i>	B-SACR-TA
<i>Guiraca caerulea</i> (Linnaeus)	Blue Grosbeak	B-BLGB
ssp: <i>interfusa</i> Dwight and Griscom	Blue Grosbeak <i>interfusa</i>	
<i>Gulo gulo</i> (Linnaeus)	Wolverine	M-GUGU
ssp: <i>luscus</i> (Linnaeus)	Wolverine <i>luscus</i>	M-GUGU-LU
<i>vancouverensis</i> Goldman	Wolverine <i>vancouverensi</i>	M-GUGU-VA
<i>Gymnocanthus galeatus</i> Bean	Armorhead Sculpin	F-GYGA
<i>Gyrinomimus</i> sp.	Flabby Whalefish	
<i>Haematopus bachmani</i> Audubon	Black Oystercatcher	B-BLOY
<i>Halargyreus johnsoni</i> Gunther	Dainty Mora	F-HAJO
<i>Haliaeetus leucocephalus</i> (Linnaeus)	Bald Eagle	B-BAEA
ssp: <i>alascanus</i> Townsend	Bald Eagle <i>alascanus</i>	B-BAEA-AL
<i>leucocephalus</i> (Linnaeus)	Bald Eagle <i>leucocephalus</i>	B-BAEA-LE
<i>Hemilepidotus hemilepidotus</i> (Tilesius)	Red Irish Lord	F-HEHE
<i>Hemilepidotus spinosus</i> (Ayes)	Brown Irish Lord	F-HESP
<i>Hemitripterus bolini</i> (Myers)	Bigmouth Sculpin	F-HEBO
<i>Heteroscelus incanus</i> (Gmelin)	Wandering Tattler	B-WATA
<i>Heterostichus rostratus</i> Girard	Giant Kelpfish	F-HERO
<i>Hexagrammos decagrammus</i> (Pallas)	Kelp Greenling	F-HEDE
<i>Hexagrammos lagocephalus</i> (Pallas)	Rock Greenling	F-HELA
<i>Hexagrammos octogrammus</i> (Pallas)	Masked Greenling	F-HEOC
<i>Hexagrammos stelleri</i> Tilesius	Whitespotted Greenling	F-HEST
<i>Hexanchus griseus</i> (Bonnaterre)	Sixgill Shark	F-HEGR
<i>Himantopus mexicanus</i> (Müller)	Black-necked Stilt	B-BNST
ssp: <i>mexicanus</i> (Müller)	Black-necked Stilt <i>mexicanus</i>	
<i>Hiodon alosoides</i> (Rafinesque)	Goldeye	F-HIAL
<i>Hippoglossoides elassodon</i>	Flathead Sole	F-HIEL
Jordan and Gilbert		
<i>Hippoglossus stenolepis</i> Schmidt	Pacific Halibut	F-HIST
<i>Hirundo rustica</i> Linnaeus	Barn Swallow	B-BASW
ssp: <i>erythrogaster</i> (Boddaert)	Barn Swallow <i>erythrogaster</i>	B-BASW-ER
<i>gutturalis</i> (Scopoli)	Barn Swallow <i>gutturalis</i>	B-BASW-GU
<i>Histrionicus histrionicus</i> (Linnaeus)	Harlequin Duck	B-HADU
<i>Holtbyrnia innesi</i> (Fowler)	Innes Tubeshoulder	F-HOIN
<i>Holtbyrnia latifrons</i> Sazonov	Teardrop Tubeshoulder	F-HOLA
<i>Hybognathus hankinsoni</i>	Brassy Minnow	F-HYHA
Hubbs and Greene		
<i>Hydrolagus colliei</i> (Lay and Bennett)	Spotted Ratfish	F-HYCO
<i>Hyla regilla</i> Baird and Girard	Pacific Treefrog	A-HYRE
<i>Hylocharis xantusii</i> (Lawrence)	Xantus's Hummingbird	B-XAHU
<i>Hyperprosopon argenteum</i> Gibbons	Walleye Surfperch	F-HYAR
<i>Hyperprosopon ellipticum</i> (Gibbons)	Silver Surfperch	F-HYEL
<i>Hypomesus pretiosus</i> (Girard)	Surf Smelt	F-HYPR
ssp. <i>pretiosus</i> (Girard)	Surf Smelt <i>pretiosus</i>	

Vertebrates of British Columbia

<i>Hypsagonus mozinoi</i> (Wilimovsky and Wilson)	Kelp Poacher	F-HYMO
<i>Hypsagonus quadricornis</i> (Cuvier)	Fourhorn Poacher	F-HYQU
<i>Hypsiglena torquata</i> (Günther) ssp: <i>deserticola</i> Tanner	Night Snake Night Snake <i>deserticola</i>	R-HYTO
<i>Icelinus borealis</i> Gilbert	Northern Sculpin	F-ICBO
<i>Icelinus burchami</i> Evermann and Golbsborough	Dusky Sculpin	F-ICBU
<i>Icelinus filamentosus</i> Gilbert	Threadfin Sculpin	F-ICFI
<i>Icelinus fimbriatus</i> Gilbert	Fringed Sculpin	F-ICFM
<i>Icelinus tenuis</i> Gilbert	Spotfin Sculpin	F-ICTE
<i>Icelus spiniger</i> Gilbert	Thorny Sculpin	F-ICSP
<i>Ichthyococcus elongatus</i> Imai	Slim Lightfish	F-ICEL
<i>Icichthys lockingtoni</i> Jordan and Gilbert	Medusafish	F-ICLO
<i>Icosteus aenigmaticus</i> Lockington	Ragfish	F-ICAE
<i>Icteria virens</i> (Linnaeus) ssp: <i>auricollis</i> (Deppe)	Yellow-breasted Chat Yellow-breasted Chat <i>auricollis</i>	B-YBCH
<i>Icterus bullockii</i> (Swainson) ssp: <i>bullockii</i> (Swainson)	Bullock's Oriole Bullock's Oriole <i>bullockii</i>	B-BUOR
<i>Icterus cucullatus</i> Swainson	Hooded Oriole	B-HOOR
<i>Icterus galbula</i> (Linnaeus)	Baltimore Oriole	B-BAOR
<i>Icterus spurius</i> (Linnaeus) ssp: <i>spurius</i> (Linnaeus)	Orchard Oriole Orchard Oriole <i>spurius</i>	B-OROR
<i>Idiacanthus antrosomus</i> Gilbert	Pacific Dragonfish	F-IDAN
<i>Isurus oxyrinchus</i> Rafinesque	Shortfin Mako	F-ISOX
<i>Ixobrychus exilis</i> (Gmelin) ssp: <i>exilis</i> (Gmelin)	Least Bittern Least Bittern <i>exilis</i>	B-LEBI
<i>Ixoreus naevius</i> (Gmelin) ssp: <i>carlottae</i> (Phillips) <i>godfreii</i> (Phillips) <i>meruloides</i> (Swainson) <i>naevius</i> (Gmelin)	Varied Thrush Varied Thrush <i>carlottae</i> Varied Thrush <i>godfreii</i> Varied Thrush <i>meruloides</i> Varied Thrush <i>naevius</i>	B-VATH B-VATH-CA B-VATH-GO B-VATH-ME B-VATH-NA
<i>Jordania zonope</i> Starks	Longfin Sculpin	F-JOZO
<i>Junco hyemalis</i> (Linnaeus) ssp: <i>caniceps</i> (Woodhouse) <i>cismontanus</i> (Dwight) <i>hyemalis</i> (Linnaeus) <i>montanus</i> (Ridgway) <i>oreganus</i> (Townsend) <i>shufeldti</i> Coale	Dark-eyed Junco Dark-eyed Junco <i>caniceps</i> Dark-eyed Junco <i>cismontanus</i> Dark-eyed Junco <i>hyemalis</i> Dark-eyed Junco <i>montanus</i> Dark-eyed Junco <i>oreganus</i> Dark-eyed Junco <i>shufeldti</i>	B-DEJU B-DEJU-CA B-DEJU-CI B-DEJU-HY B-DEJU-MO B-DEJU-OR B-DEJU-SH
<i>Katsuwonus pelamis</i> (Linnaeus)	Skipjack Tuna	F-KAPE
<i>Kogia sima</i> (Owen)	Dwarf Sperm Whale	M-KOSI
<i>Lagenorhynchus obliquidens</i> Gill	Pacific White-sided Dolphin	M-LAOB
<i>Lagopus lagopus</i> (Linnaeus) ssp: <i>alexandrae</i> (Grinnell) <i>albus</i> (Gmelin)	Willow Ptarmigan Willow Ptarmigan <i>alexandrae</i> Willow Ptarmigan <i>albus</i>	B-WIPT B-WIPT-AE B-WIPT-AL

Alphabetical Sequence by Scientific Names

<i>Lagopus leucurus</i> (Richardson)	White-tailed Ptarmigan	B-WTPT
ssp: <i>leucurus</i> (Richardson)	White-tailed Ptarmigan <i>leucurus</i>	B-WTPT-LE
<i>saxatilis</i> Cowan	White-tailed Ptarmigan <i>saxatilis</i>	B-WTPT-SA
<i>Lagopus mutus</i> (Montin)	Rock Ptarmigan	B-ROPT
ssp: <i>rupestris</i> (Gmelin)	Rock Ptarmigan <i>rupestris</i>	
<i>Lamna ditropis</i> Hubbs and Follett	Salmon Shark	F-LADI
<i>Lampadena urophaos</i> Paxton	Taillight Lanternfish	F-LAUR
<i>Lampanyctus jordani</i> Gilbert	Brokenline Lanternfish	F-LAJO
<i>Lampanyctus regalis</i> (Gilbert)	Pinpoint Lanternfish	F-LARE
<i>Lampanyctus ritteri</i> Gilbert	Broadfin Lanternfish	F-LARI
<i>Lampetra ayresi</i> (Gunther)	River Lamprey	F-LAAY
<i>Lampetra macrostoma</i> Beamish	Cowichan Lake Lamprey	F-LAMA
<i>Lampetra richardsoni</i>	Western Brook Lamprey	F-LARC
Vladykov and Follett		
pop: Morrison Creek Lamprey		
<i>Lampetra tridentata</i> (Gairdner)	Pacific Lamprey	F-LATR
<i>Lampris guttatus</i> (Brunnich)	Opah	F-LAGU
<i>Lanius excubitor</i> Linnaeus	Northern Shrike	B-NOSH
ssp: <i>invictus</i> (Grinnell)	Northern Shrike <i>invictus</i>	
<i>Lanius ludovicianus</i> Linnaeus	Loggerhead Shrike	B-LOSH
ssp: <i>gambeli</i> Ridgway	Loggerhead Shrike <i>gambeli</i>	
<i>Larus argentatus</i> Pontoppidan	Herring Gull	B-HEGU
ssp: <i>smithsonianus</i> (Coues)	Herring Gull <i>smithsonianus</i>	B-HEGU-SM
<i>vegae</i> (Palmén)	Herring Gull <i>vegae</i>	B-HEGU-VE
<i>Larus atricilla</i> Linnaeus	Laughing Gull	B-LAGU
<i>Larus californicus</i> Lawrence	California Gull	B-CAGU
ssp: <i>albertaensis</i> Jehl	California Gull <i>albertaensis</i>	B-CAGU-AL
<i>californicus</i> (Lawrence)	California Gull <i>californicus</i>	B-CAGU-CA
<i>Larus canus</i> Linnaeus	Mew Gull	B-MEGU
ssp: <i>brachyrhynchus</i> (Richardson)	Mew Gull <i>brachyrhynchus</i>	
<i>Larus crassirostris</i> Vieillot	Black-tailed Gull	B-BTGU
<i>Larus delawarensis</i> Ord	Ring-billed Gull	B-RBGU
<i>Larus fuscus</i> Linnaeus	Lesser Black-backed Gull	B-LBBG
ssp: <i>graelsii</i> (Brehm)	Lesser Black-backed Gull <i>graelsii</i>	
<i>Larus glaucescens</i> Naumann	Glaucous-winged Gull	B-GWGU
<i>Larus glaucoides</i> Meyer	Iceland Gull	B-ICGU
ssp: <i>kumlieni</i> (Brewster)	Iceland Gull <i>kumlieni</i>	
<i>Larus heermanni</i> Cassin	Heermann's Gull	B-HEEG
<i>Larus hyperboreus</i> Gunnerus	Glaucous Gull	B-GLGU
ssp: <i>barrovianus</i> (Ridgway)	Glaucous Gull <i>barrovianus</i>	
<i>Larus marinus</i> Linnaeus	Great Black-backed Gull	B-GBBG
<i>Larus minutus</i> Pallas	Little Gull	B-LIGU
<i>Larus occidentalis</i> Audubon	Western Gull	B-WEGU
ssp: <i>occidentalis</i> (Audubon)	Western Gull <i>occidentalis</i>	
<i>Larus philadelphia</i> (Ord)	Bonaparte's Gull	B-BOGU
<i>Larus pipixcan</i> Wagler	Franklin's Gull	B-FRGU

Vertebrates of British Columbia

<i>Larus ridibundus</i> Linnaeus	Black-headed Gull	B-BHGU
ssp: <i>ridibundus</i> (Linnaeus)	Black-headed Gull <i>ridibundus</i>	
<i>Larus schistisagus</i> Stejneger	Slaty-backed Gull	B-SBGU
<i>Larus thayeri</i> Brooks	Thayer's Gull	B-THGU
<i>Lasionycteris noctivagans</i> (Le Conte)	Silver-haired Bat	M-LANO
<i>Lasiurus blossevillii</i>	Western Red Bat	M-LABL
(Lesson and Garnot)		
ssp: <i>frantzi</i> (Peters)	Western Red Bat <i>frantzi</i>	
<i>Lasiurus cinereus</i> (Palisot de Beauvois)	Hoary Bat	M-LACI
ssp: <i>cinereus</i> Palisot de Beauvois	Hoary Bat <i>cinereus</i>	
<i>Lemmus trimucronatus</i> (Richardson)	Brown Lemming	M-LETR
ssp: <i>helvolus</i> (Richardson)	Brown Lemming <i>helvolus</i>	
<i>Lepidogobius lepidus</i> (Girard)	Bay Goby	F-LELE
<i>Lepidopsetta bilineatus</i> (Ayres)	Southern Rock Sole	F-LEBI
ssp: <i>bilineata</i> (Ayres)	Southern Rock Sole <i>bilineata</i>	F-LEBI-BI
<i>perarcuata</i> (Cope)	Southern Rock Sole <i>perarcuata</i>	F-LEBI-PE
<i>Lepidopsetta polyxystra</i>	Northern Rock Sole	F-LEPO
(Orr and Materese)		
<i>Lepomis gibbosus</i> (Linnaeus)	Pumpkinseed	F-LEGI
<i>Leptagonus frenatus</i> (Gilbert)	Sawback Poacher	F-LEFR
<i>Leptocottus armatus</i> Girard	Staghorn Sculpin	F-LEAR
<i>Lepus americanus</i> Erxleben	Snowshoe Hare	M-LEAM
ssp: <i>bairdii</i> Hayden	Snowshoe Hare <i>bairdii</i>	M-LEAM-BA
<i>cascadensis</i> Nelson	Snowshoe Hare <i>cascadensis</i>	M-LEAM-CA
<i>columbiensis</i> Rhoads	Snowshoe Hare <i>columbiensis</i>	M-LEAM-CO
<i>dalli</i> Merriam	Snowshoe Hare <i>dalli</i>	M-LEAM-DA
<i>pallidus</i> Cowan	Snowshoe Hare <i>pallidus</i>	M-LEAM-PA
<i>pineus</i> Dalquest	Snowshoe Hare <i>pineus</i>	M-LEAM-PI
<i>washingtonii</i> Baird	Snowshoe Hare <i>washingtonii</i>	M-LEAM-WA
<i>Lepus townsendii</i> Bachman	White-tailed Jackrabbit	M-LETO
ssp: <i>townsendii</i> Bachman	White-tailed Jackrabbit <i>townsendii</i>	
<i>Lestidiops ringens</i> (Jordan and Gilbert)	Slender Barracudina	F-LERI
<i>Leucosticte tephrocotis</i> (Swainson)	Gray-crowned Rosy-Finch	B-GCRF
ssp: <i>littoralis</i> (Baird)	Gray-crowned Rosy-Finch <i>littoralis</i>	B-GCRF-LI
<i>tephrocotis</i> (Swainson)	Gray-crowned Rosy-Finch <i>tephrocotis</i>	B-GCRF-TE
<i>Leuroglossus schmidti</i> Rass	Northern Smoothtongue	F-LESC
<i>Leuroglossus stilbius</i> Gilbert	California Smoothtongue	F-LEST
<i>Limnodromus griseus</i> (Gmelin)	Short-billed Dowitcher	B-SBDO
ssp: <i>caurinus</i> Pitelka	Short-billed Dowitcher <i>caurinus</i>	B-SBDO-CA
<i>hendersoni</i> Rowan	Short-billed Dowitcher <i>hendersoni</i>	B-SBDO-HE
<i>Limnodromus scolopaceus</i> (Say)	Long-billed Dowitcher	B-LBDO
<i>Limosa fedoa</i> (Linnaeus)	Marbled Godwit	B-MAGO
ssp: <i>beringiae</i> Gibson and Kessel	Marbled Godwit <i>beringiae</i>	B-MAGO-BE
<i>fedoa</i> (Linnaeus)	Marbled Godwit <i>fedoa</i>	B-MAGO-FE
<i>Limosa haemastica</i> (Linnaeus)	Hudsonian Godwit	B-HUGO
<i>Limosa lapponica</i> (Linnaeus)	Bar-tailed Godwit	B-BTGO
ssp: <i>baueri</i> (Naumann)	Bar-tailed Godwit <i>baueri</i>	
<i>Liparis callyodon</i> (Pallas)	Spotted Snailfish	F-LICA

Alphabetical Sequence by Scientific Names

<i>Liparis cyclopus</i> Gunther	Ribbon Snailfish	F-LICY
<i>Liparis dennyi</i> Jordan and Starks	Marbled Snailfish	F-LIDE
<i>Liparis florae</i> Jordan and Starks	Tidepool Snailfish	F-LIFL
<i>Liparis fucensis</i> Gilbert	Slipskin Snailfish	F-LIFU
<i>Liparis gibbus</i> Bean	Variiegated Snailfish	F-LIGI
<i>Liparis greeni</i> (Jordan and Starks)	Lobefin Snailfish	F-LIGR
<i>Liparis mucosus</i> Ayres	Slimy Snailfish	F-LIMU
<i>Liparis pulchellus</i> Ayres	Showy Snailfish	F-LIPU
<i>Liparis rutteri</i> (Gilbert and Snyder)	Ringtail Snailfish	F-LIRU
<i>Liparis tunicatus</i> Reinhardt	Kelp Snailfish	F-LITU
<i>Lipariscus nanus</i> Gilbert	Pygmy Snailfish	F-LINA
<i>Lissodelphis borealis</i> (Peale)	Northern Right-whale Dolphin	M-LIBO
<i>Lontra canadensis</i> (Schreber)	River Otter	M-LOCA
ssp: <i>mira</i> (Goldman)	River Otter <i>mira</i>	M-LOCA-MI
<i>pacifica</i> (Rhoads)	River Otter <i>pacifica</i>	M-LOCA-PA
<i>periclyzomae</i> (Elliot)	River Otter <i>periclyzomae</i>	M-LOCA-PE
<i>Lophodytes cucullatus</i> (Linnaeus)	Hooded Merganser	B-HOME
<i>Lota lota</i> (Linnaeus)	Burbot	F-LOLO
<i>Loxia curvirostra</i> Linnaeus	Red Crossbill	B-RECR
ssp: <i>minor</i> (Brehm)	Red Crossbill <i>minor</i>	
<i>Loxia leucoptera</i> Gmelin	White-winged Crossbill	B-WWCR
ssp: <i>leucoptera</i> (Gmelin)	White-winged Crossbill <i>leucoptera</i>	
<i>Lumpenella longirostris</i> (Evermann and Goldsborough)	Longsnout Prickleback	F-LULO
<i>Lumpenus maculatus</i> (Fries)	Daubed Shanny	F-LUMA
<i>Lumpenus sagitta</i> Wilimovsky	Snake Prickleback	F-LUSA
<i>Luvaris imperialis</i> Rafinesque	Louvar	F-LUIM
<i>Lycenchelys camchaticus</i> Gilbert and Burke	Kamchatka Eelpout	F-LYCA
<i>Lycenchelys crotalinus</i> (Gilbert)	Snakehead Eelpout	F-LYCR
<i>Lycenchelys jordani</i> (Evermann and Goldsborough)	Shortjaw Eelpout	F-LYJO
<i>Lycenchelys micropora</i> Andriashev	Pale Eelpout	F-LYMI
<i>Lycodapus dermatinus</i> Gilbert	Looseskin Eelpout	F-LYDE
<i>Lycodapus endemoscotus</i> Peden and Anderson	Deepwater Eelpout	F-LYEN
<i>Lycodapus fierasfer</i> Gilbert	Blackmouth Slipskin	F-LYFI
<i>Lycodapus mandibularis</i> Gilbert	Pallid Slipskin	F-LYMA
<i>Lycodapus pachysoma</i> Peden and Anderson	Stout Slipskin	F-LYPA
<i>Lycodapus parviceps</i> Gilbert	Stubraker Slipskin	F-LYPR
<i>Lycodapus psarostomatus</i> Peden and Anderson	Specklemouth Eelpout	F-LYPS
<i>Lycodes brevipes</i> Bean	Shortfin Eelpout	F-LYBR
<i>Lycodes cortezianus</i> (Gilbert)	Bigfin Eelpout	F-LYCO
<i>Lycodes diapterus</i> Gilbert	Black Eelpout	F-LYDI
<i>Lycodes pacificus</i> Collett	Blackbelly Eelpout	F-LYPC
<i>Lycodes palearis</i> Gilbert	Wattled Eelpout	F-LYPL

Vertebrates of British Columbia

<i>Lynx canadensis</i> Kerr	Lynx	M-LYCA
<i>Lynx rufus</i> (Schreber)	Bobcat	M-LYRU
ssp: <i>fasciatus</i> Rafinesque	Bobcat <i>fasciatus</i>	M-LYRU-FA
<i>pallescens</i> Merriam	Bobcat <i>pallescens</i>	M-LYRU-PA
<i>Macropinna microstoma</i> Chapman	Barreleye	F-MAMI
<i>Malacocottus kincaidi</i>	Blackfin Blobsculpin	F-MAKI
Gilbert and Thompson		
<i>Malacocottus zonurus</i> Bean	Darkfin Sculpin	F-MAZO
<i>Malacosteus danae</i>	Shortnose Loosejaw	F-MADA
(Regan and Trewavas)		
<i>Mallotus villosus</i> (Muller)	Capelin	F-MAVI
<i>Margariscus margarita</i> (Cope)	Pearl Dace	F-MAMA
<i>Marmota caligata</i> (Eschscholtz)	Hoary Marmot	M-MACA
ssp: <i>caligata</i> (Eschscholtz)	Hoary Marmot <i>caligata</i>	M-MACA-CA
<i>cascadensis</i> Howell	Hoary Marmot <i>cascadensis</i>	M-MACA-CS
<i>okanagana</i> (King)	Hoary Marmot <i>okanagana</i>	M-MACA-OK
<i>oxytona</i> Hollister	Hoary Marmot <i>oxytona</i>	M-MACA-OX
<i>raceyi</i> Anderson	Hoary Marmot <i>raceyi</i>	M-MACA-RA
<i>Marmota flaviventris</i>	Yellow-bellied Marmot	M-MAFL
(Audubon and Bachman)		
ssp: <i>avara</i> (Bangs)	Yellow-bellied Marmot <i>avara</i>	
<i>Marmota monax</i> (Linnaeus)	Woodchuck	M-MAMO
ssp: <i>canadensis</i> (Erxleben)	Woodchuck <i>canadensis</i>	M-MAMO-CA
<i>ochracea</i> Swarth	Woodchuck <i>ochracea</i>	M-MAMO-OC
<i>petrensis</i> Howell	Woodchuck <i>petrensis</i>	M-MAMO-PE
<i>Marmota vancouverensis</i> Swarth	Vancouver Island Marmot	M-MAVA
<i>Martes americana</i> (Turton)	Marten	M-MAAM
ssp: <i>abietinoides</i> Gray	Marten <i>abietinoides</i>	M-MAAM-AB
<i>actuosa</i> (Osgood)	Marten <i>actuosa</i>	M-MAAM-AC
<i>caurina</i> (Merriam)	Marten <i>caurina</i>	M-MAAM-CA
<i>nesophila</i> (Osgood)	Marten <i>nesophila</i>	M-MAAM-NE
<i>Martes pennanti</i> (Erxleben)	Fisher	M-MAPE
ssp: <i>columbiana</i> Goldman	Fisher <i>columbiana</i>	M-MAPE-CO
<i>pacifica</i> (Rhoads)	Fisher <i>pacifica</i>	M-MAPE-PA
<i>Maulisia argipalla</i>	Pitted Tubeshoulder	F-MAAR
Matsui and Rosenblatt		
<i>Medialuna californiensis</i>	Halfmoon	F-MECA
(Steindachner)		
<i>Megaptera novaeangliae</i> (Borowski)	Humpback Whale	M-MENO
<i>Melamphaes lugubris</i> Gilbert	Highsnout Ridgehead	F-MELU
<i>Melanerpes erythrocephalus</i> (Linnaeus)	Red-headed Woodpecker	B-RHWO
<i>Melanerpes formicivorus</i> (Swainson)	Acorn Woodpecker	B-ACWO
ssp: <i>bairdi</i> Ridgway	Acorn Woodpecker <i>bairdi</i>	
<i>Melanerpes lewis</i> (Gray)	Lewis's Woodpecker	B-LEWO
<i>Melanitta fusca</i> (Linnaeus)	White-winged Scoter	B-WWSC
ssp: <i>deglandi</i> (Bonaparte)	White-winged Scoter <i>deglandi</i>	B-WWSC-DE
<i>dixoni</i> (Brooks)	White-winged Scoter <i>dixoni</i>	B-WWSC-DI

Alphabetical Sequence by Scientific Names

<i>Melanitta nigra</i> (Linnaeus)	Black Scoter	B-BLSC
ssp: <i>americana</i> (Swainson)	Black Scoter <i>americana</i>	
<i>Melanitta perspicillata</i> (Linnaeus)	Surf Scoter	B-SUSC
<i>Melanonus zugmayeri</i> Norman	Coalfish	F-MEZU
<i>Melanostigma pammelas</i> Gilbert	Pacific Softpout	F-MEPA
<i>Meleagris gallopavo</i> Linnaeus	Wild Turkey	B-WITU
<i>Melospiza georgiana</i> (Latham)	Swamp Sparrow	B-SWSP
ssp: <i>ericrypta</i> Oberholser	Swamp Sparrow <i>ericrypta</i>	
<i>Melospiza lincolnii</i> (Audubon)	Lincoln's Sparrow	B-LISP
ssp: <i>gracilis</i> (Kittlitz)	Lincoln's Sparrow <i>gracilis</i>	B-LISP-GR
<i>lincolnii</i> (Audubon)	Lincoln's Sparrow <i>lincolnii</i>	B-LISP-LI
<i>Melospiza melodia</i> (Wilson)	Song Sparrow	B-SOSP
ssp: <i>caurina</i> (Ridgway)	Song Sparrow <i>caurina</i>	B-SOSP-CA
<i>inexpectata</i> Riley	Song Sparrow <i>inexpectata</i>	B-SOSP-IN
<i>juddi</i> (Bishop)	Song Sparrow <i>juddi</i>	B-SOSP-JU
<i>merrilli</i> (Brewster)	Song Sparrow <i>merrilli</i>	B-SOSP-ME
<i>morphna</i> Oberholser	Song Sparrow <i>morphna</i>	B-SOSP-MO
<i>rufina</i> (Bonaparte)	Song Sparrow <i>rufina</i>	B-SOSP-RU
<i>Mephitis mephitis</i> (Schreber)	Striped Skunk	M-MEME
ssp: <i>hudsonica</i> Richardson	Striped Skunk <i>hudsonica</i>	M-MEME-HU
<i>spissigrada</i> Bangs	Striped Skunk <i>spissigrada</i>	M-MEME-SP
<i>Mergellus albellus</i> (Linnaeus)	Smew	B-SMEW
<i>Mergus merganser</i> Linnaeus	Common Merganser	B-COME
ssp: <i>americanus</i> (Cassin)	Common Merganser <i>americanus</i>	
<i>Mergus serrator</i> Linnaeus	Red-breasted Merganser	B-RBME
ssp: <i>serrator</i> (Linnaeus)	Red-breasted Merganser <i>serrator</i>	
<i>Merluccius productus</i> (Ayres)	Pacific Hake	F-MEPR
<i>Mesoplodon carlhubbsi</i> Moore	Arch-beaked Whale	M-MECA
<i>Mesoplodon stejnegeri</i> True	Bering Sea Beaked Whale	M-MEST
<i>Microgadus proximus</i> Girard	Pacific Tomcod	F-MIPR
<i>Micropterus dolomieu</i> Lacepede	Smallmouth Bass	F-MIDO
<i>Micropterus salmoides</i> (Lacepede)	Largemouth Bass	F-MISA
<i>Microstomus pacificus</i> (Lockington)	Dover Sole	F-MIPA
<i>Microtus longicaudus</i> (Merriam)	Long-tailed Vole	M-MILO
ssp: <i>littoralis</i> Swarth	Long-tailed Vole <i>littoralis</i>	M-MILO-LI
<i>longicaudus</i> (Merriam)	Long-tailed Vole <i>longicaudus</i>	M-MILO-LO
<i>macurus</i> Merriam	Long-tailed Vole <i>macurus</i>	M-MILO-MA
<i>vellerosus</i> Allen	Long-tailed Vole <i>vellerosus</i>	M-MILO-VE
<i>Microtus montanus</i> (Peale)	Montane Vole	M-MIMO
ssp: <i>canescens</i> Bailey	Montane Vole <i>canescens</i>	
<i>Microtus oeconomus</i> (Pallas)	Tundra Vole	M-MIOE
ssp: <i>yakutatensis</i> Merriam	Tundra Vole <i>yakutatensis</i>	

Vertebrates of British Columbia

<i>Microtus oregoni</i> (Bachman)	Creeping Vole	M-MIOR
ssp: <i>serpens</i> Merriam	Creeping Vole <i>serpens</i>	
<i>Microtus pennsylvanicus</i> (Ord)	Meadow Vole	M-MIPE
ssp: <i>drummondii</i>	Meadow Vole <i>drummondii</i>	M-MIPE-DR
(Audubon and Bachman)		
<i>modestus</i> (Baird)	Meadow Vole <i>modestus</i>	M-MIPE-MO
<i>Microtus richardsoni</i> (DeKay)	Water Vole	M-MIRI
ssp: <i>arvicoloides</i> (Rhoads)	Water Vole <i>arvicoloides</i>	M-MIRI-AR
<i>richardsoni</i> (DeKay)	Water Vole <i>richardsoni</i>	M-MIRI-RI
<i>Microtus townsendii</i> (Bachman)	Townsend's Vole	M-MITO
ssp: <i>cowani</i> Guiguet	Townsend's Vole <i>cowani</i>	M-MITO-CO
<i>cummingi</i> Hall	Townsend's Vole <i>cummingi</i>	M-MITO-CU
<i>laingi</i> Anderson and Rand	Townsend's Vole <i>laingi</i>	M-MITO-LA
<i>tetramerus</i> (Rhoads)	Townsend's Vole <i>tetramerus</i>	M-MITO-TE
<i>townsendii</i> (Bachman)	Townsend's Vole <i>townsendii</i>	M-MITO-TO
<i>Mimus polyglottos</i> (Linnaeus)	Northern Mockingbird	B-NOMO
ssp: <i>leucopterus</i> (Vigors)	Northern Mockingbird <i>leucopterus</i>	
<i>Mirounga angustirostris</i> (Gill)	Northern Elephant Seal	M-MIAN
<i>Mniotilta varia</i> (Linnaeus)	Black-and-white Warbler	B-BAWW
<i>Mola mola</i> (Linnaeus)	Ocean Sunfish	F-MOMO
<i>Molothrus ater</i> (Boddaert)	Brown-headed Cowbird	B-BHCO
ssp: <i>artemisiae</i> Grinnell	Brown-headed Cowbird <i>artemisiae</i>	
<i>Monticola solitarius</i> (Linnaeus)	Blue Rock-Thrush	B-BRTR
ssp: <i>philippensis</i> (Müller)	Blue Rock-Thrush <i>philippensis</i>	
<i>Morone saxatilis</i> (Walbaum)	Striped Bass	F-MOSA
<i>Motacilla flava</i> Linnaeus	Yellow Wagtail	B-YEWG
ssp: <i>tschutschensis</i> (Gmelin)	Yellow Wagtail <i>tschutschensis</i>	
<i>Motacilla lugens</i> Gloger	Black-backed Wagtail	B-BBWG
<i>Mus musculus</i> Linnaeus	House Mouse	M-MUMU
ssp: <i>domesticus</i> Ruddy	House Mouse <i>domesticus</i>	
<i>Mustela erminea</i> Linnaeus	Ermine	M-MUER
ssp: <i>anguinae</i> Hall	Ermine <i>anguinae</i>	M-MUER-AN
<i>fallenda</i> Hall	Ermine <i>fallenda</i>	M-MUER-FA
<i>haidarum</i> (Preble)	Ermine <i>haidarum</i>	M-MUER-HA
<i>invicta</i> Hall	Ermine <i>invicta</i>	M-MUER-IN
<i>richardsonii</i> Bonaparte	Ermine <i>richardsonii</i>	M-MUER-RI
<i>Mustela frenata</i> Lichenstein	Long-tailed Weasel	M-MUFR
ssp: <i>altifrontalis</i> Hall	Long-tailed Weasel <i>altifrontali</i>	M-MUFR-AL
<i>nevadensis</i> Hall	Long-tailed Weasel <i>nevadensis</i>	M-MUFR-NE
<i>oribasus</i> (Bangs)	Long-tailed Weasel <i>oribasus</i>	M-MUFR-OR
<i>Mustela nivalis</i> Linnaeus	Least Weasel	M-MUNI
ssp: <i>rixosa</i> (Bangs)	Least Weasel <i>rixosa</i>	
<i>Mustela vison</i> Schreber	Mink	M-MUVI
ssp: <i>energumenos</i> (Bangs)	Mink <i>energumenos</i>	M-MUVI-EN
<i>evagor</i> Hall	Mink <i>evagor</i>	M-MUVI-EV
<i>Myadestes townsendi</i> (Audubon)	Townsend's Solitaire	B-TOSO
ssp: <i>townsendi</i> (Audubon)	Townsend's Solitaire <i>townsendi</i>	
<i>Mycteria americana</i> Linnaeus	Wood Stork	B-WOST

Alphabetical Sequence by Scientific Names

<i>Myiarchus cinerascens</i> (Lawrence)	Ash-throated Flycatcher	B-ATFL
ssp: <i>cinerascens</i> (Lawrence)	Ash-throated Flycatcher <i>cinerascens</i>	
<i>Myiarchus crinitus</i> (Linnaeus)	Great Crested Flycatcher	B-GCFL
ssp: <i>boreus</i> Bangs	Great Crested Flycatcher <i>boreus</i>	
<i>Myioborus pictus</i> (Swainson)	Painted Redstart	B-PARE
ssp: <i>pictus</i> (Swainson)	Painted Redstart <i>pictus</i>	
<i>Mylocheilus caurinus</i> (Richardson)	Peamouth	F-MYCA
<i>Myotis californicus</i>	California Myotis	M-MYCA
(Audubon and Bachman)		
ssp: <i>californicus</i>	California Myotis <i>californicus</i>	M-MYCA-CA
(Audubon and Bachman)		
<i>caurinus</i> Miller	California Myotis <i>caurinus</i>	M-MYCA-CU
<i>Myotis ciliolabrum</i> (Merriam)	Western Small-footed Myotis	M-MYCI
ssp: <i>melanorhinus</i> (Merriam)	Western Small-footed Myotis <i>melanorhinus</i>	
<i>Myotis evotis</i> (H. Allen)	Western Long-eared Myotis	M-MYEV
ssp: <i>chrysonotus</i> (J.A. Allen)	Western Long-eared Myotis <i>chrysonotus</i>	M-MYEV-CH
<i>pacificus</i> Dalquest	Western Long-eared Myotis <i>pacificus</i>	M-MYEV-PA
<i>Myotis keenii</i> (Merriam)	Keen's Long-eared Myotis	M-MYKE
<i>Myotis lucifugus</i> (Le Conte)	Little Brown Myotis	M-MYLU
ssp: <i>alascensis</i> Miller	Little Brown Myotis <i>alascensis</i>	M-MYLU-AL
<i>carissima</i> Thomas	Little Brown Myotis <i>carissima</i>	M-MYLU-CA
<i>lucifugus</i> (Le Conte)	Little Brown Myotis <i>lucifugus</i>	M-MYLU-LU
<i>Myotis septentrionalis</i> (Trouessart)	Northern Long-eared Myotis	M-MYSE
<i>Myotis thysanodes</i> Miller	Fringed Myotis	M-MYTH
ssp: <i>thysanodes</i> Miller	Fringed Myotis <i>thysanodes</i>	
<i>Myotis volans</i> (H. Allen)	Long-legged Myotis	M-MYVO
ssp: <i>longricus</i> True	Long-legged Myotis <i>longricus</i>	
<i>Myotis yumanensis</i> (H. Allen)	Yuma Myotis	M-MYYU
ssp: <i>saturatus</i> Miller	Yuma Myotis <i>saturatus</i>	M-MYYU-SA
<i>sociabilis</i> Grinnell	Yuma Myotis <i>sociabilis</i>	M-MYYU-SO
<i>Myoxocephalus polyacanthocephalus</i>	Great Sculpin	F-MYPO
(Pallas)		
<i>Myoxocephalus verrucosus</i> (Bean)	Warty Sculpin	F-MYVE
<i>Nansenia candida</i> Cohen	Bluethroat Argentine	F-NACA
<i>Nansenia crassa</i> Lavenberg	Giant Bluethroat	F-NACR
<i>Naucrates ductor</i> (Linnaeus)	Pilotfish	F-NADU
<i>Nautichthys oculo-fasciatus</i> (Girard)	Sailfin Sculpin	F-NAOC
<i>Nautichthys robustus</i> Peden	Smallsail Sculpin	F-NARO
<i>Nectoliparis pelagicus</i>	Tadpole Snailfish	F-NEPE
Gilbert and Burke		
<i>Nemichthys scolopaceus</i> Richardson	Slender Snipe Eel	F-NESC
<i>Neoscopelus macrolepidotus</i> Johnson	Glowingfish	F-NEMA
<i>Neotoma cinerea</i> (Ord)	Bushy-tailed Woodrat	M-NECI
ssp: <i>cinerea</i> (Ord)	Bushy-tailed Woodrat <i>cinerea</i>	M-NECI-CI
<i>drummondii</i> (Richardson)	Bushy-tailed Woodrat <i>drummondii</i>	M-NECI-DR
<i>occidentalis</i> Baird	Bushy-tailed Woodrat <i>occidentalis</i>	M-NECI-OC

Vertebrates of British Columbia

<i>Neurotrichus gibbsii</i> (Baird)	Shrew-mole	M-NEGI
ssp: <i>gibbsii</i> (Baird)	Shrew-mole <i>gibbsii</i>	
<i>Nezumia stelgidolepis</i> (Gilbert)	California Grenadier	F-NEST
<i>Notacanthus chemnitzii</i> Bloch	Snubnosed Spinyeel	F-NOCH
<i>Notolepis rissoi</i> (Bonaparte)	White Barracudina	F-NORI
<i>Notorynchus cepedianus</i> (Peron)	Sevengill Shark	F-NOCE
<i>Notoscopelus japonicus</i> (Tanaka)	Spiny Lanternfish	F-NOJA
<i>Notoscopelus resplendens</i> (Richardson)	Patchwork Lampfish	F-NORE
<i>Notropis atherinoides</i> Rafinesque	Emerald Shiner	F-NOAT
<i>Notropis hudsonius</i> (Clinton)	Spottail Shiner	F-NOHU
<i>Nucifraga columbiana</i> (Wilson)	Clark's Nutcracker	B-CLNU
<i>Numenius americanus</i> Bechstein	Long-billed Curlew	B-LBCU
ssp: <i>parvus</i> Bishop	Long-billed Curlew <i>parvus</i>	
<i>Numenius madagascariensis</i> (Linnaeus)	Far Eastern Curlew	B-FECU
<i>Numenius phaeopus</i> (Linnaeus)	Whimbrel	B-WHIM
ssp: <i>hudsonicus</i> (Latham)	Whimbrel <i>hudsonicus</i>	
<i>Numenius tahitiensis</i> (Gmelin)	Bristle-thighed Curlew	B-BTCU
<i>Nyctea scandiaca</i> (Linnaeus)	Snowy Owl	B-SNOW
<i>Nycticorax nycticorax</i> (Linnaeus)	Black-crowned Night-Heron	B-BCNH
ssp: <i>hoactli</i> (Gmelin)	Black-crowned Night-Heron <i>hoactli</i>	
<i>Ocella impi</i> Gruchy	Pixy Poacher	F-OCIM
<i>Oceanodroma furcata</i> (Gmelin)	Fork-tailed Storm-Petrel	B-FTSP
ssp: <i>plumbea</i> (Peale)	Fork-tailed Storm-Petrel <i>plumbea</i>	
<i>Oceanodroma leucorhoa</i> (Vieillot)	Leach's Storm-Petrel	B-LSPE
ssp: <i>beali</i> (Emerson)	Leach's Storm-Petrel <i>beali</i>	
<i>Ochotona collaris</i> (Nelson)	Collared Pika	M-OCCO
<i>Ochotona princeps</i> (Richardson)	Common Pika	M-OCPR
ssp: <i>brooksi</i> Howell	Common Pika <i>brooksi</i>	M-OCPR-BR
<i>brunnescens</i> Howell	Common Pika <i>brunnescens</i>	M-OCPR-BU
<i>cuppes</i> Bangs	Common Pika <i>cuppes</i>	M-OCPR-CU
<i>fenisex</i> (Lord)	Common Pika <i>fenisex</i>	M-OCPR-FE
<i>littoralis</i> Cowan	Common Pika <i>littoralis</i>	M-OCPR-LI
<i>princeps</i> (Richardson)	Common Pika <i>princeps</i>	M-OCPR-PR
<i>saturatus</i> Cowan	Common Pika <i>saturatus</i>	M-OCPR-SA
<i>septentrionalis</i> Cowan and Racey	Common Pika <i>septentrionalis</i>	M-OCPR-SE
<i>Odocoileus hemionus</i> (Rafinesque)	Mule Deer	M-ODHE
ssp: <i>columbianus</i> (Richardson)	Mule Deer <i>columbianus</i>	M-ODHE-CO
<i>hemionus</i> (Rafinesque)	Mule Deer <i>hemionus</i>	M-ODHE-HE
<i>sitkensis</i> Merriam	Mule Deer <i>sitkensis</i>	M-ODHE-SI
<i>Odocoileus virginianus</i> (Zimmermann)	White-tailed Deer	M-ODVI
ssp: <i>dacotensis</i> Goldman and Kellog	White-tailed Deer <i>dacotensis</i>	M-ODVI-DA
<i>ochrourus</i> Bailey	White-tailed Deer <i>ochrourus</i>	M-ODVI-OC
<i>Odontopyxis trispinosa</i> Lockington	Pygmy Poacher	F-ODTR
<i>Oenanthe oenanthe</i> (Linnaeus)	Northern Wheatear	B-NOWH
ssp: <i>oenanthe</i> (Linnaeus)	Northern Wheatear <i>oenanthe</i>	
<i>Oligocottus maculosus</i> Girard	Tidepool Sculpin	F-OLMA

Alphabetical Sequence by Scientific Names

<i>Oligocottus rimensis</i> (Greeley)	Saddleback Sculpin	F-OLRI
<i>Oligocottus snyderi</i> Greeley	Fluffy Sculpin	F-OLSN
<i>Oncorhynchus clarki</i> (Richardson)	Cutthroat Trout	F-ONCL
ssp: <i>clarki</i> (Richardson)	Cutthroat Trout <i>clarki</i>	F-ONCL-CL
<i>lewisi</i> (Girard)	Cutthroat Trout <i>lewisi</i>	F-ONCL-LE
<i>Oncorhynchus gorbuscha</i> (Walbaum)	Pink Salmon	F-ONGO
<i>Oncorhynchus keta</i> (Walbaum)	Chum Salmon	F-ONKE
<i>Oncorhynchus kisutch</i> (Walbaum)	Coho Salmon	F-ONKI
<i>Oncorhynchus mykiss</i> (Walbaum)	Rainbow Trout	F-ONMY
<i>Oncorhynchus nerka</i> (Walbaum)	Sockeye Salmon	F-ONNE
pop: Kokanee		
Okanagan Kokanee		
<i>Oncorhynchus tshawytscha</i> (Walbaum)	Chinook Salmon	F-ONTS
<i>Ondatra zibethicus</i> (Linnaeus)	Muskrat	M-ONZI
ssp: <i>osoyoosensis</i> (Lord)	Muskrat <i>osoyoosensis</i>	M-ONZI-OS
<i>spatulata</i> (Osgood)	Muskrat <i>spatulata</i>	M-ONZI-SP
<i>Oneirodes bulbosus</i> Chapman	Bulbous Dreamer	F-ONBU
<i>Oneirodes thompsoni</i> (Schultz)	Spiny Dreamer	F-ONTH
<i>Ophiodon elongatus</i> Girard	Lingcod	F-OPEL
<i>Oporornis agilis</i> (Wilson)	Connecticut Warbler	B-COWA
<i>Oporornis philadelphia</i> (Wilson)	Mourning Warbler	B-MOWA
<i>Oporornis tolmiei</i> (Townsend)	MacGillivray's Warbler	B-MACW
ssp: <i>tolmiei</i> (Townsend)	MacGillivray's Warbler <i>tolmiei</i>	
<i>Opostomias mitsuii</i> Imai	Pitgum Dragonfish	F-OPMI
<i>Orcinus orca</i> (Linnaeus)	Killer Whale	M-OROR
<i>Oreamnos americanus</i> (Blainville)	Mountain Goat	M-ORAM
<i>Oreortyx pictus</i> (Douglas)	Mountain Quail	B-MOQU
ssp: <i>palmeri</i> (Oberholser)	Mountain Quail <i>palmeri</i>	
<i>Oreoscoptes montanus</i> (Townsend)	Sage Thrasher	B-SATH
<i>Oryctolagus cuniculus</i> (Linnaeus)	European Rabbit	M-ORCU
<i>Osmerus mordax</i> (Mitchill)	Rainbow Smelt	F-OSMO
<i>Osteodiscus cascadiae</i> Stein	Bigtailed Snailfish	F-OSCA
<i>Otus flammeolus</i> (Kaup)	Flammulated Owl	B-FLOW
ssp: <i>idahoensis</i> (Merriam)	Flammulated Owl <i>idahoensis</i>	
<i>Otus kennicottii</i> (Elliot)	Western Screech-Owl	B-WSOW
ssp: <i>kennicottii</i> (Elliot)	Western Screech-Owl <i>kennicottii</i>	B-WSOW-KE
<i>macfarlanei</i> (Brewster)	Western Screech-Owl <i>macfarlanei</i>	B-WSOW-MA
<i>Ovis canadensis</i> Shaw	Bighorn Sheep	M-OVCA
ssp: <i>canadensis</i> Shaw	Bighorn Sheep <i>canadensis</i>	
<i>Ovis dalli</i> Nelson	Thinhorn Sheep	M-OVDA
ssp: <i>dalli</i> Nelson	Thinhorn Sheep <i>dalli</i>	M-OVDA-DA
<i>stonei</i> Allen	Thinhorn Sheep <i>stonei</i>	M-OVDA-ST
<i>Oxylebius pictus</i> Gill	Painted Greenling	F-OXPI
<i>Oxyura jamaicensis</i> (Gmelin)	Ruddy Duck	B-RUDU
ssp: <i>rubida</i> (Wilson)	Ruddy Duck <i>rubida</i>	
<i>Pachycara bulbiceps</i> (Garman)	Abyssal Eelpout	F-PABU
<i>Pachycara gymninium</i>	Nakedneck Eelpout	F-PAGY
Anderson and Peden		

Vertebrates of British Columbia

<i>Pachycara lepinium</i> Anderson and Peden	Scalyneck Eelpout	F-PALE
<i>Pagophila eburnea</i> (Phipps)	Ivory Gull	B-IVGU
<i>Pallasina barbata</i> (Steindachner)	Tubenose Poacher	F-PABA
<i>Pandion haliaetus</i> (Linnaeus) ssp: <i>carolinensis</i> (Gmelin)	Osprey Osprey <i>carolinensis</i>	B-OSPR
<i>Paralepis atlantica</i> Kroyer	Duckbill Barracudina	F-PAAT
<i>Paraliparis cephalus</i> Gilbert	Swellhead Snailfish	F-PACE
<i>Paraliparis deani</i> Burke	Prickly Snailfish	F-PADE
<i>Paraliparis latifrons</i> Garman	Bigpored Snailfish	F-PALA
<i>Paraliparis melanobranchus</i> Gilbert and Burke	Phantom Snailfish	F-PAME
<i>Paraliparis paucidens</i> Stein	Toothless Snailfish	F-PAPA
<i>Paraliparis pectoralis</i> Stein	Pectoral Snailfish	F-PAPE
<i>Paraliparis rosaceus</i> Gilbert	Pink Snailfish	F-PARO
<i>Paraliparis ulochir</i> (Gilbert)	Broadfin Snailfish	F-PAUL
<i>Paricelinus hopliticus</i> Eigenmann and Eigenmann	Thornback Sculpin	F-PAHO
<i>Parula americana</i> (Linnaeus)	Northern Parula	B-NOPA
<i>Passer domesticus</i> (Linnaeus) ssp: <i>domesticus</i> (Linnaeus)	House Sparrow House Sparrow <i>domesticus</i>	B-HOSP
<i>Passerculus sandwichensis</i> (Gmelin) ssp: <i>anthinus</i> (Bonaparte)	Savannah Sparrow Savannah Sparrow <i>anthinus</i>	B-SAVS B-SAVS-AN
<i>brooksi</i> Bishop	Savannah Sparrow <i>brooksi</i>	B-SAVS-BR
<i>nevadensis</i> Grinnell	Savannah Sparrow <i>nevadensis</i>	B-SAVS-NE
<i>sandwichensis</i> (Gmelin)	Savannah Sparrow <i>sandwichensis</i>	B-SAVS-SA
<i>Passerella iliaca</i> (Merrem) ssp: <i>altivagans</i> Riley	Fox Sparrow Fox Sparrow <i>altivagans</i>	B-FOSP B-FOSP-AL
<i>annectens</i> Ridgway	Fox Sparrow <i>annectens</i>	B-FOSP-AN
<i>chilcatensis</i> Webster	Fox Sparrow <i>chilcatensis</i>	B-FOSP-CH
<i>fuliginosa</i> Ridgway	Fox Sparrow <i>fuliginosa</i>	B-FOSP-FU
<i>insularis</i> Ridgway	Fox Sparrow <i>insularis</i>	B-FOSP-IN
<i>olivacea</i> Aldrich	Fox Sparrow <i>olivacea</i>	B-FOSP-OL
<i>schistacea</i> (Baird)	Fox Sparrow <i>schistacea</i>	B-FOSP-SC
<i>sinuosa</i> Grinnell	Fox Sparrow <i>sinuosa</i>	B-FOSP-SI
<i>townsendi</i> (Audubon)	Fox Sparrow <i>townsendi</i>	B-FOSP-TO
<i>unalaschensis</i> (Gmelin)	Fox Sparrow <i>unalaschensis</i>	B-FOSP-UN
<i>zaboria</i> Oberholser	Fox Sparrow <i>zaboria</i>	B-FOSP-ZA
<i>Passerina amoena</i> (Say)	Lazuli Bunting	B-LZBU
<i>Passerina cyanea</i> (Linnaeus)	Indigo Bunting	B-INBU
<i>Pelecanus erythrorhynchos</i> Gmelin	American White Pelican	B-AWPE
<i>Pelecanus occidentalis</i> Linnaeus ssp: <i>californicus</i> (Ridgway)	Brown Pelican Brown Pelican <i>californicus</i>	B-BRPE
<i>Pentaceros wheeleri</i> Hardy	North Pacific Pelagic Armorhead	F-PEWH
<i>Peprilus simillimus</i> (Ayres)	Pacific Pompano	F-PESI
<i>Perca flavescens</i> (Mitchill)	Yellow Perch	F-PEFL
<i>Percopsis omiscomaycus</i> (Walbaum)	Troutperch	F-PEOM

Alphabetical Sequence by Scientific Names

<i>Perdix perdix</i> (Linnaeus)	Gray Partridge	B-GRPA
ssp: <i>perdix</i> (Linnaeus)	Gray Partridge <i>perdix</i>	
<i>Perisoreus canadensis</i> (Linnaeus)	Gray Jay	B-GRJA
ssp: <i>albescens</i> Peters	Gray Jay <i>albescens</i>	B-GRJA-AL
<i>bicolor</i> Miller	Gray Jay <i>bicolor</i>	B-GRJA-BI
<i>obscurus</i> (Ridgway)	Gray Jay <i>obscurus</i>	B-GRJA-OB
<i>pacificus</i> (Gmelin)	Gray Jay <i>pacificus</i>	B-GRJA-PA
<i>Perognathus parvus</i> (Peale)	Great Basin Pocket Mouse	M-PEPA
ssp: <i>laingi</i> Anderson	Great Basin Pocket Mouse <i>laingi</i>	M-PEPA-LA
<i>lordi</i> (Gray)	Great Basin Pocket Mouse <i>lordi</i>	M-PEPA-LO
<i>Peromyscus keeni</i> (Rhoads)	Keen's Mouse	M-PEKE
ssp: <i>algidus</i> Osgood	Keen's Mouse <i>algidus</i>	M-PEKE-AL
<i>cancrivorous</i>	Keen's Mouse <i>cancrivorous</i>	M-PEKE-CA
McCabe and Cowan		
<i>interdictus</i> Anderson	Keen's Mouse <i>interdictus</i>	M-PEKE-IN
<i>isolatus</i> Cowan	Keen's Mouse <i>isolatus</i>	M-PEKE-IS
<i>keeni</i> (Rhoads)	Keen's Mouse <i>keeni</i>	M-PEKE-KE
<i>macrorhinus</i> (Rhoads)	Keen's Mouse <i>macrorhinus</i>	M-PEKE-MA
<i>maritimus</i> McCabe and Cowan	Keen's Mouse <i>maritimus</i>	M-PEKE-MR
<i>oreas</i> Bangs	Keen's Mouse <i>oreas</i>	M-PEKE-OR
<i>pluvialis</i> McCabe and Cowan	Keen's Mouse <i>pluvialis</i>	M-PEKE-PL
<i>prevostensis</i> Osgood	Keen's Mouse <i>prevostensis</i>	M-PEKE-PR
<i>rubriventer</i> McCabe and Cowan	Keen's Mouse <i>rubriventer</i>	M-PEKE-RU
<i>Peromyscus maniculatus</i> (Wagner)	Deer Mouse	M-PEMA
ssp: <i>alpinus</i> Cowan	Deer Mouse <i>alpinus</i>	M-PEMA-AL
<i>artemisiae</i> (Rhoads)	Deer Mouse <i>artemisiae</i>	M-PEMA-AR
<i>austerus</i> (Baird)	Deer Mouse <i>austerus</i>	M-PEMA-AU
<i>borealis</i> Mearns	Deer Mouse <i>borealis</i>	M-PEMA-BO
<i>Petrochelidon pyrrhonota</i> Vieillot	Cliff Swallow	B-CLSW
ssp: <i>hypopolia</i> (Oberholser)	Cliff Swallow <i>hypopolia</i>	B-CLSW-HY
<i>pyrrhonota</i> (Vieillot)	Cliff Swallow <i>pyrrhonota</i>	B-CLSW-PY
<i>Phaethon rubricauda</i> Boddaert	Red-tailed Tropicbird	B-RTTR
ssp: <i>rothschildi</i> (Mathews)	Red-tailed Tropicbird <i>rothschildi</i>	
<i>Phalacrocorax auritus</i> (Lesson)	Double-crested Cormorant	B-DCCO
ssp: <i>albociliatus</i> (Ridgway)	Double-crested Cormorant <i>albociliatus</i>	B-DCCO-AL
<i>cincinatus</i> (Brandt)	Double-crested Cormorant <i>cincinatus</i>	B-DCCO-CI
<i>Phalacrocorax pelagicus</i> Pallas	Pelagic Cormorant	B-PECO
ssp: <i>pelagicus</i> (Pallas)	Pelagic Cormorant <i>pelagicus</i>	B-PECO-PE
<i>resplendens</i> (Audubon)	Pelagic Cormorant <i>resplendens</i>	B-PECO-RE
<i>Phalacrocorax penicillatus</i> (Brandt)	Brandt's Cormorant	B-BRCO
<i>Phalacrocorax urile</i> (Gmelin)	Red-faced Cormorant	B-RFCO
<i>Phalaenoptilus nuttallii</i> (Audubon)	Common Poorwill	B-COPO
ssp: <i>nuttallii</i> (Audubon)	Common Poorwill <i>nuttallii</i>	
<i>Phalaropus fulicaria</i> (Linnaeus)	Red Phalarope	B-REPH
<i>Phalaropus lobatus</i> (Linnaeus)	Red-necked Phalarope	B-RNPL
<i>Phalaropus tricolor</i> (Vieillot)	Wilson's Phalarope	B-WIPH
<i>Phanerodon furcatus</i> Girard	White Seaperch	F-PHFU
<i>Phasianus colchicus</i> Linnaeus	Ring-necked Pheasant	B-RNPH

Vertebrates of British Columbia

<i>Phenacomys intermedius</i> Merriam	Heather Vole	M-PHIN
ssp: <i>intermedius</i> Merriam	Heather Vole <i>intermedius</i>	M-PHIN-IN
<i>laingi</i> Anderson	Heather Vole <i>laingi</i>	M-PHIN-LA
<i>levis</i> Howell	Heather Vole <i>levis</i>	M-PHIN-LE
<i>mackenzii</i> Preble	Heather Vole <i>mackenzii</i>	M-PHIN-MA
<i>oramontis</i> Rhoads	Heather Vole <i>oramontis</i>	M-PHIN-OR
<i>Pheucticus ludovicianus</i> (Linnaeus)	Rose-breasted Grosbeak	B-RBGR
<i>Pheucticus melanocephalus</i> (Swainson)	Black-headed Grosbeak	B-BHGR
ssp: <i>maculatus</i> (Audubon)	Black-headed Grosbeak <i>maculatus</i>	B-BHGR-MA
<i>melanocephala</i> (Swainson)	Black-headed Grosbeak <i>melanocephala</i>	B-BHGR-ME
<i>Philomachus pugnax</i> (Linnaeus)	Ruff	B-RUFF
<i>Phoca vitulina</i> Linnaeus	Harbour Seal	M-PHVI
ssp: <i>richardii</i> (Gray)	Harbour Seal <i>richards</i>	
<i>Phocoena phocoena</i> (Linnaeus)	Harbour Porpoise	M-PHPH
<i>Phocoenoides dalli</i> (True)	Dall's Porpoise	M-PHDA
<i>Phoebastria albatrus</i> (Pallas)	Short-tailed Albatross	B-STAL
<i>Phoebastria immutabilis</i> (Rothschild)	Laysan Albatross	B-LAAL
<i>Phoebastria nigripes</i> (Audubon)	Black-footed Albatross	B-BFAL
<i>Pholis clemensi</i> Rosenblatt	Longfin Gunnel	F-PHCL
<i>Pholis laeta</i> (Cope)	Crescent Gunnel	F-PHLA
<i>Pholis ornata</i> (Girard)	Saddleback Gunnel	F-PHOR
<i>Pholis schultzi</i> Hubbs	Red Gunnel	F-PHSC
<i>Phoxinus eos</i> (Cope)	Northern Redbelly Dace	F-PHEO
<i>Phoxinus neogaeus</i> (Cope)	Finescale Dace	F-PHNE
<i>Phrynosoma douglasi</i> (Bell)	Pigmy Short-horned Lizard	R-PHDO
<i>Physeter macrocephalus</i> Linnaeus	Sperm Whale	M-PHMA
<i>Phytichthys chirus</i> (Jordan and Gilbert)	Ribbon Prickleback	F-PHCH
<i>Pica hudsonia</i> (Linnaeus)	Black-billed Magpie	B-BBMA
ssp: <i>hudsonia</i> (Sabine)	Black-billed Magpie <i>hudsonia</i>	
<i>Picoides albolarvatus</i> (Cassin)	White-headed Woodpecker	B-WHWO
ssp: <i>albolarvatus</i> (Cassin)	White-headed Woodpecker <i>albolarvatus</i>	
<i>Picoides arcticus</i> (Swainson)	Black-backed Woodpecker	B-BBWO
<i>Picoides pubescens</i> (Linnaeus)	Downy Woodpecker	B-DOWO
ssp: <i>gairdneri</i> (Audubon)	Downy Woodpecker <i>gairdneri</i>	B-DOWO-GA
<i>leucurus</i> (Hartlaub)	Downy Woodpecker <i>leucurus</i>	B-DOWO-LE
<i>nelsoni</i> (Oberholser)	Downy Woodpecker <i>nelsoni</i>	B-DOWO-NE
<i>Picoides tridactylus</i> (Linnaeus)	Three-toed Woodpecker	B-TTWO
ssp: <i>fasciatus</i> (Baird)	Three-toed Woodpecker <i>fasciatus</i>	
<i>Picoides villosus</i> (Linnaeus)	Hairy Woodpecker	B-HAWO
ssp: <i>harrisi</i> (Audubon)	Hairy Woodpecker <i>harrisi</i>	B-HAWO-HA
<i>monticola</i> (Anthony)	Hairy Woodpecker <i>monticola</i>	B-HAWO-MO
<i>orius</i> (Oberholser)	Hairy Woodpecker <i>orius</i>	B-HAWO-OR
<i>picoideus</i> (Osgood)	Hairy Woodpecker <i>picoideus</i>	B-HAWO-PI
<i>septentrionalis</i> (Nuttall)	Hairy Woodpecker <i>septentrionalis</i>	B-HAWO-SE
<i>sitkensis</i> (Swarth)	Hairy Woodpecker <i>sitkensis</i>	B-HAWO-SI
<i>Pimephales promelas</i> Rafinesque	Flathead Minnow	F-PIPR

Alphabetical Sequence by Scientific Names

<i>Pinicola enucleator</i> (Linnaeus)	Pine Grosbeak	B-PIGR
ssp: <i>alascensis</i> Ridgway	Pine Grosbeak <i>alascensis</i>	B-PIGR-AL
<i>carlottae</i> Brooks	Pine Grosbeak <i>carlottae</i>	B-PIGR-CA
<i>flammula</i> (Homeyer)	Pine Grosbeak <i>flammula</i>	B-PIGR-FL
<i>montana</i> Ridgway	Pine Grosbeak <i>montana</i>	B-PIGR-MO
<i>Pipilo chlorurus</i> (Audubon)	Green-tailed Towhee	B-GTTO
<i>Pipilo maculatus</i> Swainson	Spotted Towhee	B-SPTO
ssp: <i>curtatus</i> Grinnell	Spotted Towhee <i>curtatus</i>	B-SPTO-CU
<i>oregonus</i> (Bell)	Spotted Towhee <i>oregonus</i>	B-SPTO-OR
<i>Piranga ludoviciana</i> (Wilson)	Western Tanager	B-WETA
<i>Piranga olivacea</i> (Gmelin)	Scarlet Tanager	B-SCTA
<i>Pituophis catenifer</i> (Blainville)	Gopher Snake	R-PICA
ssp: <i>catenifer</i> (Blainville)	Gopher Snake <i>catenifer</i>	R-PICA-CA
<i>deserticola</i> Stejneger	Gopher Snake <i>deserticola</i>	R-PICA-DE
<i>Platichthys stellatus</i> Pallas	Starry Flounder	F-PLST
<i>Platygobio gracilis</i> (Richardson)	Flathead Chub	F-PLGR
<i>Plectrobranchus evides</i> Gilbert	Bluebarred Prickleback	F-PLEV
<i>Plectrophenax hyperboreus</i> Ridgway	McKay's Bunting	B-MCBU
<i>Plectrophenax nivalis</i> (Linnaeus)	Snow Bunting	B-SNBU
ssp: <i>nivalis</i> (Linnaeus)	Snow Bunting <i>nivalis</i>	
<i>Plegadis chihi</i> (Vieillot)	White-faced Ibis	B-WFIB
<i>Plethodon idahoensis</i> Slater and Slipp	Coeur d'Alene Salamander	A-PLID
<i>Plethodon vehiculum</i> (Cooper)	Western Red-backed Salamander	A-PLVE
<i>Pleurogrammus monopterygius</i> (Pallas)	Atka Mackerel	F-PLMO
<i>Pleuronectes asper</i> Pallas	Yellowfin Sole	F-PLAS
<i>Pleuronectes isolepis</i> (Lockington)	Butter Sole	F-PLIS
<i>Pleuronectes vetulus</i> (Girard)	English Sole	F-PLVE
<i>Pleuronichthys coenosus</i> Girard	C-0 Sole	F-PLCO
<i>Pleuronichthys decurrens</i> Jordan and Gilbert	Curlfin Sole	F-PLDE
<i>Pluvialis dominica</i> (Müller)	American Golden-Plover	B-AGPL
<i>Pluvialis fulva</i> (Gmelin)	Pacific Golden-Plover	B-PGPL
<i>Pluvialis squatarola</i> (Linnaeus)	Black-bellied Plover	B-BBPL
<i>Podarcis muralis</i> (Laurenti)	Common Wall Lizard	R-POMU
<i>Podiceps auritus</i> (Linnaeus)	Horned Grebe	B-HOGR
ssp: <i>cornutus</i> (Gmelin)	Horned Grebe <i>cornutus</i>	
<i>Podiceps grisegena</i> (Boddaert)	Red-necked Grebe	B-RNGR
ssp: <i>holbollii</i> (Reinhardt)	Red-necked Grebe <i>holbollii</i>	
<i>Podiceps nigricollis</i> Brehm	Eared Grebe	B-EAGR
ssp: <i>californicus</i> (Heermann)	Eared Grebe <i>californicus</i>	
<i>Podilymbus podiceps</i> (Linnaeus)	Pied-billed Grebe	B-PBGR
ssp: <i>podiceps</i> (Linnaeus)	Pied-billed Grebe <i>podiceps</i>	
<i>Podothecus acipenserinus</i> (Pallas)	Sturgeon Poacher	F-POAC
<i>Poecile atricapilla</i> (Linnaeus)	Black-capped Chickadee	B-BCCH
ssp: <i>fortuitus</i> Dawson and Bowles	Black-capped Chickadee <i>fortuitus</i>	B-BCCH-FO
<i>occidentalis</i> (Baird)	Black-capped Chickadee <i>occidentalis</i>	B-BCCH-OC
<i>septentrionalis</i> (Harris)	Black-capped Chickadee <i>septentrionalis</i>	B-BCCH-SE

Vertebrates of British Columbia

<i>Poecile gambeli</i> (Ridgway)	Mountain Chickadee	B-MOCH
ssp: <i>abbreviatus</i> (Grinnell)	Mountain Chickadee <i>abbreviatus</i>	
<i>Poecile hudsonica</i> (Forster)	Boreal Chickadee	B-BOCH
ssp: <i>columbianus</i> Rhoads	Boreal Chickadee <i>columbianus</i>	B-BOCH-CO
<i>farleyi</i> Godfrey	Boreal Chickadee <i>farleyi</i>	B-BOCH-FA
<i>Poecile rufescens</i> (Townsend)	Chestnut-backed Chickadee	B-CBCH
ssp: <i>rufescens</i> (Townsend)	Chestnut-backed Chickadee <i>rufescens</i>	
<i>Polioptila caerulea</i> (Linnaeus)	Blue-gray Gnatcatcher	B-BGGN
ssp: <i>amoenissima</i> Grinnell	Blue-gray Gnatcatcher <i>amoenissima</i>	
<i>Polyacanthonotus challengerii</i> (Vaillant)	Longnose Tapirfish	F-POCH
<i>Polysticta stelleri</i> (Pallas)	Steller's Eider	B-STEI
<i>Pomoxis nigromaculatus</i> (Lesueur)	Black Crappie	F-PONI
<i>Pooecetes gramineus</i> (Gmelin)	Vesper Sparrow	B-VESP
ssp: <i>affinis</i> Miller	Vesper Sparrow <i>affinis</i>	B-VESP-AF
<i>confinis</i> (Baird)	Vesper Sparrow <i>confinis</i>	B-VESP-CO
<i>Porichthys notatus</i> Girard	Plainfin Midshipman	F-PONO
<i>Poroclinus rothrocki</i> Bean	Whitebarred Prickleback	F-PORO
<i>Poromitra crassiceps</i> (Gunther)	Crested Ridgehead	F-POCR
<i>Porzana carolina</i> (Linnaeus)	Sora	B-SORA
<i>Prionace glauca</i> (Linnaeus)	Blue Shark	F-PRGL
<i>Procyon lotor</i> (Linnaeus)	Raccoon	M-PRLO
ssp: <i>pacificus</i> Merriam	Raccoon <i>pacificus</i>	M-PRLO-PA
<i>vancouverensis</i> Nelson and Goldman	Raccoon <i>vancouverensis</i>	M-PRLO-VA
<i>Progne subis</i> (Linnaeus)	Purple Martin	B-PUMA
ssp: <i>arboricola</i> Behle	Purple Martin <i>arboricola</i>	B-PUMA-AR
<i>subis</i> (Linnaeus)	Purple Martin <i>subis</i>	B-PUMA-SU
<i>Prosopium coulteri</i> (Eigenmann and Eigenmann)	Pygmy Whitefish	F-PRCO
<i>Prosopium cylindraceum</i> (Pallas)	Round Whitefish	F-PRCY
<i>Prosopium williamsoni</i> (Girard)	Mountain Whitefish	F-PRWI
<i>Protomyctophum crockeri</i> (Bolin)	California Flashlightfish	F-PRCR
<i>Protomyctophum thompsoni</i> (Chapman)	Northern Flashlightfish	F-PRTH
<i>Prunella montanella</i> (Pallas)	Siberian Accentor	B-SIAC
<i>Psaltriparus minimus</i> (Townsend)	Bushtit	B-BUSH
ssp: <i>saturatus</i> Ridgway	Bushtit <i>saturatus</i>	
<i>Psettichthys melanostictus</i> Girard	Sand Sole	F-PSME
<i>Pseudacris maculata</i> Agassiz	Boreal Chorus Frog	A-PSMA
<i>Pseudorca crassidens</i> (Owen)	False Killer Whale	M-PSCR
<i>Psychrolutes paradoxus</i> Gunther	Tadpole Sculpin	F-PSPA
<i>Psychrolutes phrictus</i> Stein and Bond	Giant Blobsculpin	F-PSPH
<i>Psychrolutes sigalutes</i> (Jordan and Starks)	Soft Sculpin	F-PSSI
<i>Pterodroma inexpectata</i> (Forster)	Mottled Petrel	B-MOPE
<i>Pterodroma ultima</i> Murphy	Murphy's Petrel	B-MUPE
<i>Ptilichthys goodei</i> Bean	Quillfish	F-PTGO

Alphabetical Sequence by Scientific Names

<i>Ptychocheilus oregonensis</i> (Richardson)	Pikeminnow	F-PTOR
<i>Ptychoramphus aleuticus</i> (Pallas) ssp: <i>aleuticus</i> (Pallas)	Cassin's Auklet Cassin's Auklet <i>aleuticus</i>	B-CAAU
<i>Puffinus bulleri</i> Salvin	Buller's Shearwater	B-BLSH
<i>Puffinus carneipes</i> Gould	Flesh-footed Shearwater	B-FFSH
<i>Puffinus creatopus</i> Coues	Pink-footed Shearwater	B-PFSH
<i>Puffinus griseus</i> (Gmelin)	Sooty Shearwater	B-SOSH
<i>Puffinus opisthomelas</i> Coues	Black-vented Shearwater	B-BVSH
<i>Puffinus puffinus</i> (Brünnich)	Manx Shearwater	B-MASH
<i>Puffinus tenuirostris</i> (Temminck)	Short-tailed Shearwater	B-STSH
<i>Puma concolor</i> (Linnaeus) ssp: <i>missoulensis</i> (Goldman)	Cougar Cougar <i>missoulensis</i>	M-PUCO M-PUCO-MI
<i>oregonensis</i> (Rafinesque)	Cougar <i>oregonensis</i>	M-PUCO-OR
<i>vancouverensis</i> (Nelson and Goldman)	Cougar <i>vancouverensis</i>	M-PUCO-VA
<i>Pungitius pungitius</i> (Linnaeus)	Ninespine Stickleback	F-PUPU
<i>Quiscalus mexicanus</i> (Gmelin)	Great-tailed Grackle	B-GTGR
<i>Quiscalus quiscula</i> (Linnaeus) ssp: <i>versicolor</i> (Vieillot)	Common Grackle Common Grackle <i>versicolor</i>	B-COGR
<i>Radulinus asprellus</i> Gilbert	Slim Sculpin	F-RAAS
<i>Radulinus boleoides</i> Gilbert	Darter Sculpin	F-RABO
<i>Raja badia</i> Garman	Broad Skate	F-RABA
<i>Raja binoculata</i> Girard	Big Skate	F-RABI
<i>Raja inornata</i> Jordan and Gilbert	California Skate	F-RAIN
<i>Raja rhina</i> Jordan and Gilbert	Longnose Skate	F-RARH
<i>Rallus limicola</i> Vieillot ssp: <i>limicola</i> (Vieillot)	Virginia Rail Virginia Rail <i>limicola</i>	B-VIRA
<i>Rana aurora</i> Baird and Girard ssp: <i>aurora</i> Baird and Girard	Red-legged Frog Red-legged Frog <i>aurora</i>	A-RAAU
<i>Rana catesbeiana</i> Shaw	Bullfrog	A-RACA
<i>Rana clamitans</i> Latreille ssp: <i>melanota</i> Rafinesque	Green Frog Green Frog <i>melanota</i>	A-RACL
<i>Rana luteiventris</i> Thompson	Columbia Spotted Frog	A-RALU
<i>Rana pipiens</i> Schreber	Northern Leopard Frog	A-RAPI
<i>Rana pretiosa</i> Baird and Girard	Oregon Spotted Frog	A-RAPR
<i>Rana sylvatica</i> LeConte	Wood Frog	A-RASY
<i>Rangifer tarandus</i> (Linnaeus) ssp: <i>caribou</i> (Gmelin)	Caribou Caribou <i>caribou</i>	M-RATA M-RATA-CA
<i>dawsoni</i> Seton-Thompson	Caribou <i>dawsoni</i>	M-RATA-DA
<i>Rattus norvegicus</i> (Berkenhout)	Norway Rat	M-RANO
<i>Rattus rattus</i> (Linnaeus)	Black Rat	M-RARA
<i>Recurvirostra americana</i> Gmelin	American Avocet	B-AMAV
<i>Regulus calendula</i> (Linnaeus) ssp: <i>calendula</i> (Linnaeus)	Ruby-crowned Kinglet Ruby-crowned Kinglet <i>calendula</i>	B-RCKI B-RCKI-CA
<i>cineraceus</i> Grinnell	Ruby-crowned Kinglet <i>cineraceus</i>	B-RCKI-CI
<i>grinnelli</i> Palmer	Ruby-crowned Kinglet <i>grinnelli</i>	B-RCKI-GR

Vertebrates of British Columbia

<i>Regulus satrapa</i> Lichtenstein	Golden-crowned Kinglet	B-GCKI
ssp: <i>amoenus</i> van Rossem	Golden-crowned Kinglet <i>amoenus</i>	B-GCKI-AM
<i>olivaceus</i> (Baird)	Golden-crowned Kinglet <i>olivaceus</i>	B-GCKI-OL
<i>satrapa</i> (Lichtenstein)	Golden-crowned Kinglet <i>satrapa</i>	B-GCKI-SA
<i>Reinhardtius hippolossoides</i> (Walbaum)	Greenland Halibut	F-REHI
<i>Reithrodontomys megalotis</i> (Baird)	Western Harvest Mouse	M-REME
ssp: <i>megalotis</i> (Baird)	Western Harvest Mouse <i>megalotis</i>	
<i>Remora australis</i> (Bennett)	Whalesucker	F-REAU
<i>Remora remora</i> (Linnaeus)	Sharksucker	F-RERE
<i>Rhacochilus vacca</i> (Girard)	Pile Perch	F-RHVA
<i>Rhamphocottus richardsonii</i> Gunther	Grunt Sculpin	F-RHRI
<i>Rhinichthys cataractae</i> (Valenciennes)	Longnose Dace	F-RHCA
<i>Rhinichthys falcatus</i> (Eigenmann and Eigenmann)	Leopard Dace	F-RHFA
<i>Rhinichthys osculus</i> Girard	Speckled Dace	F-RHOS
<i>Rhinichthys umatilla</i> (Gilbert and Evermann)	Umatilla Dace	F-RHUM
<i>Rhinoliparis attenuatus</i> Burke	Slim Snailfish	F-RHAT
<i>Rhinoliparis barbulifer</i> Gilbert	Longnose Snailfish	F-RHBA
<i>Rhodostethia rosea</i> (MacGillivray)	Ross's Gull	B-ROGU
<i>Richardsonius balteatus</i> (Richardson)	Redside Shiner	F-RIBA
<i>Rimicola muscarum</i> (Meek and Pierson)	Kelp Clingfish	F-RIMU
<i>Riparia riparia</i> (Linnaeus)	Bank Swallow	B-BKSW
ssp: <i>riparia</i> (Linnaeus)	Bank Swallow <i>riparia</i>	
<i>Rissa brevirostris</i> (Bruch)	Red-legged Kittiwake	B-RLKI
<i>Rissa tridactyla</i> (Linnaeus)	Black-legged Kittiwake	B-BLKI
ssp: <i>pollicaris</i> Stejn[eger]	Black-legged Kittiwake <i>pollicaris</i>	
<i>Ronquilus jordani</i> (Gilbert)	Northern Ronquil	F-ROJO
<i>Ruscarius meanyi</i> Jordan and Starks	Puget Sound Sculpin	F-RUME
<i>Sagamichthys abei</i> Parr	Shining Tubeshoulder	F-SAAB
<i>Salmo salar</i> Linnaeus	Atlantic Salmon	F-SASA
<i>Salmo trutta</i> Linnaeus	Brown Trout	F-SATR
<i>Salpinctes obsoletus</i> (Say)	Rock Wren	B-ROWR
ssp: <i>obsoletus</i> (Say)	Rock Wren <i>obsoletus</i>	
<i>Salvelinus confluentus</i> (Suckley)	Bull Trout	F-SACO
<i>Salvelinus fontinalis</i> (Mitchell)	Brook Trout	F-SAFO
<i>Salvelinus malma</i> (Walbaum)	Dolly Varden	F-SAMA
<i>Salvelinus namaycush</i> (Walbaum)	Lake Trout	F-SANA
<i>Sarda chiliensis</i> (Cuvier)	Pacific Bonito	F-SACH
<i>Sardinops sagax</i> (Jenyns)	Pacific Sardine	F-SASG
<i>Sayornis nigricans</i> (Swainson)	Black Phoebe	B-BLPH
ssp: <i>semiatra</i> (Vigors)	Black Phoebe <i>semiatra</i>	
<i>Sayornis phoebe</i> (Latham)	Eastern Phoebe	B-EAPH
<i>Sayornis saya</i> (Bonaparte)	Say's Phoebe	B-SAPH
<i>Scapanus orarius</i> True	Coast Mole	M-SCOR
ssp: <i>schefferi</i> Jackson	Coast Mole <i>schefferi</i>	

Alphabetical Sequence by Scientific Names

<i>Scapanus townsendii</i> (Bachman)	Townsend's Mole	M-SCTO
ssp: <i>townsendii</i> (Bachman)	Townsend's Mole <i>townsendii</i>	
<i>Sciurus carolinensis</i> Gmelin	Eastern Grey Squirrel	M-SCCA
ssp: <i>pennsylvanicus</i> Ord	Eastern Grey Squirrel <i>pennsylvanicus</i>	
<i>Sciurus niger</i> Linnaeus	Eastern Fox Squirrel	M-SCNI
<i>Scomber japonicus</i> Houttuyn	Chub Mackerel	F-SCJA
<i>Scopelogadus mizolepis</i> Gunther	Flabby Ridgehead	F-SCMI
<i>Scopelosaurus harrisi</i> Mead	Scaly Waryfish	F-SCHA
<i>Scorpaenichthys marmoratus</i> (Ayres)	Cabazon	F-SCMA
<i>Scytalina cerdale</i> Jordan and Gilbert	Graveldiver	F-SCCE
<i>Sebastes aleutianus</i>	Rougheye Rockfish	F-SEAL
(Jordan and Evermann)		
<i>Sebastes alutus</i> (Gilbert)	Pacific Ocean Perch	F-SEAT
<i>Sebastes auriculatus</i> Girard	Brown Rockfish	F-SEAU
<i>Sebastes aurora</i> (Gilbert)	Aurora Rockfish	F-SEAR
<i>Sebastes babcocki</i> (Thompson)	Redbanded Rockfish	F-SEBA
<i>Sebastes borealis</i> Barsukov	Shorthead Rockfish	F-SEBO
<i>Sebastes brevispinis</i> (Bean)	Silvergray Rockfish	F-SEBR
<i>Sebastes caurinus</i> Richardson	Copper Rockfish	F-SECA
<i>Sebastes ciliatus</i> (Tilesius)	Dusky Rockfish	F-SECI
<i>Sebastes crameri</i> (Jordan)	Darkblotched Rockfish	F-SECR
<i>Sebastes diploproa</i> (Gilbert)	Splitnose Rockfish	F-SEDI
<i>Sebastes elongatus</i> Ayres	Greenstriped Rockfish	F-SEEL
<i>Sebastes emphaeus</i> (Starks)	Puget Sound Rockfish	F-SEEM
<i>Sebastes entomelas</i> (Jordan and Gilbert)	Widow Rockfish	F-SEEN
<i>Sebastes flavidus</i> (Ayres)	Yellowtail Rockfish	F-SEFL
<i>Sebastes goode</i>	Chilipepper	F-SEGO
(Eigenmann and Eigenmann)		
<i>Sebastes helvomaculatus</i> Ayres	Rosethorn Rockfish	F-SEHE
<i>Sebastes jordani</i> (Gilbert)	Shortbelly Rockfish	F-SEJO
<i>Sebastes maliger</i> (Jordan and Gilbert)	Quillback Rockfish	F-SEMA
<i>Sebastes melanops</i> Girard	Black Rockfish	F-SEME
<i>Sebastes melanostomus</i>	Blackgill Rockfish	F-SEML
Eigenmann and Eigenmann		
<i>Sebastes miniatus</i> (Jordan and Gilbert)	Vermilion Rockfish	F-SEMI
<i>Sebastes mystinus</i> (Jordan and Gilbert)	Blue Rockfish	F-SEMY
<i>Sebastes nebulosus</i> Ayres	China Rockfish	F-SENE
<i>Sebastes nigrocinctus</i> Ayres	Tiger Rockfish	F-SENI
<i>Sebastes paucispinis</i> Ayres	Bocaccio	F-SEPA
<i>Sebastes pinniger</i> (Gill)	Canary Rockfish	F-SEPI
<i>Sebastes polyspinis</i>	Northern Rockfish	F-SEPL
(Taranetz and Moiseev)		
<i>Sebastes proriger</i>	Redstripe Rockfish	F-SEPR
(Jordan and Gilbert)		
<i>Sebastes reedi</i> (Westrheim and Tsuyuki)	Yellowmouth Rockfish	F-SERE
<i>Sebastes ruberrimus</i> (Cramer)	Yelloweye Rockfish	F-SERU
<i>Sebastes rufus</i>	Bank Rockfish	F-SERF
Eigenman and Eigenmann		

Vertebrates of British Columbia

<i>Sebastes saxicola</i> (Gilbert)	Stripetail Rockfish	F-SESA
<i>Sebastes variegatus</i> Quast	Harlequin Rockfish	F-SEVA
<i>Sebastes wilsoni</i> (Gilbert)	Pygmy Rockfish	F-SEWI
<i>Sebastes zacentrus</i> (Gilbert)	Sharpchin Rockfish	F-SEZA
<i>Sebastolobus alascanus</i> Bean	Shortspine Thornyhead	F-SEAS
<i>Sebastolobus altivelis</i> Gilbert	Longspine Thornyhead	F-SEAI
<i>Seiurus aurocapillus</i> (Linnaeus)	Ovenbird	B-OVEN
ssp: <i>aurocapillus</i> (Linnaeus)	Ovenbird <i>aurocapillus</i>	
<i>Seiurus noveboracensis</i> (Gmelin)	Northern Waterthrush	B-NOWA
ssp: <i>limnaeus</i> McCabe and Miller	Northern Waterthrush <i>limnaeus</i>	B-NOWA-LI
<i>notabilis</i> (Ridgway)	Northern Waterthrush <i>notabilis</i>	B-NOWA-NO
<i>Selasphorus platycercus</i> (Swainson)	Broad-tailed Hummingbird	B-BTHU
ssp: <i>platycercus</i> (Swainson)	Broad-tailed Hummingbird <i>platycercus</i>	
<i>Selasphorus rufus</i> (Gmelin)	Rufous Hummingbird	B-RUHU
<i>Seriola lalandi</i> Valenciennes	Yellowtail	F-SELA
<i>Seriphus politus</i> Ayres	Queenfish	F-SEPO
<i>Serrivomer jespersenii</i> Bauchot-Boutin	Crossthorat Sawpalate	F-SEJE
<i>Setophaga ruticilla</i> (Linnaeus)	American Redstart	B-AMRE
ssp: <i>tricolora</i> (Müller)	American Redstart <i>tricolora</i>	
<i>Sialia currucoides</i> (Bechstein)	Mountain Bluebird	B-MOBL
<i>Sialia mexicana</i> Swainson	Western Bluebird	B-WEBL
ssp: <i>occidentalis</i> (Townsend)	Western Bluebird <i>occidentalis</i>	
<i>Sitta canadensis</i> Linnaeus	Red-breasted Nuthatch	B-RBNU
<i>Sitta carolinensis</i> Latham	White-breasted Nuthatch	B-WBNU
ssp: <i>aculeata</i> (Cassin)	White-breasted Nuthatch <i>aculeata</i>	B-WBNU-AC
<i>cookei</i> Oberholser	White-breasted Nuthatch <i>cookei</i>	B-WBNU-CO
<i>tenuissima</i> Grinnell	White-breasted Nuthatch <i>tenuissima</i>	B-WBNU-TE
<i>Sitta pygmaea</i> Vigors	Pygmy Nuthatch	B-PYNU
ssp: <i>melanotis</i> van Rossem	Pygmy Nuthatch <i>melanotis</i>	
<i>Somateria fischeri</i> (Brandt)	Spectacled Eider	B-SPEI
<i>Somateria mollissima</i> (Linnaeus)	Common Eider	B-COEI
ssp: <i>v-nigra</i> (Bonaparte)	Common Eider <i>v-nigra</i>	
<i>Somateria spectabilis</i> (Linnaeus)	King Eider	B-KIEI
<i>Somniosus pacificus</i>	Pacific Sleeper Shark	F-SOPA
Bigelow and Schroeder		
<i>Sorex arcticus</i> Kerr	Black-backed Shrew	M-SOAR
ssp: <i>arcticus</i> Kerr	Black-backed Shrew <i>arcticus</i>	
<i>Sorex bendirii</i> (Merriam)	Pacific Water Shrew	M-SOBE
ssp: <i>bendirii</i> (Merriam)	Pacific Water Shrew <i>bendirii</i>	
<i>Sorex cinereus</i> Kerr	Common Shrew	M-SOCI
ssp: <i>cinereus</i> Kerr	Common Shrew <i>cinereus</i>	M-SOCI-CI
<i>streatori</i> Merriam	Common Shrew <i>streatori</i>	M-SOCI-ST
<i>Sorex hoyi</i> Baird	Pygmy Shrew	M-SOHO
ssp: <i>hoyi</i> Baird	Pygmy Shrew <i>hoyi</i>	
<i>Sorex merriami</i> Dobson	Merriam's Shrew	M-SOME

Alphabetical Sequence by Scientific Names

<i>Sorex monticolus</i> Merriam	Dusky Shrew	M-SOMO
ssp: <i>calvertensis</i> Cowan	Dusky Shrew <i>calvertensis</i>	M-SOMO-CA
<i>elassodon</i> Osgood	Dusky Shrew <i>elassodon</i>	M-SOMO-EL
<i>insularis</i> Cowan	Dusky Shrew <i>insularis</i>	M-SOMO-IN
<i>isolatus</i> Jackson	Dusky Shrew <i>isolatus</i>	M-SOMO-IS
<i>longicaudus</i> Merriam	Dusky Shrew <i>longicaudus</i>	M-SOMO-LO
<i>obscurus</i> Merriam	Dusky Shrew <i>obscurus</i>	M-SOMO-OB
<i>prevostensis</i> Osgood	Dusky Shrew <i>prevostensis</i>	M-SOMO-PR
<i>setosus</i> Elliot	Dusky Shrew <i>setosus</i>	M-SOMO-SE
<i>Sorex palustris</i> Richardson	Common Water Shrew	M-SOPA
ssp: <i>brooksi</i> Anderson	Common Water Shrew <i>brooksi</i>	M-SOPA-BR
<i>navigator</i> Baird	Common Water Shrew <i>navigator</i>	M-SOPA-NA
<i>Sorex preblei</i> Jackson	Preble's Shrew	M-SOPR
<i>Sorex trowbridgii</i> Baird	Trowbridge's Shrew	M-SOTR
ssp: <i>trowbridgii</i> Baird	Trowbridge's Shrew <i>trowbridgii</i>	
<i>Sorex tundrensis</i> Merriam	Tundra Shrew	M-SOTU
ssp: <i>tundrensis</i> Merriam	Tundra Shrew <i>tundrensis</i>	
<i>Sorex vagrans</i> Baird	Vagrant Shrew	M-SOVA
ssp: <i>vagrans</i> Baird	Vagrant Shrew <i>vagrans</i>	
<i>Spea intermontana</i> (Cope)	Great Basin Spadefoot	A-SPIN
<i>Spectrunculus grandis</i> (Gunther)	Giant Cuskeel	F-SPGR
<i>Spermophilus columbianus</i> (Ord)	Columbian Ground Squirrel	M-SPCO
ssp: <i>columbianus</i> (Ord)	Columbian Ground Squirrel <i>columbianus</i>	
<i>Spermophilus lateralis</i> (Say)	Golden-mantled Ground Squirrel	M-SPLA
ssp: <i>tescorum</i> (Hollister)	Golden-mantled Ground Squirrel <i>tescorum</i>	
<i>Spermophilus parryii</i> (Richardson)	Arctic Ground Squirrel	M-SPPA
ssp: <i>plesius</i> Osgood	Arctic Ground Squirrel <i>plesius</i>	
<i>Spermophilus saturatus</i> (Rhoads)	Cascade Mantled Ground Squirrel	M-SPSA
<i>Sphyaena argentea</i> Girard	Pacific Barracuda	F-SPAR
<i>Sphyrapicus nuchalis</i> Baird	Red-naped Sapsucker	B-RNSA
<i>Sphyrapicus ruber</i> (Gmelin)	Red-breasted Sapsucker	B-RBSA
ssp: <i>ruber</i> (Gmelin)	Red-breasted Sapsucker <i>ruber</i>	
<i>Sphyrapicus thyroideus</i> (Cassin)	Williamson's Sapsucker	B-WISA
ssp: <i>nataliae</i> (Malherbe)	Williamson's Sapsucker <i>nataliae</i>	B-WISA-NA
<i>thyroideus</i> (Cassin)	Williamson's Sapsucker <i>thyroideus</i>	B-WISA-TH
<i>Sphyrapicus varius</i> (Linnaeus)	Yellow-bellied Sapsucker	B-YBSA
ssp: <i>varius</i> (Linnaeus)	Yellow-bellied Sapsucker <i>varius</i>	
<i>Spilogale gracilis</i> Merriam	Western Spotted Skunk	M-SPGR
ssp: <i>latifrons</i> Merriam	Western Spotted Skunk <i>latifrons</i>	
<i>Spirinchus starksi</i> (Fisk)	Night Smelt	F-SPST
<i>Spirinchus thaleichthys</i> (Ayres)	Longfin Smelt	F-SPTH
<i>Spiza americana</i> (Gmelin)	Dickcissel	B-DICK
<i>Spizella arborea</i> (Wilson)	American Tree Sparrow	B-ATSP
ssp: <i>ochracea</i> (Brewster)	American Tree Sparrow <i>ochracea</i>	
<i>Spizella breweri</i> Cassin	Brewer's Sparrow	B-BRSP
ssp: <i>breweri</i> (Cassin)	Brewer's Sparrow <i>breweri</i>	B-BRSP-BR
<i>taverneri</i> (Swarth and Brooks)	Brewer's Sparrow <i>taverneri</i>	B-BRSP-TA

Vertebrates of British Columbia

<i>Spizella pallida</i> (Swainson)	Clay-colored Sparrow	B-CCSP
<i>Spizella passerina</i> (Bechstein)	Chipping Sparrow	B-CHSP
ssp: <i>boreophila</i> Oberholser	Chipping Sparrow <i>boreophila</i>	
<i>Squalus acanthias</i> Linnaeus	Spiny Dogfish	F-SQAC
<i>Stelgidopteryx serripennis</i> (Audubon)	Northern Rough-winged Swallow	B-NRWS
ssp: <i>serripennis</i> (Audubon)	Northern Rough-winged Swallow <i>serripennis</i>	
<i>Stellerina xyosterna</i> (Jordan and Gilbert)	Pricklebreast Poacher	F-STXY
<i>Stellula calliope</i> (Gould)	Calliope Hummingbird	B-CAHU
<i>Stenella coeruleoalba</i> (Meyen)	Striped Dolphin	M-STCO
<i>Stenobranchius leucopsarus</i> (Eigenmann and Eigenmann)	Northern Lanternfish	F-STLE
<i>Stenobranchius nannochir</i> (Gilbert)	Garnet Lanternfish	F-STNA
<i>Stenodus leucichthys</i> (Guldenstadt)	Inconnu	F-STLU
<i>Stercorarius longicaudus</i> Vieillot	Long-tailed Jaeger	B-LTJA
<i>Stercorarius maccormicki</i> (Saunders)	South Polar Skua	B-SPSK
<i>Stercorarius parasiticus</i> (Linnaeus)	Parasitic Jaeger	B-PAJA
<i>Stercorarius pomarinus</i> (Temminck)	Pomarine Jaeger	B-POJA
<i>Sterna aleutica</i> Baird	Aleutian Tern	B-ALTE
<i>Sterna antillarum</i> (Lesson)	Least Tern	B-LETE
<i>Sterna caspia</i> Pallas	Caspian Tern	B-CATE
<i>Sterna elegans</i> Gambel	Elegant Tern	B-ELTE
<i>Sterna forsteri</i> Nuttall	Forster's Tern	B-FOTE
<i>Sterna hirundo</i> Linnaeus	Common Tern	B-COTE
ssp: <i>hirundo</i> (Linnaeus)	Common Tern <i>hirundo</i>	
<i>Sterna paradisaea</i> Pontoppidan	Arctic Tern	B-ARTE
<i>Sternoptyx pseudobscura</i> Baird	Highlight Hatchetfish	F-STPS
<i>Stichaeus punctatus</i> (Fabricius)	Arctic Shanny	F-STPU
<i>Stizostedion vitreum</i> (Mitchill)	Walleye	F-STVI
<i>Streptopelia orientalis</i> (Latham)	Oriental Turtle-Dove	B-OTDO
<i>Strix nebulosa</i> Forster	Great Gray Owl	B-GGOW
ssp: <i>nebulosa</i> (Forster)	Great Gray Owl <i>nebulosa</i>	
<i>Strix occidentalis</i> (Xántus de Vesey)	Spotted Owl	B-SPOW
ssp: <i>caurina</i> (Merriam)	Spotted Owl <i>caurina</i>	
<i>Strix varia</i> Barton	Barred Owl	B-BDOW
ssp: <i>varia</i> (Barton)	Barred Owl <i>varia</i>	
<i>Sturnella neglecta</i> Audubon	Western Meadowlark	B-WEME
ssp: <i>confluenta</i> Rathbun	Western Meadowlark <i>confluenta</i>	B-WEME-CO
<i>neglecta</i> (Audubon)	Western Meadowlark <i>neglecta</i>	B-WEME-NE
<i>Sturnus vulgaris</i> Linnaeus	European Starling	B-EUST
ssp: <i>vulgaris</i> (Linnaeus)	European Starling <i>vulgaris</i>	
<i>Surnia ulula</i> (Linnaeus)	Northern Hawk Owl	B-NHOW
ssp: <i>caparoch</i> (Müller)	Northern Hawk Owl <i>caparoch</i>	
<i>Sylvilagus floridanus</i> (J.A. Allen)	Eastern Cottontail	M-SYFL
ssp: <i>alacer</i> (Bangs)	Eastern Cottontail <i>alacer</i>	M-SYFL-AL
<i>mearnsi</i> (J.A. Allen)	Eastern Cottontail <i>mearnsi</i>	M-SYFL-ME

Alphabetical Sequence by Scientific Names

<i>Sylvilagus nuttallii</i> (Bachman)	Nuttall's Cottontail	M-SYNU
ssp: <i>nuttallii</i> (Bachman)	Nuttall's Cottontail <i>nuttallii</i>	
<i>Symbolophorus californiensis</i> (Eigenmann and Eigenmann)	Bigfin Lanternfish	F-SYCA
<i>Symphurus atricauda</i> (Jordan and Gilbert)	California Tounguefish	F-SYAT
<i>Synaptomys borealis</i> (Richardson)	Northern Bog Lemming	M-SYBO
ssp: <i>artemisiae</i> Anderson	Northern Bog Lemming <i>artemisiae</i>	M-SYBO-AR
<i>borealis</i> (Richardson)	Northern Bog Lemming <i>borealis</i>	M-SYBO-BO
<i>chapmani</i> Allen	Northern Bog Lemming <i>chapmani</i>	M-SYBO-CH
<i>dalli</i> Merriam	Northern Bog Lemming <i>dalli</i>	M-SYBO-DA
<i>truei</i> Merriam	Northern Bog Lemming <i>truei</i>	M-SYBO-TR
<i>Synchirus gilli</i> Bean	Manacled Sculpin	F-SYGI
<i>Syngnathus leptorhynchus</i> Girard	Bay Pipefish	F-SYLE
<i>Synodus lucioceps</i> (Ayres)	Smallscale Lizardfish	F-SYLU
<i>Synthliboramphus antiquus</i> (Gmelin)	Ancient Murrelet	B-ANMU
<i>Synthliboramphus hypoleucus</i> (Xántus de Vesey)	Xantus's Murrelet	B-XAMU
ssp: <i>hypoleucus</i> (Xántus de Vesey)	Xantus's Murrelet <i>hypoleucus</i>	
<i>Tachycineta bicolor</i> (Vieillot)	Tree Swallow	B-TRSW
<i>Tachycineta thalassina</i> (Swainson)	Violet-green Swallow	B-VGSW
ssp: <i>lepida</i> (Mearns)	Violet-green Swallow <i>lepida</i>	
<i>Tactostoma macropus</i> Bolin	Longfin Dragonfish	F-TAMA
<i>Talismania bifurcata</i> (Parr)	Threadfin Slickhead	F-TABI
<i>Tamias amoenus</i> J.A. Allen	Yellow-pine Chipmunk	M-TAAM
ssp: <i>affinis</i> Allen	Yellow-pine Chipmunk <i>affinis</i>	M-TAAM-AF
<i>felix</i> Rhoads	Yellow-pine Chipmunk <i>felix</i>	M-TAAM-FE
<i>luteiventris</i> Allen	Yellow-pine Chipmunk <i>luteiventris</i>	M-TAAM-LT
<i>ludibundus</i> (Hollister)	Yellow-pine Chipmunk <i>ludibundus</i>	M-TAAM-LU
<i>septentrionalis</i> (Cowan)	Yellow-pine Chipmunk <i>septentrionalis</i>	M-TAAM-SE
<i>Tamias minimus</i> Bachman	Least Chipmunk	M-TAMI
ssp: <i>borealis</i> Allen	Least Chipmunk <i>borealis</i>	M-TAMI-BO
<i>caniceps</i> (Osgood)	Least Chipmunk <i>caniceps</i>	M-TAMI-CA
<i>oreocetes</i> (Merriam)	Least Chipmunk <i>oreocetes</i>	M-TAMI-OR
<i>selkirki</i> (Cowan)	Least Chipmunk <i>selkirki</i>	M-TAMI-SE
<i>Tamias ruficaudus</i> (A. H. Howell)	Red-tailed Chipmunk	M-TARU
ssp: <i>ruficaudus</i> (Howell)	Red-tailed Chipmunk <i>ruficaudus</i>	M-TARU-RU
<i>simulans</i> (Howell)	Red-tailed Chipmunk <i>simulans</i>	M-TARU-SI
<i>Tamias townsendii</i> Bachman	Townsend's Chipmunk	M-TATO
ssp: <i>cooperi</i> Baird	Townsend's Chipmunk <i>cooperi</i>	M-TATO-CO
<i>townsendii</i> Bachman	Townsend's Chipmunk <i>townsendii</i>	M-TATO-TO
<i>Tamiasciurus douglasii</i> (Bachman)	Douglas' Squirrel	M-TADO
ssp: <i>mollipilosus</i> (Audubon and Bachman)	Douglas' Squirrel <i>mollipilosus</i>	

Vertebrates of British Columbia

<i>Tamiasciurus hudsonicus</i> (Erxleben)	Red Squirrel	M-TAHU
ssp: <i>columbiensis</i> Howell	Red Squirrel <i>columbiensis</i>	M-TAHU-CO
<i>lanuginosus</i> Bachman	Red Squirrel <i>lanuginosus</i>	M-TAHU-LA
<i>petulans</i> (Osgood)	Red Squirrel <i>petulans</i>	M-TAHU-PE
<i>picatus</i> (Swarth)	Red Squirrel <i>picatus</i>	M-TAHU-PI
<i>preblei</i> Howell	Red Squirrel <i>preblei</i>	M-TAHU-PR
<i>richardsoni</i> (Bachman)	Red Squirrel <i>richardsoni</i>	M-TAHU-RI
<i>streatori</i> (Allen)	Red Squirrel <i>streatori</i>	M-TAHU-ST
<i>Taractes asper</i> Lowe	Rough Pomfet	F-TAAS
<i>Taranetzella lyoderma</i> Andriashev	Ghostly Eelpout	F-TALY
<i>Taricha granulosa</i> (Skilton)	Rough-skinned Newt	A-TAGR
ssp: <i>granulosa</i> (Skilton)	Rough-skinned Newt <i>granulosa</i>	
<i>Tarletonbeania crenularis</i> (Jordan and Gilbert)	Southern Blue Lanternfish	F-TACR
<i>Tarletonbeania taylori</i> Mead	Northern Blue Lanternfish	F-TATA
<i>Taxidea taxus</i> (Schreber)	Badger	M-TATA
ssp: <i>jeffersonii</i> (Harlan)	Badger <i>jeffersonii</i>	
<i>Tetragonurus cuvieri</i> Risso	Smalleye Squaretail	F-TECU
<i>Thalassenchelys coheni</i> Castle and Raju	Transparent Eel	F-THCO
<i>Thaleichthys pacificus</i> (Richardson)	Eulachon	F-THPA
<i>Thamnophis elegans</i> (Baird and Girard)	Western Terrestrial Garter Snake	R-THEL
ssp: <i>nigrescens</i> Johnson	Western Terrestrial Garter Snake <i>nigrescens</i>	R-THEL-NI
<i>vagrans</i> (Baird and Girard)	Western Terrestrial Garter Snake <i>vagrans</i>	R-THEL-VA
<i>Thamnophis ordinoides</i> (Baird and Girard)	Northwestern Garter Snake	R-THOR
<i>Thamnophis sirtalis</i> (Linnaeus)	Common Garter Snake	R-THSI
ssp: <i>fitchi</i> Fox	Common Garter Snake <i>fitchi</i>	R-THSI-FI
<i>parietalis</i> (Say)	Common Garter Snake <i>parietalis</i>	R-THSI-PA
<i>pickeringii</i> (Baird and Girard)	Common Garter Snake <i>pickeringii</i>	R-THSI-PI
<i>Theragra chalcogramma</i> (Pallas)	Walleye Polloch	F-THCH
<i>Thomomys talpoides</i> (Richardson)	Northern Pocket Gopher	M-THTA
ssp: <i>cognatus</i> Johnstone	Northern Pocket Gopher <i>cognatus</i>	M-THTA-CO
<i>fuscus</i> Merriam	Northern Pocket Gopher <i>fuscus</i>	M-THTA-FU
<i>incensus</i> Goldman	Northern Pocket Gopher <i>incensus</i>	M-THTA-IN
<i>medius</i> Goldman	Northern Pocket Gopher <i>medius</i>	M-THTA-ME
<i>saturatus</i> Bailey	Northern Pocket Gopher <i>saturatus</i>	M-THTA-SA
<i>segregatus</i> Johnstone	Northern Pocket Gopher <i>segregatus</i>	M-THTA-SE
<i>Thryomanes bewickii</i> (Audubon)	Bewick's Wren	B-BEWR
ssp: <i>calophonus</i> Oberholser	Bewick's Wren <i>calophonus</i>	
<i>Thunnus alalunga</i> (Bonnaterre)	Albacore	F-THAL
<i>Thunnus thynnus</i> (Linnaeus)	Bluefin Tuna	F-THTH
<i>Thymallus arcticus</i> (Pallas)	Arctic Grayling	F-THAR
<i>Tinca tinca</i> (Linnaeus)	Tench	F-TITI
<i>Torpedo californica</i> Ayres	Pacific Electric Ray	F-TOCA

Alphabetical Sequence by Scientific Names

<i>Toxostoma rufum</i> (Linnaeus)	Brown Thrasher	B-BRTH
ssp: <i>longicauda</i> (Baird)	Brown Thrasher <i>longicauda</i>	
<i>Trachemys scripta</i> (Schoepff)	Slider	R-TRSC
ssp: <i>elegans</i> Wied	Slider <i>elegans</i>	
<i>Trachipterus altivelis</i> Kner	King-of-the-salmon	F-TRAL
<i>Trachurus symmetricus</i> (Ayres)	Jack Mackerel	F-TRSY
<i>Trichodon trichodon</i> (Tilesius)	Pacific Sandfish	F-TRTR
<i>Triglops macellus</i> (Bean)	Roughspine Sculpin	F-TRMA
<i>Triglops pingeli</i> Reinhardt	Ribbed Sculpin	F-TRPI
<i>Tringa erythropus</i> (Pallas)	Spotted Redshank	B-SPRE
<i>Tringa flavipes</i> (Gmelin)	Lesser Yellowlegs	B-LEYE
<i>Tringa glareola</i> Linnaeus	Wood Sandpiper	B-WOSA
<i>Tringa melanoleuca</i> (Gmelin)	Greater Yellowlegs	B-GRYE
<i>Tringa solitaria</i> Wilson	Solitary Sandpiper	B-SOSA
ssp: <i>cinnamomea</i> (Brewster)	Solitary Sandpiper <i>cinnamomea</i>	B-SOSA-CI
<i>solitaria</i> (Wilson)	Solitary Sandpiper <i>solitaria</i>	B-SOSA-SO
<i>Troglodytes aedon</i> Vieillot	House Wren	B-HOWR
ssp: <i>parkmanii</i> (Audubon)	House Wren <i>parkmanii</i>	
<i>Troglodytes troglodytes</i> (Linnaeus)	Winter Wren	B-WIWR
ssp: <i>hiemalis</i> (Vieillot)	Winter Wren <i>hiemalis</i>	B-WIWR-HI
<i>pacificus</i> (Baird)	Winter Wren <i>pacificus</i>	B-WIWR-PA
<i>salebrosus</i> Burleigh	Winter Wren <i>salebrosus</i>	B-WIWR-SA
<i>Tryngites subruficollis</i> (Vieillot)	Buff-breasted Sandpiper	B-BBSA
<i>Turdus migratorius</i> Linnaeus	American Robin	B-AMRO
ssp: <i>caurinus</i> (Grinnell)	American Robin <i>caurinus</i>	B-AMRO-CA
<i>migratorius</i> (Linnaeus)	American Robin <i>migratorius</i>	B-AMRO-MI
<i>propinquus</i> (Ridgway)	American Robin <i>propinquus</i>	B-AMRO-PR
<i>Turdus naumanni</i> Temminck	Dusky Thrush	B-DUTH
ssp: <i>eunomus</i> (Temminck)	Dusky Thrush <i>eunomus</i>	
<i>Tympanuchus phasianellus</i> (Linnaeus)	Sharp-tailed Grouse	B-STGR
ssp: <i>caurus</i> (Friedmann)	Sharp-tailed Grouse <i>caurus</i>	B-STGR-CA
<i>columbianus</i> (Ord)	Sharp-tailed Grouse <i>columbianus</i>	B-STGR-CO
<i>jamesi</i> (Lincoln)	Sharp-tailed Grouse <i>jamesi</i>	B-STGR-JA
<i>Tyrannus crassirostris</i> Swainson	Thick-billed Kingbird	B-TBKI
<i>Tyrannus dominicensis</i> (Gmelin)	Gray Kingbird	B-GRKI
ssp: <i>dominicensis</i> (Gmelin)	Gray Kingbird <i>dominicensis</i>	
<i>Tyrannus forficatus</i> (Gmelin)	Scissor-tailed Flycatcher	B-STFL
<i>Tyrannus melancholicus</i> Vieillot	Tropical Kingbird	B-TRKI
ssp: <i>satrapa</i> (Cabanis and Heine)	Tropical Kingbird <i>satrapa</i>	
<i>Tyrannus tyrannus</i> (Linnaeus)	Eastern Kingbird	B-EAKI
<i>Tyrannus verticalis</i> Say	Western Kingbird	B-WEKI
<i>Tyto alba</i> (Scopoli)	Barn Owl	B-BNOW
ssp: <i>pratincola</i> (Bonaparte)	Barn Owl <i>pratincola</i>	
<i>Uria aalge</i> (Pontoppidan)	Common Murre	B-COMU
ssp: <i>californica</i> (Bryant)	Common Murre <i>californica</i>	B-COMU-CA
<i>inornata</i> Salomonsen	Common Murre <i>inornata</i>	B-COMU-IN
<i>Uria lomvia</i> (Linnaeus)	Thick-billed Murre	B-TBMU
ssp: <i>arra</i> (Pallas)	Thick-billed Murre <i>arra</i>	

Vertebrates of British Columbia

<i>Ursus americanus</i> Pallas	Black Bear	M-URAM
ssp: <i>altifrontalis</i> Elliot	Black Bear <i>altifrontalis</i>	M-URAM-AL
<i>carlottae</i> Osgood	Black Bear <i>carlottae</i>	M-URAM-CA
<i>cinnamomum</i>	Black Bear <i>cinnamomum</i>	M-URAM-CI
Audubon and Bachman		
<i>kermodei</i> Hornaday	Black Bear <i>kermodei</i>	M-URAM-KE
<i>vancouveri</i> Hall	Black Bear <i>vancouveri</i>	M-URAM-VA
<i>Ursus arctos</i> Linnaeus	Grizzly Bear	M-URAR
ssp: <i>horribilis</i> Ord	Grizzly Bear <i>horribilis</i>	
<i>Vermivora celata</i> (Say)	Orange-crowned Warbler	B-OCWA
ssp: <i>celata</i> (Say)	Orange-crowned Warbler <i>celata</i>	B-OCWA-CE
<i>lutescens</i> (Ridgway)	Orange-crowned Warbler <i>lutescens</i>	B-OCWA-LU
<i>orestera</i> Oberholser	Orange-crowned Warbler <i>orestera</i>	B-OCWA-OR
<i>Vermivora peregrina</i> (Wilson)	Tennessee Warbler	B-TEWA
<i>Vermivora ruficapilla</i> (Wilson)	Nashville Warbler	B-NAWA
ssp: <i>ridgwayi</i> van Rossem	Nashville Warbler <i>ridgwayi</i>	
<i>Vireo cassinii</i> Xántus de Vesey	Cassin's Vireo	B-CAVI
ssp: <i>cassinii</i> (Xántus de Vesey)	Cassin's Vireo <i>cassinii</i>	
<i>Vireo gilvus</i> (Vieillot)	Warbling Vireo	B-WAVI
ssp: <i>swainsonii</i> (Baird)	Warbling Vireo <i>swainsonii</i>	
<i>Vireo huttoni</i> Cassin	Hutton's Vireo	B-HUVI
ssp: <i>insularis</i> Rhoads	Hutton's Vireo <i>insularis</i>	B-HUVI-IN
<i>obscurus</i> Anthony	Hutton's Vireo <i>obscurus</i>	B-HUVI-OB
<i>Vireo olivaceus</i> (Linnaeus)	Red-eyed Vireo	B-REVI
ssp: <i>olivaceus</i> (Linnaeus)	Red-eyed Vireo <i>olivaceus</i>	
<i>Vireo philadelphicus</i> (Cassin)	Philadelphia Vireo	B-PHVI
<i>Vireo solitarius</i> (Wilson)	Blue-headed Vireo	B-BHVI
ssp: <i>solitarius</i> (Wilson)	Blue-headed Vireo <i>solitarius</i>	
<i>Vulpes vulpes</i> (Linnaeus)	Red Fox	M-VUVU
ssp: <i>abietorum</i> Merriam	Red Fox <i>abietorum</i>	M-VUVU-AB
<i>cascadensis</i> Merriam	Red Fox <i>cascadensis</i>	M-VUVU-CA
<i>macroura</i> Baird	Red Fox <i>macroura</i>	M-VUVU-MA
<i>Wilsonia canadensis</i> (Linnaeus)	Canada Warbler	B-CAWA
<i>Wilsonia citrina</i> (Boddaert)	Hooded Warbler	B-HOWA
<i>Wilsonia pusilla</i> (Wilson)	Wilson's Warbler	B-WIWA
ssp: <i>chryseola</i> Ridgway	Wilson's Warbler <i>chryseola</i>	B-WIWA-CH
<i>pileolata</i> (Pallas)	Wilson's Warbler <i>pileolata</i>	B-WIWA-PI
<i>Xanthocephalus xanthocephalus</i> (Bonaparte)	Yellow-headed Blackbird	B-YHBL
<i>Xema sabini</i> (Sabine)	Sabine's Gull	B-SAGU
ssp: <i>woznesenskii</i> Portenko	Sabine's Gull <i>woznesenskii</i>	
<i>Xeneretmus latifrons</i> (Gilbert)	Blacktip Poacher	F-XELA
<i>Xeneretmus leiops</i> Gilbert	Cutfin Poacher	F-XELE
<i>Xeneretmus triacanthus</i> (Gilbert)	Bluespotted Poacher	F-XETR
<i>Xenomystax atrarius</i> Gilbert	Twinpored Eel	F-XEAT
<i>Xenus cinereus</i> (Güldenstädt)	Terek Sandpiper	B-TESA
<i>Xiphias gladius</i> Linnaeus	Swordfish	F-XIGL
<i>Xiphister atropurpureus</i> (Kittlitz)	Black Prickleback	F-XIAT

Alphabetical Sequence by Scientific Names

<i>Xiphister mucosus</i> (Girard)	Rock Prickleback	F-XIMU
<i>Zalophus californianus</i> (Lesson)	California Sea Lion	M-ZACA
<i>Zaniolepis latipinnus</i> Girard	Longspine Combfish	F-ZALA
<i>Zaprora silenus</i> Jordan	Prowfish	F-ZASI
<i>Zapus hudsonius</i> (Zimmermann)	Meadow Jumping Mouse	M-ZAHU
ssp: <i>alascensis</i> Merriam	Meadow Jumping Mouse <i>alascensis</i>	M-ZAHU-AL
<i>hudsonius</i> (Zimmermann)	Meadow Jumping Mouse <i>hudsonius</i>	M-ZAHU-HU
<i>tenellus</i> Merriam	Meadow Jumping Mouse <i>tenellus</i>	M-ZAHU-TE
<i>Zapus princeps</i> J.A. Allen	Western Jumping Mouse	M-ZAPR
ssp: <i>idahoensis</i> Davis	Western Jumping Mouse <i>idahoensis</i>	M-ZAPR-ID
<i>kootenayensis</i> Anderson	Western Jumping Mouse <i>kootenayensis</i>	M-ZAPR-KO
<i>saltator</i> Allen	Western Jumping Mouse <i>saltator</i>	M-ZAPR-SA
<i>Zapus trinotatus</i> Rhoads	Pacific Jumping Mouse	M-ZATR
ssp: <i>trinotatus</i> Rhoads	Pacific Jumping Mouse <i>trinotatus</i>	
<i>Zenaida asiatica</i> (Linnaeus)	White-winged Dove	B-WWDO
ssp: <i>mearnsi</i> (Ridgway)	White-winged Dove <i>mearnsi</i>	
<i>Zenaida macroura</i> (Linnaeus)	Mourning Dove	B-MODO
ssp: <i>marginella</i> (Woodhouse)	Mourning Dove <i>marginella</i>	
<i>Zesticulus profundorum</i> (Gilbert)	Flabby Sculpin	F-ZEPR
<i>Ziphius cavirostris</i> G. Cuvier	Goose-beaked Whale	M-ZICA
<i>Zonotrichia albicollis</i> (Gmelin)	White-throated Sparrow	B-WTSP
<i>Zonotrichia atricapilla</i> (Gmelin)	Golden-crowned Sparrow	B-GCSP
<i>Zonotrichia leucophrys</i> (Forster)	White-crowned Sparrow	B-WCSP
ssp: <i>gambelii</i> (Nuttall)	White-crowned Sparrow <i>gambelii</i>	B-WCSP-GA
<i>pugetensis</i> Grinnell	White-crowned Sparrow <i>pugetensis</i>	B-WCSP-PU
<i>Zonotrichia querula</i> (Nuttall)	Harris's Sparrow	B-HASP

Alphabetical Sequence by Species Codes

The following list is ordered alphabetically by species codes within each of the five categories: amphibians (A), birds (B), marine and freshwater fishes (F), mammals (M) and reptiles (R). Associated scientific and English names are also listed. Note: subspecies codes are listed when more than one subspecies exists in the province for a given species (if only one subspecies exists in the province for a given species, then only the species code is usually used).

A-AMGR	<i>Ambystoma gracile</i> (Baird)	Northwestern Salamander
A-AMGR-DE	ssp: <i>decorticaum</i> (Cope)	Northwestern Salamander <i>decorticaum</i>
A-AMGR-GR	<i>gracile</i> (Baird)	Northwestern Salamander <i>gracile</i>
A-AMMA	<i>Ambystoma macrodactylum</i> Baird	Long-toed Salamander
A-AMMA-CO	ssp: <i>columbianum</i> Ferguson	Long-toed Salamander <i>columbianum</i>
A-AMMA-KR	<i>krausei</i> Peters	Long-toed Salamander <i>krausei</i>
A-AMMA-MA	<i>macrodactylum</i> Baird	Long-toed Salamander <i>macrodactylum</i>
A-AMTI	<i>Ambystoma tigrinum</i> (Green)	Tiger Salamander
	ssp: <i>melanostictum</i> (Baird)	Tiger Salamander <i>melanostictum</i>
A-ANVA	<i>Aneides vagrans</i> Wake and Jackman	Wandering Salamander
A-ASMO	<i>Ascaphus montanus</i>	Rocky Mountain Tailed Frog
	Mittleman and Myers	
A-ASTR	<i>Ascaphus truei</i> Stejneger	Coastal Tailed Frog
A-BUBO	<i>Bufo boreas</i> Baird and Girard	Western Toad
	ssp: <i>boreas</i> Baird and Girard	Western Toad <i>boreas</i>
A-DITE	<i>Dicamptodon tenebrosus</i>	Pacific Giant Salamander
	Baird and Girard	
A-ENES	<i>Ensatina eschscholtzii</i> Gray	Ensatina
	ssp: <i>oregonensis</i> (Girard)	Ensatina <i>oregonensis</i>
A-HYRE	<i>Hyla regilla</i> Baird and Girard	Pacific Treefrog
A-PLID	<i>Plethodon idahoensis</i> Slater and Slipp	Coeur d'Alene Salamander
A-PLVE	<i>Plethodon vehiculum</i> (Cooper)	Western Red-backed Salamander
A-PSMA	<i>Pseudacris maculata</i> Agassiz	Boreal Chorus Frog
A-RAAU	<i>Rana aurora</i> Baird and Girard	Red-legged Frog
	ssp: <i>aurora</i> Baird and Girard	Red-legged Frog <i>aurora</i>
A-RACA	<i>Rana catesbeiana</i> Shaw	Bullfrog
A-RACL	<i>Rana clamitans</i> Latreille	Green Frog
	ssp: <i>melanota</i> Rafinesque	Green Frog <i>melanota</i>
A-RALU	<i>Rana luteiventris</i> Thompson	Columbia Spotted Frog
A-RAPI	<i>Rana pipiens</i> Schreber	Northern Leopard Frog
A-RAPR	<i>Rana pretiosa</i> Baird and Girard	Oregon Spotted Frog
A-RASY	<i>Rana sylvatica</i> LeConte	Wood Frog
A-SPIN	<i>Spea intermontana</i> (Cope)	Great Basin Spadefoot
A-TAGR	<i>Taricha granulosa</i> (Skilton)	Rough-skinned Newt
	ssp: <i>granulosa</i> (Skilton)	Rough-skinned Newt <i>granulosa</i>
B-ABDU	<i>Anas rubripes</i> Brewster	American Black Duck
B-ACFL	<i>Empidonax virescens</i> (Vieillot)	Acadian Flycatcher

Vertebrates of British Columbia

B-ACWO	<i>Melanerpes formicivorus</i> (Swainson) ssp: <i>bairdi</i> Ridgway	Acorn Woodpecker Acorn Woodpecker <i>bairdi</i>
B-AGPL	<i>Pluvialis dominica</i> (Müller)	American Golden-Plover
B-ALFL	<i>Empidonax alnorum</i> Brewster	Alder Flycatcher
B-ALTE	<i>Sterna aleutica</i> Baird	Aleutian Tern
B-AMAV	<i>Recurvirostra americana</i> Gmelin	American Avocet
B-AMBI	<i>Botaurus lentiginosus</i> (Rackett)	American Bittern
B-AMCO	<i>Fulica americana</i> Gmelin ssp: <i>americana</i> (Gmelin)	American Coot American Coot <i>americana</i>
B-AMCR	<i>Corvus brachyrhynchos</i> Brehm ssp: <i>hesperis</i> (Ridgway)	American Crow American Crow <i>hesperis</i>
B-AMDI	<i>Cinclus mexicanus</i> Swainson ssp: <i>unicolor</i> (Bonaparte)	American Dipper American Dipper <i>unicolor</i>
B-AMGO	<i>Carduelis tristis</i> (Linnaeus)	American Goldfinch
B-AMGO-JE	ssp: <i>jewetti</i> (van Rossem)	American Goldfinch <i>jewetti</i>
B-AMGO-PA	<i>pallidus</i> (Mearns)	American Goldfinch <i>pallidus</i>
B-AMKE	<i>Falco sparverius</i> Linnaeus ssp: <i>sparverius</i> (Linnaeus)	American Kestrel American Kestrel <i>sparverius</i>
B-AMPI	<i>Anthus rubescens</i> (Tunstall)	American Pipit
B-AMPI-PA	ssp: <i>pacificus</i> Todd	American Pipit <i>pacificus</i>
B-AMPI-RU	<i>rubescens</i> (Tunstall)	American Pipit <i>rubescens</i>
B-AMRE	<i>Setophaga ruticilla</i> (Linnaeus) ssp: <i>tricolora</i> (Müller)	American Redstart American Redstart <i>tricolora</i>
B-AMRO	<i>Turdus migratorius</i> Linnaeus	American Robin
B-AMRO-CA	ssp: <i>caurinus</i> (Grinnell)	American Robin <i>caurinus</i>
B-AMRO-MI	<i>migratorius</i> (Linnaeus)	American Robin <i>migratorius</i>
B-AMRO-PR	<i>propinquus</i> (Ridgway)	American Robin <i>propinquus</i>
B-AMWI	<i>Anas americana</i> Gmelin	American Wigeon
B-ANHU	<i>Calypte anna</i> (Lesson)	Anna's Hummingbird
B-ANMU	<i>Synthliboramphus antiquus</i> (Gmelin)	Ancient Murrelet
B-ARTE	<i>Sterna paradisaea</i> Pontoppidan	Arctic Tern
B-ATFL	<i>Myiarchus cinerascens</i> (Lawrence) ssp: <i>cinerascens</i> (Lawrence)	Ash-throated Flycatcher Ash-throated Flycatcher <i>cinerascens</i>
B-ATSP	<i>Spizella arborea</i> (Wilson) ssp: <i>ochracea</i> (Brewster)	American Tree Sparrow American Tree Sparrow <i>ochracea</i>
B-AWPE	<i>Pelecanus erythrorhynchos</i> Gmelin	American White Pelican
B-BAEA	<i>Haliaeetus leucocephalus</i> (Linnaeus)	Bald Eagle
B-BAEA-AL	ssp: <i>alascanus</i> Townsend	Bald Eagle <i>alascanus</i>
B-BAEA-LE	<i>leucocephalus</i> (Linnaeus)	Bald Eagle <i>leucocephalus</i>
B-BAGO	<i>Bucephala islandica</i> (Gmelin)	Barrow's Goldeneye
B-BAOR	<i>Icterus galbula</i> (Linnaeus)	Baltimore Oriole
B-BASA	<i>Calidris bairdii</i> (Coues)	Baird's Sandpiper
B-BASP	<i>Ammodramus bairdii</i> (Audubon)	Baird's Sparrow
B-BASW	<i>Hirundo rustica</i> Linnaeus	Barn Swallow
B-BASW-ER	ssp: <i>erythrogaster</i> (Boddaert)	Barn Swallow <i>erythrogaster</i>
B-BASW-GU	<i>gutturalis</i> (Scopoli)	Barn Swallow <i>gutturalis</i>
B-BATE	<i>Anas formosa</i> Georgi	Baikal Teal
B-BAWW	<i>Mniotilta varia</i> (Linnaeus)	Black-and-white Warbler

Alphabetical Sequence by Species Codes

B-BAYW	<i>Dendroica castanea</i> (Wilson)	Bay-breasted Warbler
B-BBCU	<i>Coccyzus erythrophthalmus</i> (Wilson)	Black-billed Cuckoo
B-BBMA	<i>Pica hudsonia</i> (Linnaeus)	Black-billed Magpie
	ssp: <i>hudsonia</i> (Sabine)	Black-billed Magpie <i>hudsonia</i>
B-BBNW	<i>Dendroica fusca</i> (Müller)	Blackburnian Warbler
B-BBPL	<i>Pluvialis squatarola</i> (Linnaeus)	Black-bellied Plover
B-BBSA	<i>Tryngites subruficollis</i> (Vieillot)	Buff-breasted Sandpiper
B-BBWG	<i>Motacilla lugens</i> Gloger	Black-backed Wagtail
B-BBWO	<i>Picoides arcticus</i> (Swainson)	Black-backed Woodpecker
B-BCCH	<i>Poecile atricapilla</i> (Linnaeus)	Black-capped Chickadee
B-BCCH-FO	ssp: <i>fortuitus</i> Dawson and Bowles	Black-capped Chickadee <i>fortuitus</i>
B-BCCH-OC	<i>occidentalis</i> (Baird)	Black-capped Chickadee <i>occidentalis</i>
B-BCCH-SE	<i>septentrionalis</i> (Harris)	Black-capped Chickadee <i>septentrionalis</i>
B-BCHU	<i>Archilochus alexandri</i> (Bourcier and Mulsant)	Black-chinned Hummingbird
B-BCNH	<i>Nycticorax nycticorax</i> (Linnaeus)	Black-crowned Night-Heron
	ssp: <i>hoactli</i> (Gmelin)	Black-crowned Night-Heron <i>hoactli</i>
B-BDOW	<i>Strix varia</i> Barton	Barred Owl
	ssp: <i>varia</i> (Barton)	Barred Owl <i>varia</i>
B-BEKI	<i>Ceryle alcyon</i> (Linnaeus)	Belted Kingfisher
B-BEKI-AL	ssp: <i>alcyon</i> (Linnaeus)	Belted Kingfisher <i>alcyon</i>
B-BEKI-CA	<i>caurina</i> Grinnell	Belted Kingfisher <i>caurina</i>
B-BEWR	<i>Thryomanes bewickii</i> (Audubon)	Bewick's Wren
	ssp: <i>calophonus</i> Oberholser	Bewick's Wren <i>calophonus</i>
B-BFAL	<i>Phoebastria nigripes</i> (Audubon)	Black-footed Albatross
B-BGGN	<i>Polioptila caerulea</i> (Linnaeus)	Blue-gray Gnatcatcher
	ssp: <i>amoenissima</i> Grinnell	Blue-gray Gnatcatcher <i>amoenissima</i>
B-BHCO	<i>Molothrus ater</i> (Boddaert)	Brown-headed Cowbird
	ssp: <i>artemisiae</i> Grinnell	Brown-headed Cowbird <i>artemisiae</i>
B-BHGR	<i>Pheucticus melanocephalus</i> (Swainson)	Black-headed Grosbeak
B-BHGR-MA	ssp: <i>maculatus</i> (Audubon)	Black-headed Grosbeak <i>maculatus</i>
B-BHGR-ME	<i>melanocephala</i> (Swainson)	Black-headed Grosbeak <i>melanocephala</i>
B-BHGU	<i>Larus ridibundus</i> Linnaeus	Black-headed Gull
	ssp: <i>ridibundus</i> (Linnaeus)	Black-headed Gull <i>ridibundus</i>
B-BHVI	<i>Vireo solitarius</i> (Wilson)	Blue-headed Vireo
	ssp: <i>solitarius</i> (Wilson)	Blue-headed Vireo <i>solitarius</i>
B-BKPW	<i>Dendroica striata</i> (Forster)	Blackpoll Warbler
B-BKSW	<i>Riparia riparia</i> (Linnaeus)	Bank Swallow
	ssp: <i>riparia</i> (Linnaeus)	Bank Swallow <i>riparia</i>
B-BLGB	<i>Guiraca caerulea</i> (Linnaeus)	Blue Grosbeak
	ssp: <i>interfusa</i> Dwight and Griscom	Blue Grosbeak <i>interfusa</i>
B-BLGR	<i>Dendragapus obscurus</i> (Say)	Blue Grouse
B-BLGR-FU	ssp: <i>fuliginosus</i> (Ridgway)	Blue Grouse <i>fuliginosus</i>
B-BLGR-PA	<i>pallidus</i> Swarth	Blue Grouse <i>pallidus</i>
B-BLGR-RI	<i>richardsonii</i> (Douglas)	Blue Grouse <i>richardsonii</i>
B-BLGR-SI	<i>sitkensis</i> Swarth	Blue Grouse <i>sitkensis</i>

Vertebrates of British Columbia

B-BLJA	<i>Cyanocitta cristata</i> (Linnaeus) ssp: <i>bromia</i> Oberholser	Blue Jay Blue Jay <i>bromia</i>
B-BLKI	<i>Rissa tridactyla</i> (Linnaeus) ssp: <i>pollicaris</i> Stejn[e]ger	Black-legged Kittiwake Black-legged Kittiwake <i>pollicaris</i>
B-BLOY	<i>Haematopus bachmani</i> Audubon	Black Oystercatcher
B-BLPH	<i>Sayornis nigricans</i> (Swainson) ssp: <i>semiatra</i> (Vigors)	Black Phoebe Black Phoebe <i>semiatra</i>
B-BLSC	<i>Melanitta nigra</i> (Linnaeus) ssp: <i>americana</i> (Swainson)	Black Scoter Black Scoter <i>americana</i>
B-BLSH	<i>Puffinus bulleri</i> Salvin	Buller's Shearwater
B-BLSW	<i>Cypseloides niger</i> (Gmelin) ssp: <i>borealis</i> (Kennerly)	Black Swift Black Swift <i>borealis</i>
B-BLTE	<i>Chlidonias niger</i> (Linnaeus) ssp: <i>surinamensis</i> (Gmelin)	Black Tern Black Tern <i>surinamensis</i>
B-BLTU	<i>Arenaria melanocephala</i> (Vigors)	Black Turnstone
B-BLVU	CORAGYPS ATRATUS (BECHSTEIN)	Black Vulture
B-BNOW	<i>Tyto alba</i> (Scopoli) ssp: <i>pratincola</i> (Bonaparte)	Barn Owl Barn Owl <i>pratincola</i>
B-BNST	<i>Himantopus mexicanus</i> (Müller) ssp: <i>mexicanus</i> (Müller)	Black-necked Stilt Black-necked Stilt <i>mexicanus</i>
B-BOBO	<i>Dolichonyx oryzivorus</i> (Linnaeus)	Bobolink
B-BOCH	<i>Poecile hudsonica</i> (Forster) ssp: <i>columbianus</i> Rhoads	Boreal Chickadee Boreal Chickadee <i>columbianus</i>
B-BOCH-CO	<i>farleyi</i> Godfrey	Boreal Chickadee <i>farleyi</i>
B-BOCH-FA		
B-BOGU	<i>Larus philadelphia</i> (Ord)	Bonaparte's Gull
B-BOOW	<i>Aegolius funereus</i> (Linnaeus) ssp: <i>richardsoni</i> (Bonaparte)	Boreal Owl Boreal Owl <i>richardsoni</i>
B-BOWA	<i>Bombycilla garrulus</i> (Linnaeus) ssp: <i>pallidiceps</i> Reichenow	Bohemian Waxwing Bohemian Waxwing <i>pallidiceps</i>
B-BRAM	<i>Fringilla montifringilla</i> Linnaeus	Brambling
B-BRAN	<i>Branta bernicla</i> (Linnaeus) ssp: <i>hrota</i> (Müller)	Brant Brant <i>hrota</i>
B-BRAN-HR		
B-BRAN-NI	<i>nigricans</i> (Lawrence)	Brant <i>nigricans</i>
B-BRBL	<i>Euphagus cyanocephalus</i> (Wagler)	Brewer's Blackbird
B-BRCO	<i>Phalacrocorax penicillatus</i> (Brandt)	Brandt's Cormorant
B-BRCR	<i>Certhia americana</i> Bonaparte ssp: <i>alascensis</i> Webster	Brown Creeper Brown Creeper <i>alascensis</i>
B-BRCR-AL		
B-BRCR-MO	<i>montana</i> (Ridgway)	Brown Creeper <i>montana</i>
B-BRCR-OC	<i>occidentalis</i> (Ridgway)	Brown Creeper <i>occidentalis</i>
B-BRCR-ST	<i>stewarti</i> Webster	Brown Creeper <i>stewarti</i>
B-BRPE	<i>Pelecanus occidentalis</i> Linnaeus ssp: <i>californicus</i> (Ridgway)	Brown Pelican Brown Pelican <i>californicus</i>
B-BRSP	<i>Spizella breweri</i> Cassin	Brewer's Sparrow
B-BRSP-BR	ssp: <i>breweri</i> (Cassin)	Brewer's Sparrow <i>breweri</i>
B-BRSP-TA	<i>taverneri</i> (Swarth and Brooks)	Brewer's Sparrow <i>taverneri</i>
B-BRTH	<i>Toxostoma rufum</i> (Linnaeus) ssp: <i>longicauda</i> (Baird)	Brown Thrasher Brown Thrasher <i>longicauda</i>

Alphabetical Sequence by Species Codes

B-BRTR	<i>Monticola solitarius</i> (Linnaeus) ssp: <i>philippensis</i> (Müller)	Blue Rock-Thrush Blue Rock-Thrush <i>philippensis</i>
B-BTBW	<i>Dendroica caerulescens</i> (Gmelin) ssp: <i>caerulescens</i> (Gmelin)	Black-throated Blue Warbler Black-throated Blue Warbler <i>caerulescens</i>
B-BTCU	<i>Numenius tahitiensis</i> (Gmelin)	Bristle-thighed Curlew
B-BTGO	<i>Limosa lapponica</i> (Linnaeus) ssp: <i>baueri</i> (Naumann)	Bar-tailed Godwit Bar-tailed Godwit <i>baueri</i>
B-BTGU	<i>Larus crassirostris</i> Vieillot	Black-tailed Gull
B-BTGW	<i>Dendroica nigrescens</i> (Townsend)	Black-throated Gray Warbler
B-BTHU	<i>Selasphorus platycercus</i> (Swainson) ssp: <i>platycercus</i> (Swainson)	Broad-tailed Hummingbird Broad-tailed Hummingbird <i>platycercus</i>
B-BTNW	<i>Dendroica virens</i> (Gmelin) ssp: <i>virens</i> (Gmelin)	Black-throated Green Warbler Black-throated Green Warbler <i>virens</i>
B-BTPI	<i>Columba fasciata</i> Say ssp: <i>monilis</i> (Vigors)	Band-tailed Pigeon Band-tailed Pigeon <i>monilis</i>
B-BTSP	<i>Amphispiza bilineata</i> (Cassin) ssp: <i>deserticola</i> Ridgway	Black-throated Sparrow Black-throated Sparrow <i>deserticola</i>
B-BUFF	<i>Bucephala albeola</i> (Linnaeus)	Bufflehead
B-BUOR	<i>Icterus bullockii</i> (Swainson) ssp: <i>bullockii</i> (Swainson)	Bullock's Oriole Bullock's Oriole <i>bullockii</i>
B-BUOW	<i>Athene cunicularia</i> (Molina) ssp: <i>hypugaea</i> (Bonaparte)	Burrowing Owl Burrowing Owl <i>hypugaea</i>
B-BUSH	<i>Psaltriparus minimus</i> (Townsend) ssp: <i>saturatus</i> Ridgway	Bushtit Bushtit <i>saturatus</i>
B-BVSH	<i>Puffinus opisthomelas</i> Coues	Black-vented Shearwater
B-BWHA	<i>Buteo platypterus</i> (Vieillot) ssp: <i>platypterus</i> (Vieillot)	Broad-winged Hawk Broad-winged Hawk <i>platypterus</i>
B-BWTE	<i>Anas discors</i> Linnaeus ssp: <i>discors</i> (Linnaeus)	Blue-winged Teal Blue-winged Teal <i>discors</i>
B-CAAU	<i>Ptychoramphus aleuticus</i> (Pallas) ssp: <i>aleuticus</i> (Pallas)	Cassin's Auklet Cassin's Auklet <i>aleuticus</i>
B-CAEG	<i>Bubulcus ibis</i> (Linnaeus) ssp: <i>ibis</i> (Linnaeus)	Cattle Egret Cattle Egret <i>ibis</i>
B-CAFI	<i>Carpodacus cassinii</i> Baird	Cassin's Finch
B-CAGO	<i>Branta canadensis</i> (Linnaeus)	Canada Goose
B-CAGO-FU	ssp: <i>fulva</i> Delacour	Canada Goose <i>fulva</i>
B-CAGO-LE	<i>leucopareia</i> (Brandt)	Canada Goose <i>leucopareia</i>
B-CAGO-MI	<i>minima</i> (Ridgway)	Canada Goose <i>minima</i>
B-CAGO-MO	<i>moffitti</i> Aldrich	Canada Goose <i>moffitti</i>
B-CAGO-OC	<i>occidentalis</i> (Baird)	Canada Goose <i>occidentalis</i>
B-CAGO-PA	<i>parvipes</i> (Cassin)	Canada Goose <i>parvipes</i>
B-CAGO-TA	<i>taverneri</i> Delacour	Canada Goose <i>taverneri</i>
B-CAGU	<i>Larus californicus</i> Lawrence	California Gull
B-CAGU-AL	ssp: <i>albertaensis</i> Jehl	California Gull <i>albertaensis</i>
B-CAGU-CA	<i>californicus</i> (Lawrence)	California Gull <i>californicus</i>
B-CAHU	<i>Stellula calliope</i> (Gould)	Calliope Hummingbird
B-CANV	<i>Aythya valisineria</i> (Wilson)	Canvasback

Vertebrates of British Columbia

B-CAQU	<i>Callipepla californica</i> (Shaw)	California Quail
B-CAQU-BR	ssp: <i>brunnescens</i> (Ridgway)	California Quail <i>brunnescens</i>
B-CAQU-CA	<i>californica</i> (Shaw)	California Quail <i>californica</i>
B-CATE	<i>Sterna caspia</i> Pallas	Caspian Tern
B-CAVI	<i>Vireo cassinii</i> Xántus de Vesey	Cassin's Vireo
	ssp: <i>cassinii</i> (Xántus de Vesey)	Cassin's Vireo <i>cassinii</i>
B-CAWA	<i>Wilsonia canadensis</i> (Linnaeus)	Canada Warbler
B-CAWR	<i>Catherpes mexicanus</i> (Swainson)	Canyon Wren
	ssp: <i>griseus</i> Aldrich	Canyon Wren <i>griseus</i>
B-CBCH	<i>Poecile rufescens</i> (Townsend)	Chestnut-backed Chickadee
	ssp: <i>rufescens</i> (Townsend)	Chestnut-backed Chickadee <i>rufescens</i>
B-CCLO	<i>Calcarius ornatus</i> (Townsend)	Chestnut-collared Longspur
B-CCSP	<i>Spizella pallida</i> (Swainson)	Clay-colored Sparrow
B-CEWA	<i>Bombycilla cedrorum</i> Vieillot	Cedar Waxwing
B-CHSP	<i>Spizella passerina</i> (Bechstein)	Chipping Sparrow
	ssp: <i>boreophila</i> Oberholser	Chipping Sparrow <i>boreophila</i>
B-CHUK	<i>Alectoris chukar</i> (Gray)	Chukar
B-CITE	<i>Anas cyanoptera</i> Vieillot	Cinnamon Teal
	ssp: <i>septentrionalium</i> Snyder and Lumsden	Cinnamon Teal <i>septentrionalium</i>
B-CLGR	<i>Aechmophorus clarkii</i> (Lawrence)	Clark's Grebe
	ssp: <i>transitionalis</i> Dickerman	Clark's Grebe <i>transitionalis</i>
B-CLNU	<i>Nucifraga columbiana</i> (Wilson)	Clark's Nutcracker
B-CLSW	<i>Petrochelidon pyrrhonota</i> Vieillot	Cliff Swallow
B-CLSW-HY	ssp: <i>hypopolia</i> (Oberholser)	Cliff Swallow <i>hypopolia</i>
B-CLSW-PY	<i>pyrrhonota</i> (Vieillot)	Cliff Swallow <i>pyrrhonota</i>
B-CMWA	<i>Dendroica tigrina</i> (Gmelin)	Cape May Warbler
B-COEI	<i>Somateria mollissima</i> (Linnaeus)	Common Eider
	ssp: <i>v-nigra</i> (Bonaparte)	Common Eider <i>v-nigra</i>
B-COFL	<i>Empidonax occidentalis</i> Nelson	Cordilleran Flycatcher
	ssp: <i>hellmayri</i> (Brodkorb)	Cordilleran Flycatcher <i>hellmayri</i>
B-COGO	<i>Bucephala clangula</i> (Linnaeus)	Common Goldeneye
	ssp: <i>americana</i> (Bonaparte)	Common Goldeneye <i>americana</i>
B-COGR	<i>Quiscalus quiscula</i> (Linnaeus)	Common Grackle
	ssp: <i>versicolor</i> (Vieillot)	Common Grackle <i>versicolor</i>
B-COHA	<i>Accipiter cooperii</i> (Bonaparte)	Cooper's Hawk
B-COHU	<i>Calypte costae</i> (Bourcier)	Costa's Hummingbird
B-COLO	<i>Gavia immer</i> (Brünnich)	Common Loon
B-COME	<i>Mergus merganser</i> Linnaeus	Common Merganser
	ssp: <i>americanus</i> (Cassin)	Common Merganser <i>americanus</i>
B-COMO	<i>Gallinula chloropus</i> (Linnaeus)	Common Moorhen
	ssp: <i>cachinnans</i> Bangs	Common Moorhen <i>cachinnans</i>
B-COMU	<i>Uria aalge</i> (Pontoppidan)	Common Murre
B-COMU-CA	ssp: <i>californica</i> (Bryant)	Common Murre <i>californica</i>
B-COMU-IN	<i>inornata</i> Salomonsen	Common Murre <i>inornata</i>
B-CONI	<i>Chordeiles minor</i> (Forster)	Common Nighthawk
B-CONI-HE	ssp: <i>hesperis</i> (Grinnell)	Common Nighthawk <i>hesperis</i>
B-CONI-MI	<i>minor</i> (Forster)	Common Nighthawk <i>minor</i>

Alphabetical Sequence by Species Codes

B-COPO	<i>Phalaenoptilus nuttallii</i> (Audubon) ssp: <i>nuttallii</i> (Audubon)	Common Poorwill Common Poorwill <i>nuttallii</i>
B-CORA	<i>Corvus corax</i> Linnaeus	Common Raven
B-CORA-PR	ssp: <i>principalis</i> Ridgway	Common Raven <i>principalis</i>
B-CORA-SI	<i>sinuatus</i> (Wagler)	Common Raven <i>sinuatus</i>
B-CORE	<i>Carduelis flammea</i> (Linnaeus) ssp: <i>flammea</i> (Linnaeus)	Common Redpoll Common Redpoll <i>flammea</i>
B-COSN	<i>Gallinago gallinago</i> (Linnaeus) ssp: <i>delicata</i> (Ord)	Common Snipe Common Snipe <i>delicata</i>
B-COTE	<i>Sterna hirundo</i> Linnaeus ssp: <i>hirundo</i> (Linnaeus)	Common Tern Common Tern <i>hirundo</i>
B-COWA	<i>Oporornis agilis</i> (Wilson)	Connecticut Warbler
B-COYE	<i>Geothlypis trichas</i> (Linnaeus)	Common Yellowthroat
B-COYE-AR	ssp: <i>arizela</i> Oberholser	Common Yellowthroat <i>arizela</i>
B-COYE-CA	<i>campicola</i> Behle and Aldrich	Common Yellowthroat <i>campicola</i>
B-COYE-YU	<i>yukonicola</i> Godfrey	Common Yellowthroat <i>yukonicola</i>
B-CRAU	<i>Aethia cristatella</i> (Pallas)	Crested Auklet
B-CRCA	<i>Caracara cheriway</i> (Jacquin) ssp: <i>audubonii</i> Cassin	Crested Caracara Crested Caracara <i>audubonii</i>
B-CRMY	<i>Acridotheres cristatellus</i> (Linnaeus) ssp: <i>cristatellus</i> (Linnaeus)	Crested Myna Crested Myna <i>cristatellus</i>
B-CSWA	<i>Dendroica pensylvanica</i> (Linnaeus)	Chestnut-sided Warbler
B-CUSA	<i>Calidris ferruginea</i> (Pontoppidan)	Curlew Sandpiper
B-DCCO	<i>Phalacrocorax auritus</i> (Lesson)	Double-crested Cormorant
B-DCCO-AL	ssp: <i>albociliatus</i> (Ridgway)	Double-crested Cormorant <i>albociliatus</i>
B-DCCO-CI	<i>cincinatus</i> (Brandt)	Double-crested Cormorant <i>cincinatus</i>
B-DEJU	<i>Junco hyemalis</i> (Linnaeus)	Dark-eyed Junco
B-DEJU-CA	ssp: <i>caniceps</i> (Woodhouse)	Dark-eyed Junco <i>caniceps</i>
B-DEJU-CI	<i>cismontanus</i> (Dwight)	Dark-eyed Junco <i>cismontanus</i>
B-DEJU-HY	<i>hyemalis</i> (Linnaeus)	Dark-eyed Junco <i>hyemalis</i>
B-DEJU-MO	<i>montanus</i> (Ridgway)	Dark-eyed Junco <i>montanus</i>
B-DEJU-OR	<i>oreganus</i> (Townsend)	Dark-eyed Junco <i>oreganus</i>
B-DEJU-SH	<i>shufeldti</i> Coale	Dark-eyed Junco <i>shufeldti</i>
B-DICK	<i>Spiza americana</i> (Gmelin)	Dickcissel
B-DOWO	<i>Picoides pubescens</i> (Linnaeus)	Downy Woodpecker
B-DOWO-GA	ssp: <i>gairdneri</i> (Audubon)	Downy Woodpecker <i>gairdneri</i>
B-DOWO-LE	<i>leucurus</i> (Hartlaub)	Downy Woodpecker <i>leucurus</i>
B-DOWO-NE	<i>nelsoni</i> (Oberholser)	Downy Woodpecker <i>nelsoni</i>
B-DUFL	<i>Empidonax oberholseri</i> Phillips	Dusky Flycatcher
B-DUNL	<i>Calidris alpina</i> (Linnaeus) ssp: <i>pacifica</i> (Coues)	Dunlin Dunlin <i>pacifica</i>
B-DUTH	<i>Turdus naumanni</i> Temminck ssp: <i>eunomus</i> (Temminck)	Dusky Thrush Dusky Thrush <i>eunomus</i>
B-EAGR	<i>Podiceps nigricollis</i> Brehm ssp: <i>californicus</i> (Heermann)	Eared Grebe Eared Grebe <i>californicus</i>
B-EAKI	<i>Tyrannus tyrannus</i> (Linnaeus)	Eastern Kingbird
B-EAPH	<i>Sayornis phoebe</i> (Latham)	Eastern Phoebe
B-ELTE	<i>Sterna elegans</i> Gambel	Elegant Tern

Vertebrates of British Columbia

B-EMGO	<i>Chen canagica</i> (Sevastianov)	Emperor Goose
B-EUKE	<i>Falco tinnunculus</i> Linnaeus	Eurasian Kestrel
	ssp: <i>tinnunculus</i> (Linnaeus)	Eurasian Kestrel <i>tinnunculus</i>
B-EUST	<i>Sturnus vulgaris</i> Linnaeus	European Starling
	ssp: <i>vulgaris</i> (Linnaeus)	European Starling <i>vulgaris</i>
B-EUWI	<i>Anas penelope</i> Linnaeus	Eurasian Wigeon
B-EVGR	<i>Coccythraustes vespertinus</i> (Cooper)	Evening Grosbeak
B-EVGR-BR	ssp: <i>brooksi</i> (Grinnell)	Evening Grosbeak <i>brooksi</i>
B-EVGR-VE	<i>vespertinus</i> (Cooper)	Evening Grosbeak <i>vespertinus</i>
B-FADU	<i>Anas falcata</i> Georgi	Falcated Duck
B-FECU	<i>Numenius madagascariensis</i> (Linnaeus)	Far Eastern Curlew
B-FEHA	<i>Buteo regalis</i> (Gray)	Ferruginous Hawk
B-FFSH	<i>Puffinus carneipes</i> Gould	Flesh-footed Shearwater
B-FLOW	<i>Otus flammeolus</i> (Kaup)	Flammulated Owl
	ssp: <i>idahoensis</i> (Merriam)	Flammulated Owl <i>idahoensis</i>
B-FOSP	<i>Passerella iliaca</i> (Merrem)	Fox Sparrow
B-FOSP-AL	ssp: <i>altivagans</i> Riley	Fox Sparrow <i>altivagans</i>
B-FOSP-AN	<i>annectens</i> Ridgway	Fox Sparrow <i>annectens</i>
B-FOSP-CH	<i>chilcatensis</i> Webster	Fox Sparrow <i>chilcatensis</i>
B-FOSP-FU	<i>fuliginosa</i> Ridgway	Fox Sparrow <i>fuliginosa</i>
B-FOSP-IN	<i>insularis</i> Ridgway	Fox Sparrow <i>insularis</i>
B-FOSP-OL	<i>olivacea</i> Aldrich	Fox Sparrow <i>olivacea</i>
B-FOSP-SC	<i>schistacea</i> (Baird)	Fox Sparrow <i>schistacea</i>
B-FOSP-SI	<i>sinuosa</i> Grinnell	Fox Sparrow <i>sinuosa</i>
B-FOSP-TO	<i>townsendi</i> (Audubon)	Fox Sparrow <i>townsendi</i>
B-FOSP-UN	<i>unalaschensis</i> (Gmelin)	Fox Sparrow <i>unalaschensis</i>
B-FOSP-ZA	<i>zaboria</i> Oberholser	Fox Sparrow <i>zaboria</i>
B-FOTE	<i>Sterna forsteri</i> Nuttall	Forster's Tern
B-FRGU	<i>Larus pipixcan</i> Wagler	Franklin's Gull
B-FTSP	<i>Oceanodroma furcata</i> (Gmelin)	Fork-tailed Storm-Petrel
	ssp: <i>plumbea</i> (Peale)	Fork-tailed Storm-Petrel <i>plumbea</i>
B-FWDU	<i>Dendrocygna bicolor</i> (Vieillot)	Fulvous Whistling-Duck
	ssp: <i>helva</i> Wetmore and Peters	Fulvous Whistling-Duck <i>helva</i>
B-GADW	<i>Anas strepera</i> Linnaeus	Gadwall
	ssp: <i>strepera</i> (Linnaeus)	Gadwall <i>strepera</i>
B-GARG	<i>Anas querquedula</i> Linnaeus	Garganey
B-GBBG	<i>Larus marinus</i> Linnaeus	Great Black-backed Gull
B-GBHE	<i>Ardea herodias</i> Linnaeus	Great Blue Heron
B-GBHE-FA	ssp: <i>fannini</i> Chapman	Great Blue Heron <i>fannini</i>
B-GBHE-HE	<i>herodias</i> (Linnaeus)	Great Blue Heron <i>herodias</i>
B-GCFL	<i>Myiarchus crinitus</i> (Linnaeus)	Great Crested Flycatcher
	ssp: <i>boreus</i> Bangs	Great Crested Flycatcher <i>boreus</i>
B-GCKI	<i>Regulus satrapa</i> Lichtenstein	Golden-crowned Kinglet
B-GCKI-AM	ssp: <i>amoenus</i> van Rossem	Golden-crowned Kinglet <i>amoenus</i>
B-GCKI-OL	<i>olivaceus</i> (Baird)	Golden-crowned Kinglet <i>olivaceus</i>
B-GCKI-SA	<i>satrapa</i> (Lichtenstein)	Golden-crowned Kinglet <i>satrapa</i>

Alphabetical Sequence by Species Codes

B-GCRF	<i>Leucosticte tephrocotis</i> (Swainson)	Gray-crowned Rosy-Finch
B-GCRF-LI	ssp: <i>littoralis</i> (Baird)	Gray-crowned Rosy-Finch <i>littoralis</i>
B-GCRF-TE	<i>tephrocotis</i> (Swainson)	Gray-crowned Rosy-Finch <i>tephrocotis</i>
B-GCSP	<i>Zonotrichia atricapilla</i> (Gmelin)	Golden-crowned Sparrow
B-GCTH	<i>Catharus minimus</i> (Lafresnaye)	Gray-cheeked Thrush
	ssp: <i>aliciae</i> (Baird)	Gray-cheeked Thrush <i>aliciae</i>
B-GGOW	<i>Strix nebulosa</i> Forster	Great Gray Owl
	ssp: <i>nebulosa</i> (Forster)	Great Gray Owl <i>nebulosa</i>
B-GHOW	<i>Bubo virginianus</i> (Gmelin)	Great Horned Owl
B-GHOW-LA	ssp: <i>lagophonus</i> (Oberholser)	Great Horned Owl <i>lagophonus</i>
B-GHOW-SA	<i>saturatus</i> Ridgway	Great Horned Owl <i>saturatus</i>
B-GHOW-SU	<i>subarcticus</i> (Hoy)	Great Horned Owl <i>subarcticus</i>
B-GLGU	<i>Larus hyperboreus</i> Gunnerus	Glaucous Gull
	ssp: <i>barrovianus</i> (Ridgway)	Glaucous Gull <i>barrovianus</i>
B-GOEA	<i>Aquila chrysaetos</i> (Linnaeus)	Golden Eagle
	ssp: <i>canadensis</i> (Linnaeus)	Golden Eagle <i>canadensis</i>
B-GRCA	<i>Dumetella carolinensis</i> (Linnaeus)	Gray Catbird
B-GREG	<i>Ardea alba</i> Linnaeus	Great Egret
	ssp: <i>egretta</i> (Gmelin)	Great Egret <i>egretta</i>
B-GRFL	<i>Empidonax wrightii</i> Baird	Gray Flycatcher
B-GRHE	<i>Butorides virescens</i> (Linnaeus)	Green Heron
	ssp: <i>anthonyi</i> (Mearns)	Green Heron <i>anthonyi</i>
B-GRJA	<i>Perisoreus canadensis</i> (Linnaeus)	Gray Jay
B-GRJA-AL	ssp: <i>albescens</i> Peters	Gray Jay <i>albescens</i>
B-GRJA-BI	<i>bicolor</i> Miller	Gray Jay <i>bicolor</i>
B-GRJA-OB	<i>obscurus</i> (Ridgway)	Gray Jay <i>obscurus</i>
B-GRJA-PA	<i>pacificus</i> (Gmelin)	Gray Jay <i>pacificus</i>
B-GRKI	<i>Tyrannus dominicensis</i> (Gmelin)	Gray Kingbird
	ssp: <i>dominicensis</i> (Gmelin)	Gray Kingbird <i>dominicensis</i>
B-GRKN	<i>Calidris tenuirostris</i> (Horsfield)	Great Knot
B-GRPA	<i>Perdix perdix</i> (Linnaeus)	Gray Partridge
	ssp: <i>perdix</i> (Linnaeus)	Gray Partridge <i>perdix</i>
B-GRSC	<i>Aythya marila</i> (Linnaeus)	Greater Scaup
	ssp: <i>nearctica</i> Stejneger	Greater Scaup <i>nearctica</i>
B-GRSP	<i>Ammodramus savannarum</i> (Gmelin)	Grasshopper Sparrow
	ssp: <i>perpallidus</i> (Coues)	Grasshopper Sparrow <i>perpallidus</i>
B-GRYE	<i>Tringa melanoleuca</i> (Gmelin)	Greater Yellowlegs
B-GSGR	<i>Centrocercus urophasianus</i> (Bonaparte)	Greater Sage-Grouse
	ssp: <i>phaios</i> Aldrich	Greater Sage-Grouse <i>phaios</i>
B-GTGR	<i>Quiscalus mexicanus</i> (Gmelin)	Great-tailed Grackle
B-GTTO	<i>Pipilo chlorurus</i> (Audubon)	Green-tailed Towhee
B-GWFG	<i>Anser albifrons</i> (Scopoli)	Greater White-fronted Goose
B-GWFG-FR	ssp: <i>frontalis</i> (Baird)	Greater White-fronted Goose <i>frontalis</i>
B-GWFG-GA	<i>gambeli</i> (Hartlaub)	Greater White-fronted Goose <i>gambeli</i>
B-GWGU	<i>Larus glaucescens</i> Naumann	Glaucous-winged Gull

Vertebrates of British Columbia

B-GWTE	<i>Anas crecca</i> Linnaeus	Green-winged Teal
B-GWTE-CA	ssp: <i>carolinensis</i> (Gmelin)	Green-winged Teal <i>carolinensis</i>
B-GWTE-CR	<i>crecca</i> (Linnaeus)	Green-winged Teal <i>crecca</i>
B-GYRF	<i>Falco rusticolus</i> Linnaeus	Gyrfalcon
B-GYRF-OB	ssp: <i>obsoletus</i> (Gmelin)	Gyrfalcon <i>obsoletus</i>
B-GYRF-UR	<i>uralensis</i> (Severtzov and Menzbier)	Gyrfalcon <i>uralensis</i>
B-HADU	<i>Histrionicus histrionicus</i> (Linnaeus)	Harlequin Duck
B-HAFL	<i>Empidonax hammondii</i> (Xántus de Vesey)	Hammond's Flycatcher
B-HASP	<i>Zonotrichia querula</i> (Nuttall)	Harris's Sparrow
B-HAWO	<i>Picoides villosus</i> (Linnaeus)	Hairy Woodpecker
B-HAWO-HA	ssp: <i>harrisi</i> (Audubon)	Hairy Woodpecker <i>harrisi</i>
B-HAWO-MO	<i>monticola</i> (Anthony)	Hairy Woodpecker <i>monticola</i>
B-HAWO-OR	<i>orius</i> (Oberholser)	Hairy Woodpecker <i>orius</i>
B-HAWO-PI	<i>picoideus</i> (Osgood)	Hairy Woodpecker <i>picoideus</i>
B-HAWO-SE	<i>septentrionalis</i> (Nuttall)	Hairy Woodpecker <i>septentrionalis</i>
B-HAWO-SI	<i>sitkensis</i> (Swarth)	Hairy Woodpecker <i>sitkensis</i>
B-HEEG	<i>Larus heermanni</i> Cassin	Heermann's Gull
B-HEGU	<i>Larus argentatus</i> Pontoppidan	Herring Gull
B-HEGU-SM	ssp: <i>smithsonianus</i> (Coues)	Herring Gull <i>smithsonianus</i>
B-HEGU-VE	<i>vegae</i> (Palmén)	Herring Gull <i>vegae</i>
B-HETH	<i>Catharus guttatus</i> (Pallas)	Hermit Thrush
B-HETH-EU	ssp: <i>euborius</i> (Oberholser)	Hermit Thrush <i>euborius</i>
B-HETH-GU	<i>guttatus</i> (Pallas)	Hermit Thrush <i>guttatus</i>
B-HETH-MU	<i>munroi</i> Phillips	Hermit Thrush <i>munroi</i>
B-HETH-NA	<i>nanus</i> (Audubon)	Hermit Thrush <i>nanus</i>
B-HETH-OR	<i>oromelus</i> (Oberholser)	Hermit Thrush <i>oromelus</i>
B-HETH-OS	<i>osgoodi</i> Phillips	Hermit Thrush <i>osgoodi</i>
B-HETH-VA	<i>vaccinius</i> (Cumming)	Hermit Thrush <i>vaccinius</i>
B-HETH-VE	<i>verecundus</i> (Osgood)	Hermit Thrush <i>verecundus</i>
B-HEWA	<i>Dendroica occidentalis</i> (Townsend)	Hermit Warbler
B-HOFI	<i>Carpodacus mexicanus</i> (Müller)	House Finch
	ssp: <i>frontalis</i> (Say)	House Finch <i>frontalis</i>
B-HOGR	<i>Podiceps auritus</i> (Linnaeus)	Horned Grebe
	ssp: <i>cornutus</i> (Gmelin)	Horned Grebe <i>cornutus</i>
B-HOLA	<i>Eremophila alpestris</i> (Linnaeus)	Horned Lark
B-HOLA-AR	ssp: <i>arctica</i> (Oberholser)	Horned Lark <i>arctica</i>
B-HOLA-HO	<i>hoyti</i> (Bishop)	Horned Lark <i>hoyti</i>
B-HOLA-ME	<i>merrilli</i> (Dwight)	Horned Lark <i>merrilli</i>
B-HOLA-ST	<i>strigata</i> (Henshaw)	Horned Lark <i>strigata</i>
B-HOME	<i>Lophodytes cucullatus</i> (Linnaeus)	Hooded Merganser
B-HOOR	<i>Icterus cucullatus</i> Swainson	Hooded Oriole
B-HOPU	<i>Fratercula corniculata</i> (Naumann)	Horned Puffin
B-HORE	<i>Carduelis hornemanni</i> (Holböll)	Hoary Redpoll
	ssp: <i>exilipes</i> (Coues)	Hoary Redpoll <i>exilipes</i>
B-HOSP	<i>Passer domesticus</i> (Linnaeus)	House Sparrow
	ssp: <i>domesticus</i> (Linnaeus)	House Sparrow <i>domesticus</i>

Alphabetical Sequence by Species Codes

B-HOWA	<i>Wilsonia citrina</i> (Boddaert)	Hooded Warbler
B-HOWR	<i>Troglodytes aedon</i> Vieillot ssp: <i>parkmanii</i> (Audubon)	House Wren House Wren <i>parkmanii</i>
B-HUGO	<i>Limosa haemastica</i> (Linnaeus)	Hudsonian Godwit
B-HUVI	<i>Vireo huttoni</i> Cassin	Hutton's Vireo
B-HUVI-IN	ssp: <i>insularis</i> Rhoads	Hutton's Vireo <i>insularis</i>
B-HUVI-OB	<i>obscurus</i> Anthony	Hutton's Vireo <i>obscurus</i>
B-ICGU	<i>Larus glaucoides</i> Meyer ssp: <i>kumlieni</i> (Brewster)	Iceland Gull Iceland Gull <i>kumlieni</i>
B-INBU	<i>Passerina cyanea</i> (Linnaeus)	Indigo Bunting
B-IVGU	<i>Pagophila eburnea</i> (Phipps)	Ivory Gull
B-KIEI	<i>Somateria spectabilis</i> (Linnaeus)	King Eider
B-KILL	<i>Charadrius vociferus</i> Linnaeus ssp: <i>vociferus</i> (Linnaeus)	Killdeer Killdeer <i>vociferus</i>
B-KIMU	<i>Brachyramphus brevirostris</i> (Vigors)	Kittlitz's Murrelet
B-LAAL	<i>Phoebastria immutabilis</i> (Rothschild)	Laysan Albatross
B-LAGU	<i>Larus atricilla</i> Linnaeus	Laughing Gull
B-LALO	<i>Calcarius lapponicus</i> (Linnaeus) ssp: <i>alascensis</i> Ridgway	Lapland Longspur Lapland Longspur <i>alascensis</i>
B-LASP	<i>Chondestes grammacus</i> (Say) ssp: <i>strigatus</i> (Swainson)	Lark Sparrow Lark Sparrow <i>strigatus</i>
B-LBBG	<i>Larus fuscus</i> Linnaeus ssp: <i>graelsii</i> (Brehm)	Lesser Black-backed Gull Lesser Black-backed Gull <i>graelsii</i>
B-LBCU	<i>Numenius americanus</i> Bechstein ssp: <i>parvus</i> Bishop	Long-billed Curlew Long-billed Curlew <i>parvus</i>
B-LBDO	<i>Limnodromus scolopaceus</i> (Say)	Long-billed Dowitcher
B-LBHE	<i>Egretta caerulea</i> (Linnaeus) ssp: <i>caerulea</i> (Linnaeus)	Little Blue Heron Little Blue Heron <i>caerulea</i>
B-LCSP	<i>Ammodramus leconteii</i> (Audubon)	Le Conte's Sparrow
B-LEBI	<i>Ixobrychus exilis</i> (Gmelin) ssp: <i>exilis</i> (Gmelin)	Least Bittern Least Bittern <i>exilis</i>
B-LEFL	<i>Empidonax minimus</i> (Baird and Baird)	Least Flycatcher
B-LEGO	<i>Carduelis psaltria</i> (Say) ssp: <i>hesperophila</i> (Oberholser)	Lesser Goldfinch Lesser Goldfinch <i>hesperophila</i>
B-LEOW	<i>Asio otus</i> (Linnaeus) ssp: <i>tuftsi</i> Godfrey	Long-eared Owl Long-eared Owl <i>tuftsi</i>
B-LESA	<i>Calidris minutilla</i> (Vieillot)	Least Sandpiper
B-LESC	<i>Aythya affinis</i> (Eyton)	Lesser Scaup
B-LETE	<i>Sterna antillarum</i> (Lesson)	Least Tern
B-LEWO	<i>Melanerpes lewis</i> (Gray)	Lewis's Woodpecker
B-LEYE	<i>Tringa flavipes</i> (Gmelin)	Lesser Yellowlegs
B-LIGU	<i>Larus minutus</i> Pallas	Little Gull
B-LISP	<i>Melospiza lincolnii</i> (Audubon)	Lincoln's Sparrow
B-LISP-GR	ssp: <i>gracilis</i> (Kittlitz)	Lincoln's Sparrow <i>gracilis</i>
B-LISP-LI	<i>lincolnii</i> (Audubon)	Lincoln's Sparrow <i>lincolnii</i>
B-LIST	<i>Calidris minuta</i> (Leisler)	Little Stint
B-LKBU	<i>Calamospiza melanocorys</i> Stejneger	Lark Bunting

Vertebrates of British Columbia

B-LOSH	<i>Lanius ludovicianus</i> Linnaeus ssp: <i>gambeli</i> Ridgway	Loggerhead Shrike Loggerhead Shrike <i>gambeli</i>
B-LSPE	<i>Oceanodroma leucorhoa</i> (Vieillot) ssp: <i>beali</i> (Emerson)	Leach's Storm-Petrel Leach's Storm-Petrel <i>beali</i>
B-LTDU	<i>Clangula hyemalis</i> (Linnaeus)	Long-tailed Duck
B-LTJA	<i>Stercorarius longicaudus</i> Vieillot	Long-tailed Jaeger
B-LZBU	<i>Passerina amoena</i> (Say)	Lazuli Bunting
B-MACW	<i>Oporornis tolmiei</i> (Townsend) ssp: <i>tolmiei</i> (Townsend)	MacGillivray's Warbler MacGillivray's Warbler <i>tolmiei</i>
B-MAFR	<i>Fregata magnificens</i> Mathews ssp: <i>rothschildi</i> Mathews	Magnificent Frigatebird Magnificent Frigatebird <i>rothschildi</i>
B-MAGO	<i>Limosa fedoa</i> (Linnaeus)	Marbled Godwit
B-MAGO-BE	ssp: <i>beringiae</i> Gibson and Kessel	Marbled Godwit <i>beringiae</i>
B-MAGO-FE	<i>fedoa</i> (Linnaeus)	Marbled Godwit <i>fedoa</i>
B-MALL	<i>Anas platyrhynchos</i> Linnaeus ssp: <i>platyrhynchos</i> (Linnaeus)	Mallard Mallard <i>platyrhynchos</i>
B-MAMU	<i>Brachyramphus marmoratus</i> (Gmelin)	Marbled Murrelet
B-MASH	<i>Puffinus puffinus</i> (Brünnich)	Manx Shearwater
B-MAWR	<i>Cistothorus palustris</i> (Wilson)	Marsh Wren
B-MAWR-BR	ssp: <i>browningi</i> Rea	Marsh Wren <i>browningi</i>
B-MAWR-PU	<i>pulverius</i> (Aldrich)	Marsh Wren <i>pulverius</i>
B-MCBU	<i>Plectrophenax hyperboreus</i> Ridgway	McKay's Bunting
B-MCLO	<i>Calcarius mccownii</i> (Lawrence)	McCown's Longspur
B-MEGU	<i>Larus canus</i> Linnaeus ssp: <i>brachyrhynchus</i> (Richardson)	Mew Gull Mew Gull <i>brachyrhynchus</i>
B-MERL	<i>Falco columbarius</i> Linnaeus	Merlin
B-MERL-CO	ssp: <i>columbarius</i> Linnaeus	Merlin <i>columbarius</i>
B-MERL-RI	<i>richardsonii</i> (Ridgway)	Merlin <i>richardsonii</i>
B-MERL-SU	<i>suckleyi</i> (Ridgway)	Merlin <i>suckleyi</i>
B-MGNW	<i>Dendroica magnolia</i> (Wilson)	Magnolia Warbler
B-MGPL	<i>Charadrius mongolus</i> Pallas ssp: <i>stegmanni</i> Stresemann	Mongolian Plover Mongolian Plover <i>stegmanni</i>
B-MOBL	<i>Sialia currucoides</i> (Bechstein)	Mountain Bluebird
B-MOCH	<i>Poecile gambeli</i> (Ridgway) ssp: <i>abbreviatus</i> (Grinnell)	Mountain Chickadee Mountain Chickadee <i>abbreviatus</i>
B-MODO	<i>Zenaida macroura</i> (Linnaeus) ssp: <i>marginella</i> (Woodhouse)	Mourning Dove Mourning Dove <i>marginella</i>
B-MOPE	<i>Pterodroma inexpectata</i> (Forster)	Mottled Petrel
B-MOPL	<i>Charadrius montanus</i> Townsend	Mountain Plover
B-MOQU	<i>Oreortyx pictus</i> (Douglas) ssp: <i>palmeri</i> (Oberholser)	Mountain Quail Mountain Quail <i>palmeri</i>
B-MOWA	<i>Oporornis philadelphia</i> (Wilson)	Mourning Warbler
B-MUPE	<i>Pterodroma ultima</i> Murphy	Murphy's Petrel
B-MUSW	<i>Cygnus olor</i> (Gmelin)	Mute Swan
B-NAWA	<i>Vermivora ruficapilla</i> (Wilson) ssp: <i>ridgwayi</i> van Rossem	Nashville Warbler Nashville Warbler <i>ridgwayi</i>
B-NHOW	<i>Surnia ulula</i> (Linnaeus) ssp: <i>caparoch</i> (Müller)	Northern Hawk Owl Northern Hawk Owl <i>caparoch</i>

Alphabetical Sequence by Species Codes

B-NOBO	<i>Colinus virginianus</i> (Linnaeus)	Northern Bobwhite
B-NOCR	<i>Corvus caurinus</i> Baird	Northwestern Crow
B-NOFL	<i>Colaptes auratus</i> (Linnaeus)	Northern Flicker
B-NOFL-BO	ssp: <i>borealis</i> Ridgway	Northern Flicker <i>borealis</i>
B-NOFL-CA	<i>cafer</i> (Gmelin)	Northern Flicker <i>cafer</i>
B-NOFL-CO	<i>collaris</i> (Vigors)	Northern Flicker <i>collaris</i>
B-NOFU	<i>Fulmarus glacialis</i> (Linnaeus)	Northern Fulmar
	ssp: <i>rodgersii</i> (Cassin)	Northern Fulmar <i>rodgersii</i>
B-NOGO	<i>Accipiter gentilis</i> (Linnaeus)	Northern Goshawk
B-NOGO-AT	ssp: <i>atricapillus</i> (Wilson)	Northern Goshawk <i>atricapillus</i>
B-NOGO-LA	<i>laingi</i> (Taverner)	Northern Goshawk <i>laingi</i>
B-NOHA	<i>Circus cyaneus</i> (Linnaeus)	Northern Harrier
	ssp: <i>hudsonius</i> (Linnaeus)	Northern Harrier <i>hudsonius</i>
B-NOMO	<i>Mimus polyglottos</i> (Linnaeus)	Northern Mockingbird
	ssp: <i>leucopterus</i> (Vigors)	Northern Mockingbird <i>leucopterus</i>
B-NOPA	<i>Parula americana</i> (Linnaeus)	Northern Parula
B-NOPI	<i>Anas acuta</i> Linnaeus	Northern Pintail
B-NOSH	<i>Lanius excubitor</i> Linnaeus	Northern Shrike
	ssp: <i>invictus</i> (Grinnell)	Northern Shrike <i>invictus</i>
B-NOSL	<i>Anas clypeata</i> Linnaeus	Northern Shoveler
B-NOWA	<i>Seiurus noveboracensis</i> (Gmelin)	Northern Waterthrush
B-NOWA-LI	ssp: <i>linnaeus</i> McCabe and Miller	Northern Waterthrush <i>linnaeus</i>
B-NOWA-NO	<i>notabilis</i> (Ridgway)	Northern Waterthrush <i>notabilis</i>
B-NOWH	<i>Oenanthe oenanthe</i> (Linnaeus)	Northern Wheatear
	ssp: <i>oenanthe</i> (Linnaeus)	Northern Wheatear <i>oenanthe</i>
B-NPOW	<i>Glaucidium gnoma</i> Wagler	Northern Pygmy-Owl
B-NPOW-CA	ssp: <i>californicum</i> (Sclater)	Northern Pygmy-Owl <i>californicum</i>
B-NPOW-GR	<i>grinnelli</i> Ridgway	Northern Pygmy-Owl <i>grinnelli</i>
B-NPOW-SW	<i>swarthi</i> Grinnell	Northern Pygmy-Owl <i>swarthi</i>
B-NRWS	<i>Stelgidopteryx serripennis</i> (Audubon)	Northern Rough-winged Swallow
	ssp: <i>serripennis</i> (Audubon)	Northern Rough-winged Swallow <i>serripennis</i>
B-NSTS	<i>Ammodramus nelsoni</i> Allen	Nelson's Sharp-tailed Sparrow
	ssp: <i>nelsoni</i> (J.A. Allen)	Nelson's Sharp-tailed Sparrow <i>nelsoni</i>
B-NSWO	<i>Aegolius acadicus</i> (Gmelin)	Northern Saw-whet Owl
B-NSWO-AC	ssp: <i>acadicus</i> (Gmelin)	Northern Saw-whet Owl <i>acadicus</i>
B-NSWO-BR	<i>brooksi</i> (Fleming)	Northern Saw-whet Owl <i>brooksi</i>
B-OCWA	<i>Vermivora celata</i> (Say)	Orange-crowned Warbler
B-OCWA-CE	ssp: <i>celata</i> (Say)	Orange-crowned Warbler <i>celata</i>
B-OCWA-LU	<i>lutescens</i> (Ridgway)	Orange-crowned Warbler <i>lutescens</i>
B-OCWA-OR	<i>orestera</i> Oberholser	Orange-crowned Warbler <i>orestera</i>
B-OROR	ICTERUS SPURIUS (LINNAEUS)	Orchard Oriole
	SSP: SPURIUS (LINNAEUS)	Orchard Oriole <i>spurius</i>
B-OSFL	<i>Contopus cooperi</i> (Nuttall)	Olive-sided Flycatcher
	ssp: <i>cooperi</i> (Nuttall)	Olive-sided Flycatcher <i>cooperi</i>
B-OSPR	<i>Pandion haliaetus</i> (Linnaeus)	Osprey
	ssp: <i>carolinensis</i> (Gmelin)	Osprey <i>carolinensis</i>
B-OTDO	<i>Streptopelia orientalis</i> (Latham)	Oriental Turtle-Dove

Vertebrates of British Columbia

B-OVEN	<i>Seiurus aurocapillus</i> (Linnaeus) ssp: <i>aurocapillus</i> (Linnaeus)	Ovenbird Ovenbird <i>aurocapillus</i>
B-PAAU	<i>Aethia psittacula</i> (Pallas)	Parakeet Auklet
B-PAJA	<i>Stercorarius parasiticus</i> (Linnaeus)	Parasitic Jaeger
B-PALO	<i>Gavia pacifica</i> (Lawrence)	Pacific Loon
B-PAPI	<i>Ectopistes migratorius</i> (Linnaeus)	Passenger Pigeon
B-PARE	<i>Myioborus pictus</i> (Swainson) ssp: <i>pictus</i> (Swainson)	Painted Redstart Painted Redstart <i>pictus</i>
B-PAWA	<i>Dendroica palmarum</i> (Gmelin) ssp: <i>palmarum</i> (Gmelin)	Palm Warbler Palm Warbler <i>palmarum</i>
B-PBGR	<i>Podilymbus podiceps</i> (Linnaeus) ssp: <i>podiceps</i> (Linnaeus)	Pied-billed Grebe Pied-billed Grebe <i>podiceps</i>
B-PECO	<i>Phalacrocorax pelagicus</i> Pallas	Pelagic Cormorant
B-PECO-PE	ssp: <i>pelagicus</i> (Pallas)	Pelagic Cormorant <i>pelagicus</i>
B-PECO-RE	<i>resplendens</i> (Audubon)	Pelagic Cormorant <i>resplendens</i>
B-PEFA	<i>Falco peregrinus</i> Tunstall	Peregrine Falcon
B-PEFA-AN	ssp: <i>anatum</i> (Bonaparte)	Peregrine Falcon <i>anatum</i>
B-PEFA-PE	<i>pealei</i> (Ridgway)	Peregrine Falcon <i>pealei</i>
B-PEFA-TU	<i>tundrius</i> White	Peregrine Falcon <i>tundrius</i>
B-PESA	<i>Calidris melanotos</i> (Vieillot)	Pectoral Sandpiper
B-PFSH	<i>Puffinus creatopus</i> Coues	Pink-footed Shearwater
B-PGPL	<i>Pluvialis fulva</i> (Gmelin)	Pacific Golden-Plover
B-PHVI	<i>Vireo philadelphicus</i> (Cassin)	Philadelphia Vireo
B-PIGR	<i>Pinicola enucleator</i> (Linnaeus)	Pine Grosbeak
B-PIGR-AL	ssp: <i>alascensis</i> Ridgway	Pine Grosbeak <i>alascensis</i>
B-PIGR-CA	<i>carlottae</i> Brooks	Pine Grosbeak <i>carlottae</i>
B-PIGR-FL	<i>flammula</i> (Homeyer)	Pine Grosbeak <i>flammula</i>
B-PIGR-MO	<i>montana</i> Ridgway	Pine Grosbeak <i>montana</i>
B-PIGU	<i>Cephus columba</i> Pallas	Pigeon Guillemot
B-PIGU-CO	ssp: <i>columba</i> (Pallas)	Pigeon Guillemot <i>columba</i>
B-PIGU-KA	<i>kaiurka</i> Portenko	Pigeon Guillemot <i>kaiurka</i>
B-PISI	<i>Carduelis pinus</i> (Wilson) ssp: <i>pinus</i> (Wilson)	Pine Siskin Pine Siskin <i>pinus</i>
B-PIWO	<i>Dryocopus pileatus</i> (Linnaeus) ssp: <i>picinus</i> (Bangs)	Pileated Woodpecker Pileated Woodpecker <i>picinus</i>
B-POJA	<i>Stercorarius pomarinus</i> (Temminck)	Pomarine Jaeger
B-PRFA	<i>Falco mexicanus</i> Schlegel	Prairie Falcon
B-PRWA	<i>Dendroica discolor</i> (Vieillot) ssp: <i>discolor</i> (Vieillot)	Prairie Warbler Prairie Warbler <i>discolor</i>
B-PSFL	<i>Empidonax difficilis</i> Baird ssp: <i>difficilis</i> (Baird)	Pacific-slope Flycatcher Pacific-slope Flycatcher <i>difficilis</i>
B-PUFI	<i>Carpodacus purpureus</i> (Gmelin)	Purple Finch
B-PUFI-CA	ssp: <i>californicus</i> (Baird)	Purple Finch <i>californicus</i>
B-PUFI-TA	<i>taverneri</i> Rand	Purple Finch <i>taverneri</i>
B-PUMA	<i>Progne subis</i> (Linnaeus)	Purple Martin
B-PUMA-AR	ssp: <i>arboricola</i> Behle	Purple Martin <i>arboricola</i>
B-PUMA-SU	<i>subis</i> (Linnaeus)	Purple Martin <i>subis</i>

Alphabetical Sequence by Species Codes

B-PYNU	<i>Sitta pygmaea</i> Vigors ssp: <i>melanotis</i> van Rossem	Pygmy Nuthatch Pygmy Nuthatch <i>melanotis</i>
B-RBGR	<i>Pheucticus ludovicianus</i> (Linnaeus)	Rose-breasted Grosbeak
B-RBGU	<i>Larus delawarensis</i> Ord	Ring-billed Gull
B-RBME	<i>Mergus serrator</i> Linnaeus ssp: <i>serrator</i> (Linnaeus)	Red-breasted Merganser Red-breasted Merganser <i>serrator</i>
B-RBNU	<i>Sitta canadensis</i> Linnaeus	Red-breasted Nuthatch
B-RBSA	<i>Sphyrapicus ruber</i> (Gmelin) ssp: <i>ruber</i> (Gmelin)	Red-breasted Sapsucker Red-breasted Sapsucker <i>ruber</i>
B-RCKI	<i>Regulus calendula</i> (Linnaeus)	Ruby-crowned Kinglet
B-RCKI-CA	ssp: <i>calendula</i> (Linnaeus)	Ruby-crowned Kinglet <i>calendula</i>
B-RCKI-CI	<i>cineraceus</i> Grinnell	Ruby-crowned Kinglet <i>cineraceus</i>
B-RCKI-GR	<i>grinnelli</i> Palmer	Ruby-crowned Kinglet <i>grinnelli</i>
B-RECR	<i>Loxia curvirostra</i> Linnaeus ssp: <i>minor</i> (Brehm)	Red Crossbill Red Crossbill <i>minor</i>
B-REDH	<i>Aythya americana</i> (Eyton)	Redhead
B-REKN	<i>Calidris canutus</i> (Linnaeus) ssp: <i>canutus</i> (Linnaeus)	Red Knot Red Knot <i>canutus</i>
B-REPH	<i>Phalaropus fulicaria</i> (Linnaeus)	Red Phalarope
B-REVI	<i>Vireo olivaceus</i> (Linnaeus) ssp: <i>olivaceus</i> (Linnaeus)	Red-eyed Vireo Red-eyed Vireo <i>olivaceus</i>
B-RFCO	<i>Phalacrocorax urile</i> (Gmelin)	Red-faced Cormorant
B-RHAU	<i>Cerorhinca monocerata</i> (Pallas)	Rhinoceros Auklet
B-RHOW	<i>Melanerpes erythrocephalus</i> (Linnaeus)	Red-headed Woodpecker
B-RLHA	<i>Buteo lagopus</i> (Pontoppidan) ssp: <i>sanctijohannis</i> (Gmelin)	Rough-legged Hawk Rough-legged Hawk <i>sanctijohannis</i>
B-RLKI	<i>Rissa brevirostris</i> (Bruch)	Red-legged Kittiwake
B-RNDU	<i>Aythya collaris</i> (Donovan)	Ring-necked Duck
B-RNGR	<i>Podiceps grisegena</i> (Boddaert) ssp: <i>holbollii</i> (Reinhardt)	Red-necked Grebe Red-necked Grebe <i>holbollii</i>
B-RNPH	<i>Phasianus colchicus</i> Linnaeus	Ring-necked Pheasant
B-RNPL	<i>Phalaropus lobatus</i> (Linnaeus)	Red-necked Phalarope
B-RNSA	<i>Sphyrapicus nuchalis</i> Baird	Red-naped Sapsucker
B-RNST	<i>Calidris ruficollis</i> (Pallas)	Red-necked Stint
B-RODO	<i>Columba livia</i> Gmelin	Rock Dove
B-ROGO	<i>Chen rossii</i> (Cassin)	Ross's Goose
B-ROGU	<i>Rhodostethia rosea</i> (MacGillivray)	Ross's Gull
B-ROPT	<i>Lagopus mutus</i> (Montin) ssp: <i>rupestris</i> (Gmelin)	Rock Ptarmigan Rock Ptarmigan <i>rupestris</i>
B-ROSA	<i>Calidris ptilocnemis</i> (Coues) ssp: <i>tshuktschorum</i> (Portenko)	Rock Sandpiper Rock Sandpiper <i>tshuktschorum</i>
B-ROWR	<i>Salpinctes obsoletus</i> (Say) ssp: <i>obsoletus</i> (Say)	Rock Wren Rock Wren <i>obsoletus</i>
B-RTHA	<i>Buteo jamaicensis</i> (Gmelin)	Red-tailed Hawk
B-RTHA-AL	ssp: <i>alascensis</i> (Grinnell)	Red-tailed Hawk <i>alascensis</i>
B-RTHA-CA	<i>calurus</i> (Cassin)	Red-tailed Hawk <i>calurus</i>
B-RTHA-HA	<i>harlani</i> (Audubon)	Red-tailed Hawk <i>harlani</i>

Vertebrates of British Columbia

B-RTHU	<i>Archilochus colubris</i> (Linnaeus)	Ruby-throated Hummingbird
B-RTLO	<i>Gavia stellata</i> (Pontoppidan)	Red-throated Loon
B-RTPI	<i>Anthus cervinus</i> (Pallas)	Red-throated Pipit
B-RTTR	<i>Phaethon rubricauda</i> Boddaert ssp: <i>rothschildi</i> (mathews)	Red-tailed Tropicbird Red-tailed Tropicbird <i>rothschildi</i>
B-RUBL	<i>Euphagus carolinus</i> (Müller) ssp: <i>carolinus</i> (Müller)	Rusty Blackbird Rusty Blackbird <i>carolinus</i>
B-RUBU	<i>Emberiza rustica</i> Pallas ssp: <i>latifascia</i> Portenko	Rustic Bunting Rustic Bunting <i>latifascia</i>
B-RUDU	<i>Oxyura jamaicensis</i> (Gmelin) ssp: <i>rubida</i> (Wilson)	Ruddy Duck Ruddy Duck <i>rubida</i>
B-RUFF	<i>Philomachus pugnax</i> (Linnaeus)	Ruff
B-RUGR	<i>Bonasa umbellus</i> (Linnaeus)	Ruffed Grouse
B-RUGR-BR	ssp: <i>brunnescens</i> Conover	Ruffed Grouse <i>brunnescens</i>
B-RUGR-PH	<i>phaia</i> (Aldrich and Friedmann)	Ruffed Grouse <i>phaia</i>
B-RUGR-SA	<i>sabini</i> (Douglas)	Ruffed Grouse <i>sabini</i>
B-RUGR-UM	<i>umbelloides</i> (Douglas)	Ruffed Grouse <i>umbelloides</i>
B-RUHU	<i>Selasphorus rufus</i> (Gmelin)	Rufous Hummingbird
B-RUTU	<i>Arenaria interpres</i> (Linnaeus)	Ruddy Turnstone
B-RUTU-IN	ssp: <i>interpres</i> (Linnaeus)	Ruddy Turnstone <i>interpres</i>
B-RUTU-MO	<i>morinella</i> (Linnaeus)	Ruddy Turnstone <i>morinella</i>
B-RWBL	<i>Agelaius phoeniceus</i> (Linnaeus)	Red-winged Blackbird
B-RWBL-AR	ssp: <i>arctolegus</i> Oberholser	Red-winged Blackbird <i>arctolegus</i>
B-RWBL-CA	<i>caurinus</i> Ridgway	Red-winged Blackbird <i>caurinus</i>
B-RWBL-NE	<i>nevadensis</i> Grinnell	Red-winged Blackbird <i>nevadensis</i>
B-SACR	<i>Grus canadensis</i> (Linnaeus)	Sandhill Crane
B-SACR-CA	ssp: <i>canadensis</i> (Linnaeus)	Sandhill Crane <i>canadensis</i>
B-SACR-RO	<i>rowani</i> Walkinshaw	Sandhill Crane <i>rowani</i>
B-SACR-TA	<i>tabida</i> (Peters)	Sandhill Crane <i>tabida</i>
B-SAGU	<i>Xema sabini</i> (Sabine) ssp: <i>woznesenskii</i> Portenko	Sabine's Gull Sabine's Gull <i>woznesenskii</i>
B-SAND	<i>Calidris alba</i> (Pallas)	Sanderling
B-SAPH	<i>Sayornis saya</i> (Bonaparte)	Say's Phoebe
B-SASP	<i>Amphispiza belli</i> (Cassin) ssp: <i>nevadensis</i> (Ridgway)	Sage Sparrow Sage Sparrow <i>nevadensis</i>
B-SATH	<i>Oreoscoptes montanus</i> (Townsend)	Sage Thrasher
B-SAVS	<i>Passerculus sandwichensis</i> (Gmelin)	Savannah Sparrow
B-SAVS-AN	ssp: <i>anthinus</i> (Bonaparte)	Savannah Sparrow <i>anthinus</i>
B-SAVS-BR	<i>brooksi</i> Bishop	Savannah Sparrow <i>brooksi</i>
B-SAVS-NE	<i>nevadensis</i> Grinnell	Savannah Sparrow <i>nevadensis</i>
B-SAVS-SA	<i>sandwichensis</i> (Gmelin)	Savannah Sparrow <i>sandwichensis</i>
B-SBDO	<i>Limnodromus griseus</i> (Gmelin)	Short-billed Dowitcher
B-SBDO-CA	ssp: <i>caurinus</i> Pitelka	Short-billed Dowitcher <i>caurinus</i>
B-SBDO-HE	<i>hendersoni</i> Rowan	Short-billed Dowitcher <i>hendersoni</i>
B-SBGU	<i>Larus schistisagus</i> Stejneger	Slaty-backed Gull
B-SBSA	<i>Eurynorhynchus pygmeus</i> (Linnaeus)	Spoonbill Sandpiper
B-SCTA	<i>Piranga olivacea</i> (Gmelin)	Scarlet Tanager

Alphabetical Sequence by Species Codes

B-SEOW	<i>Asio flammeus</i> (Pontoppidan) ssp: <i>flammeus</i> (Pontoppidan)	Short-eared Owl Short-eared Owl <i>flammeus</i>
B-SEPL	<i>Charadrius semipalmatus</i> Bonaparte	Semipalmated Plover
B-SESA	<i>Calidris pusilla</i> (Linnaeus)	Semipalmated Sandpiper
B-SHSA	<i>Calidris acuminata</i> (Horsfield)	Sharp-tailed Sandpiper
B-SIAC	<i>Prunella montanella</i> (Pallas)	Siberian Accentor
B-SKLA	<i>Alauda arvensis</i> Linnaeus	Sky Lark
B-SKLA-AR	ssp: <i>arvensis</i> (Linnaeus)	Sky Lark <i>arvensis</i>
B-SKLA-PE	<i>pekinensis</i> Swinhoe	Sky Lark <i>pekinensis</i>
B-SMEW	<i>Mergellus albellus</i> (Linnaeus)	Smew
B-SMLO	<i>Calcarius pictus</i> (Swainson)	Smith's Longspur
B-SNBU	<i>Plectrophenax nivalis</i> (Linnaeus) ssp: <i>nivalis</i> (Linnaeus)	Snow Bunting Snow Bunting <i>nivalis</i>
B-SNEG	<i>Egretta thula</i> (Molina) ssp: <i>brewsteri</i> (Thayer and Bangs)	Snowy Egret Snowy Egret <i>brewsteri</i>
B-SNGO	<i>Chen caerulescens</i> (Linnaeus) ssp: <i>caerulescens</i> (Linnaeus)	Snow Goose Snow Goose <i>caerulescens</i>
B-SNOW	<i>Nyctea scandiaca</i> (Linnaeus)	Snowy Owl
B-SNPL	<i>Charadrius alexandrinus</i> Linnaeus ssp: <i>nivosus</i> (Cassin)	Snowy Plover Snowy Plover <i>nivosus</i>
B-SORA	<i>Porzana carolina</i> (Linnaeus)	Sora
B-SOSA	<i>Tringa solitaria</i> Wilson	Solitary Sandpiper
B-SOSA-CI	ssp: <i>cinnamomea</i> (Brewster)	Solitary Sandpiper <i>cinnamomea</i>
B-SOSA-SO	<i>solitaria</i> (Wilson)	Solitary Sandpiper <i>solitaria</i>
B-SOSH	<i>Puffinus griseus</i> (Gmelin)	Sooty Shearwater
B-SOSP	<i>Melospiza melodia</i> (Wilson)	Song Sparrow
B-SOSP-CA	ssp: <i>caurina</i> (Ridgway)	Song Sparrow <i>caurina</i>
B-SOSP-IN	<i>inexpectata</i> Riley	Song Sparrow <i>inexpectata</i>
B-SOSP-JU	<i>juddi</i> (Bishop)	Song Sparrow <i>juddi</i>
B-SOSP-ME	<i>merrilli</i> (Brewster)	Song Sparrow <i>merrilli</i>
B-SOSP-MO	<i>morphna</i> Oberholser	Song Sparrow <i>morphna</i>
B-SOSP-RU	<i>rufina</i> (Bonaparte)	Song Sparrow <i>rufina</i>
B-SPEI	<i>Somateria fischeri</i> (Brandt)	Spectacled Eider
B-SPGR	<i>Falcipennis canadensis</i> (Linnaeus)	Spruce Grouse
B-SPGR-CA	ssp: <i>canadensis</i> (Linnaeus)	Spruce Grouse <i>canadensis</i>
B-SPGR-FR	<i>franklinii</i> (Douglas)	Spruce Grouse <i>franklinii</i>
B-SPGR-OS	<i>osgoodi</i> (Bishop)	Spruce Grouse <i>osgoodi</i>
B-SPOW	<i>Strix occidentalis</i> (Xántus de Vesey) ssp: <i>caurina</i> (Merriam)	Spotted Owl Spotted Owl <i>caurina</i>
B-SPPI	<i>Anthus spragueii</i> (Audubon)	Sprague's Pipit
B-SPRE	<i>Tringa erythropus</i> (Pallas)	Spotted Redshank
B-SPSA	<i>Actitis macularia</i> (Linnaeus)	Spotted Sandpiper
B-SPSK	<i>Stercorarius maccormicki</i> (Saunders)	South Polar Skua
B-SPTO	<i>Pipilo maculatus</i> Swainson	Spotted Towhee
B-SPTO-CU	ssp: <i>curtatus</i> Grinnell	Spotted Towhee <i>curtatus</i>
B-SPTO-OR	<i>oregonus</i> (Bell)	Spotted Towhee <i>oregonus</i>

Vertebrates of British Columbia

B-SSHA	<i>Accipiter striatus</i> Vieillot	Sharp-shinned Hawk
B-SSHA-PE	ssp: <i>perobscurus</i> Snyder	Sharp-shinned Hawk <i>perobscurus</i>
B-SSHA-VE	<i>velox</i> (Wilson)	Sharp-shinned Hawk <i>velox</i>
B-STAL	<i>Phoebastria albatrus</i> (Pallas)	Short-tailed Albatross
B-STEI	<i>Polysticta stelleri</i> (Pallas)	Steller's Eider
B-STFL	<i>Tyrannus forficatus</i> (Gmelin)	Scissor-tailed Flycatcher
B-STGR	<i>Tympanuchus phasianellus</i> (Linnaeus)	Sharp-tailed Grouse
B-STGR-CA	ssp: <i>caurus</i> (Friedmann)	Sharp-tailed Grouse <i>caurus</i>
B-STGR-CO	<i>columbianus</i> (Ord)	Sharp-tailed Grouse <i>columbianus</i>
B-STGR-JA	<i>jamesi</i> (Lincoln)	Sharp-tailed Grouse <i>jamesi</i>
B-STJA	<i>Cyanocitta stelleri</i> (Gmelin)	Steller's Jay
B-STJA-AN	ssp: <i>annectens</i> (Baird)	Steller's Jay <i>annectens</i>
B-STJA-CA	<i>carlottae</i> Osgood	Steller's Jay <i>carlottae</i>
B-STJA-PA	<i>paralia</i> Oberholser	Steller's Jay <i>paralia</i>
B-STJA-ST	<i>stelleri</i> (Gmelin)	Steller's Jay <i>stelleri</i>
B-STSA	<i>Calidris himantopus</i> (Bonaparte)	Stilt Sandpiper
B-STSH	<i>Puffinus tenuirostris</i> (Temminck)	Short-tailed Shearwater
B-SURF	<i>Aphriza virgata</i> (Gmelin)	Surfbird
B-SUSC	<i>Melanitta perspicillata</i> (Linnaeus)	Surf Scoter
B-SWHA	<i>Buteo swainsoni</i> Bonaparte	Swainson's Hawk
B-SWSP	<i>Melospiza georgiana</i> (Latham)	Swamp Sparrow
	ssp: <i>ericrypta</i> Oberholser	Swamp Sparrow <i>ericrypta</i>
B-SWTH	<i>Catharus ustulatus</i> (Nuttall)	Swainson's Thrush
B-SWTH-IN	ssp: <i>incanus</i> (Godfrey)	Swainson's Thrush <i>incanus</i>
B-SWTH-PH	<i>phillipsi</i> Ramos	Swainson's Thrush <i>phillipsi</i>
B-SWTH-SW	<i>swainsoni</i> (Tschudi)	Swainson's Thrush <i>swainsoni</i>
B-SWTH-US	<i>ustulatus</i> (Nuttall)	Swainson's Thrush <i>ustulatus</i>
B-TBKI	<i>Tyrannus crassirostris</i> Swainson	Thick-billed Kingbird
B-TBMU	<i>Uria lomvia</i> (Linnaeus)	Thick-billed Murre
	ssp: <i>arra</i> (Pallas)	Thick-billed Murre <i>arra</i>
B-TESA	<i>Xenus cinereus</i> (Güldenstädt)	Terek Sandpiper
B-TEST	<i>Calidris temminckii</i> (Leisler)	Temminck's Stint
B-TEWA	<i>Vermivora peregrina</i> (Wilson)	Tennessee Warbler
B-THGU	<i>Larus thayeri</i> Brooks	Thayer's Gull
B-TOSO	<i>Myadestes townsendi</i> (Audubon)	Townsend's Solitaire
	ssp: <i>townsendi</i> (Audubon)	Townsend's Solitaire <i>townsendi</i>
B-TOWA	<i>Dendroica townsendi</i> (Townsend)	Townsend's Warbler
B-TRKI	<i>Tyrannus melancholicus</i> Vieillot	Tropical Kingbird
	ssp: <i>satrapa</i> (Cabanis and Heine)	Tropical Kingbird <i>satrapa</i>
B-TRSW	<i>Tachycineta bicolor</i> (Vieillot)	Tree Swallow
B-TRUS	<i>Cygnus buccinator</i> Richardson	Trumpeter Swan
B-TTWO	<i>Picoides tridactylus</i> (Linnaeus)	Three-toed Woodpecker
	ssp: <i>fasciatus</i> (Baird)	Three-toed Woodpecker <i>fasciatus</i>
B-TUDU	<i>Aythya fuligula</i> (Linnaeus)	Tufted Duck
B-TUPU	<i>Fratercula cirrhata</i> (Pallas)	Tufted Puffin
B-TUSW	<i>Cygnus columbianus</i> (Ord)	Tundra Swan
	ssp: <i>columbianus</i> (Ord)	Tundra Swan <i>columbianus</i>

Alphabetical Sequence by Species Codes

B-TUVU	<i>Cathartes aura</i> (Linnaeus) ssp: <i>teter</i> Friedmann	Turkey Vulture Turkey Vulture <i>teter</i>
B-UPSA	<i>Bartramia longicauda</i> (Bechstein)	Upland Sandpiper
B-VASW	<i>Chaetura vauxi</i> (Townsend) ssp: <i>vauxi</i> (Townsend)	Vaux's Swift Vaux's Swift <i>vauxi</i>
B-VATH	<i>Ixoreus naevius</i> (Gmelin)	Varied Thrush
B-VATH-CA	ssp: <i>carlottae</i> (Phillips)	Varied Thrush <i>carlottae</i>
B-VATH-GO	<i>godfreii</i> (Phillips)	Varied Thrush <i>godfreii</i>
B-VATH-ME	<i>meruloides</i> (Swainson)	Varied Thrush <i>meruloides</i>
B-VATH-NA	<i>naevius</i> (Gmelin)	Varied Thrush <i>naevius</i>
B-VEER	<i>Catharus fuscescens</i> (Stephens) ssp: <i>salicicola</i> (Ridgway)	Veery Veery <i>salicicola</i>
B-VESP	<i>Pooecetes gramineus</i> (Gmelin)	Vesper Sparrow
B-VESP-AF	ssp: <i>affinis</i> Miller	Vesper Sparrow <i>affinis</i>
B-VESP-CO	<i>confinis</i> (Baird)	Vesper Sparrow <i>confinis</i>
B-VGSW	<i>Tachycineta thalassina</i> (Swainson) ssp: <i>lepida</i> (Mearns)	Violet-green Swallow Violet-green Swallow <i>lepida</i>
B-VIRA	<i>Rallus limicola</i> Vieillot ssp: <i>limicola</i> (Vieillot)	Virginia Rail Virginia Rail <i>limicola</i>
B-WATA	<i>Heteroscelus incanus</i> (Gmelin)	Wandering Tattler
B-WAVI	<i>Vireo gilvus</i> (Vieillot) ssp: <i>swainsonii</i> (Baird)	Warbling Vireo Warbling Vireo <i>swainsonii</i>
B-WBNU	<i>Sitta carolinensis</i> Latham	White-breasted Nuthatch
B-WBNU-AC	ssp: <i>aculeata</i> (Cassin)	White-breasted Nuthatch <i>aculeata</i>
B-WBNU-CO	<i>cookei</i> Oberholser	White-breasted Nuthatch <i>cookei</i>
B-WBNU-TE	<i>tenuissima</i> Grinnell	White-breasted Nuthatch <i>tenuissima</i>
B-WCSP	<i>Zonotrichia leucophrys</i> (Forster)	White-crowned Sparrow
B-WCSP-GA	ssp: <i>gambelii</i> (Nuttall)	White-crowned Sparrow <i>gambelii</i>
B-WCSP-PU	<i>pugetensis</i> Grinnell	White-crowned Sparrow <i>pugetensis</i>
B-WEBL	<i>Sialia mexicana</i> Swainson ssp: <i>occidentalis</i> (Townsend)	Western Bluebird Western Bluebird <i>occidentalis</i>
B-WEGR	<i>Aechmophorus occidentalis</i> (Lawrence) ssp: <i>occidentalis</i> (Lawrence)	Western Grebe Western Grebe <i>occidentalis</i>
B-WEGU	<i>Larus occidentalis</i> Audubon ssp: <i>occidentalis</i> (Audubon)	Western Gull Western Gull <i>occidentalis</i>
B-WEKI	<i>Tyrannus verticalis</i> Say	Western Kingbird
B-WEME	<i>Sturnella neglecta</i> Audubon	Western Meadowlark
B-WEME-CO	ssp: <i>confluenta</i> Rathbun	Western Meadowlark <i>confluenta</i>
B-WEME-NE	<i>neglecta</i> (Audubon)	Western Meadowlark <i>neglecta</i>
B-WESA	<i>Calidris mauri</i> (Cabanis)	Western Sandpiper
B-WETA	<i>Piranga ludoviciana</i> (Wilson)	Western Tanager
B-WFIB	<i>Plegadis chihi</i> (Vieillot)	White-faced Ibis
B-WHCR	<i>Grus americana</i> (Linnaeus)	Whooping Crane
B-WHIM	<i>Numenius phaeopus</i> (Linnaeus) ssp: <i>hudsonicus</i> (Latham)	Whimbrel Whimbrel <i>hudsonicus</i>
B-WHSW	<i>Cygnus cygnus</i> (Linnaeus)	Whooper Swan

Vertebrates of British Columbia

B-WHWO	<i>Picoides albolarvatus</i> (Cassin) ssp: <i>albolarvatus</i> (Cassin)	White-headed Woodpecker White-headed Woodpecker <i>albolarvatus</i>
B-WIFL	<i>Empidonax traillii</i> (Audubon)	Willow Flycatcher
B-WIFL-AD	ssp: <i>adastus</i> Oberholser	Willow Flycatcher <i>adastus</i>
B-WIFL-BR	<i>brewsteri</i> Oberholser	Willow Flycatcher <i>brewsteri</i>
B-WILL	<i>Catoptrophorus semipalmatus</i> (Gmelin) ssp: <i>inornatus</i> (Brewster)	Willet Willet <i>inornatus</i>
B-WIPH	<i>Phalaropus tricolor</i> (Vieillot)	Wilson's Phalarope
B-WIPT	<i>Lagopus lagopus</i> (Linnaeus)	Willow Ptarmigan
B-WIPT-AE	ssp: <i>alexandrae</i> (Grinnell)	Willow Ptarmigan <i>alexandrae</i>
B-WIPT-AL	<i>albus</i> (Gmelin)	Willow Ptarmigan <i>albus</i>
B-WISA	<i>Sphyrapicus thyroideus</i> (Cassin)	Williamson's Sapsucker
B-WISA-NA	ssp: <i>nataliae</i> (Malherbe)	Williamson's Sapsucker <i>nataliae</i>
B-WISA-TH	<i>thyroideus</i> (Cassin)	Williamson's Sapsucker <i>thyroideus</i>
B-WITU	<i>Meleagris gallopavo</i> Linnaeus	Wild Turkey
B-WIWA	<i>Wilsonia pusilla</i> (Wilson)	Wilson's Warbler
B-WIWA-CH	ssp: <i>chryseola</i> Ridgway	Wilson's Warbler <i>chryseola</i>
B-WIWA-PI	<i>pileolata</i> (Pallas)	Wilson's Warbler <i>pileolata</i>
B-WIWR	<i>Troglodytes troglodytes</i> (Linnaeus)	Winter Wren
B-WIWR-HI	ssp: <i>hiemalis</i> (Vieillot)	Winter Wren <i>hiemalis</i>
B-WIWR-PA	<i>pacificus</i> (Baird)	Winter Wren <i>pacificus</i>
B-WIWR-SA	<i>salebrosus</i> Burleigh	Winter Wren <i>salebrosus</i>
B-WODU	<i>Aix sponsa</i> (Linnaeus)	Wood Duck
B-WOSA	<i>Tringa glareola</i> Linnaeus	Wood Sandpiper
B-WOST	<i>Mycteria americana</i> Linnaeus	Wood Stork
B-WRSA	<i>Calidris fuscicollis</i> (Vieillot)	White-rumped Sandpiper
B-WSJA	<i>Aphelocoma californica</i> (Vigors) ssp: <i>immanis</i> Grinnell	Western Scrub-Jay Western Scrub-Jay <i>immanis</i>
B-WSOW	<i>Otus kennicottii</i> (Elliot)	Western Screech-Owl
B-WSOW-KE	ssp: <i>kennicottii</i> (Elliot)	Western Screech-Owl <i>kennicottii</i>
B-WSOW-MA	<i>macfarlanei</i> (Brewster)	Western Screech-Owl <i>macfarlanei</i>
B-WTKI	<i>Elanus leucurus</i> (Vieillot) ssp: <i>majusculus</i> Bangs and Penard	White-tailed Kite White-tailed Kite <i>majusculus</i>
B-WTPT	<i>Lagopus leucurus</i> (Richardson)	White-tailed Ptarmigan
B-WTPT-LE	ssp: <i>leucurus</i> (Richardson)	White-tailed Ptarmigan <i>leucurus</i>
B-WTPT-SA	<i>saxatilis</i> Cowan	White-tailed Ptarmigan <i>saxatilis</i>
B-WTSP	<i>Zonotrichia albicollis</i> (Gmelin)	White-throated Sparrow
B-WTSW	<i>Aeronautes saxatilis</i> (Woodhouse) ssp: <i>saxatilis</i> (Woodhouse)	White-throated Swift White-throated Swift <i>saxatilis</i>
B-WWCR	<i>Loxia leucoptera</i> Gmelin ssp: <i>leucoptera</i> (Gmelin)	White-winged Crossbill White-winged Crossbill <i>leucoptera</i>
B-WWDO	<i>Zenaida asiatica</i> (Linnaeus) ssp: <i>mearnsi</i> (Ridgway)	White-winged Dove White-winged Dove <i>mearnsi</i>
B-WWPE	<i>Contopus sordidulus</i> Sclater	Western Wood-Pewee
B-WWPE-SA	ssp: <i>saturatus</i> (Bishop)	Western Wood-Pewee <i>saturatus</i>
B-WWPE-VE	<i>veliei</i> (Coues)	Western Wood-Pewee <i>veliei</i>

Alphabetical Sequence by Species Codes

B-WWSC	<i>Melanitta fusca</i> (Linnaeus)	White-winged Scoter
B-WWSC-DE	ssp: <i>deglandi</i> (Bonaparte)	White-winged Scoter <i>deglandi</i>
B-WWSC-DI	<i>dixonii</i> (Brooks)	White-winged Scoter <i>dixonii</i>
B-XAHU	<i>Hylocharis xantusii</i> (Lawrence)	Xantus's Hummingbird
B-XAMU	<i>Synthliboramphus hypoleucus</i> (Xántus de Vesey)	Xantus's Murrelet
	ssp: <i>hypoleucus</i> (Xántus de Vesey)	Xantus's Murrelet <i>hypoleucus</i>
B-YBCH	<i>Icteria virens</i> (Linnaeus)	Yellow-breasted Chat
	ssp: <i>auricollis</i> (Deppe)	Yellow-breasted Chat <i>auricollis</i>
B-YBCU	<i>Coccyzus americanus</i> (Linnaeus)	Yellow-billed Cuckoo
	ssp: <i>occidentalis</i> Ridgway	Yellow-billed Cuckoo <i>occidentalis</i>
B-YBFL	<i>Empidonax flaviventris</i> (Baird and Baird)	Yellow-bellied Flycatcher
B-YBLO	<i>Gavia adamsii</i> (Gray)	Yellow-billed Loon
B-YBSA	<i>Sphyrapicus varius</i> (Linnaeus)	Yellow-bellied Sapsucker
	ssp: <i>varius</i> (Linnaeus)	Yellow-bellied Sapsucker <i>varius</i>
B-YERA	<i>Coturnicops noveboracensis</i> (Gmelin)	Yellow Rail
	ssp: <i>noveboracensis</i> (Gmelin)	Yellow Rail <i>noveboracensis</i>
B-YEWA	<i>Dendroica petechia</i> (Linnaeus)	Yellow Warbler
B-YEWA-AM	ssp: <i>amnicola</i> (Batchelder)	Yellow Warbler <i>amnicola</i>
B-YEWA-MO	<i>morcomi</i> (Coale)	Yellow Warbler <i>morcomi</i>
B-YEWA-RU	<i>rubiginosa</i> (Pallas)	Yellow Warbler <i>rubiginosa</i>
B-YEWG	<i>Motacilla flava</i> Linnaeus	Yellow Wagtail
	ssp: <i>tschutschensis</i> (Gmelin)	Yellow Wagtail <i>tschutschensis</i>
B-YHBL	<i>Xanthocephalus xanthocephalus</i> (Bonaparte)	Yellow-headed Blackbird
B-YRWA	<i>Dendroica coronata</i> (Linnaeus)	Yellow-rumped Warbler
B-YRWA-AU	ssp: <i>auduboni</i> (Townsend)	Yellow-rumped Warbler <i>auduboni</i>
B-YRWA-HO	<i>hooveri</i> McGregor	Yellow-rumped Warbler <i>hooveri</i>
B-YRWA-ME	<i>memorabilis</i> (Oberholser)	Yellow-rumped Warbler <i>memorabilis</i>
B-YTWA	<i>Dendroica dominica</i> (Linnaeus)	Yellow-throated Warbler
F-ACAL	<i>Acrocheilus alutaceus</i> Agassiz and Pickering	Chiselmouth
F-ACME	<i>Acipenser medirostris</i> Ayres	Green Sturgeon
F-ACOP	<i>Acantholiparis opercularis</i> Gilbert and Burke	Spiny Snailfish
F-ACTR	<i>Acipenser transmontanus</i> Richardson	White Sturgeon
F-AGVU	<i>Agonopsis vulsa</i> (Jordan and Gilbert)	Northern Spearnose Poacher
F-ALEL	<i>Allosmerus elongatus</i> (Ayres)	Whitebait Smelt
F-ALFE	<i>Alepisaurus ferox</i> Lowe	Longnose Lancetfish
F-ALHY	<i>Allolumpenus hypochromus</i> Hubbs and Schultz	Y-prickleback
F-ALPE	<i>Albatrossia pectoralis</i> (Gilbert)	Giant Grenadier
F-ALSA	<i>Alosa sapidissima</i> (Wilson)	American Shad
F-ALTE	<i>Alepocephalus tenebrosus</i> Gilbert	Slickhead
F-ALVE	<i>Alloctytus verrucosus</i> (Gilchrist)	Oreo
F-ALVU	<i>Alopias vulpinus</i> (Bonnaterre)	Thresher Shark
F-AMHE	<i>Ammodytes hexapterus</i> Pallas	Pacific Sand Lance

Vertebrates of British Columbia

F-AMKO	<i>Amphistichus koelzi</i> (Hubbs)	Calico Surfperch
F-AMME	<i>Ameiurus melas</i> (Rafinesque)	Black Bullhead
F-AMNE	<i>Ameiurus nebulosus</i> (Lesueur)	Brown Bullhead
F-AMRH	<i>Amphistichus rhodoterus</i> (Agassiz)	Redtail Surfperch
F-ANCO	<i>Anoplogaster cornuta</i> (Valenciennes)	Fangtooth
F-ANFI	<i>Anoplopoma fimbria</i> (Pallas)	Sablefish
F-ANIN	<i>Anoplagonus inermis</i> (Gunther)	Smooth Alligatorfish
F-ANIS	<i>Anoplarchus insignis</i> Gilbert and Burke	Slender Cockscomb
F-ANMI	<i>Antimora microlepis</i> Bean	Pacific Flatnose
F-ANOC	<i>Anarrhichthys ocellatus</i> Ayres	Wolf-eel
F-ANPH	<i>Anotopterus pharao</i> Zugmayer	Daggertooth
F-ANPU	<i>Anoplarchus purpurescens</i> Gill	High Cockscomb
F-APBR	<i>Apristurus brunneus</i> (Gilbert)	Brown Cat Shark
F-APCA	<i>Aphanopus carbo</i> Lowe	Black Scabbardfish
F-APFL	<i>Apodichthys flavidus</i> Girard	Penpoint Gunnel
F-APFU	<i>Apodichthys fucorum</i> Jordan and Gilbert	Rockweed Gunnel
F-APVE	<i>Aptocycclus ventricosus</i> (Pallas)	Smooth Lump sucker
F-ARCO	<i>Artedius corallinus</i> (Hubbs)	Coralline Sculpin
F-ARFE	<i>Artedius fenestralis</i> Jordan and Gilbert	Padded Sculpin
F-ARHA	<i>Artedius harringtoni</i> (Starks)	Scalyhead Sculpin
F-ARLA	<i>Artedius lateralis</i> (Girard)	Smoothhead Sculpin
F-RUME	<i>Ruscarius meanyi</i> Jordan and Starks	Puget Sound Sculpin
F-ARNO	<i>Artedius notospilotus</i> Girard	Bonyhead Sculpin
F-ARSC	<i>Aristostomias scintillans</i> (Gilbert)	Shining Loosejaw
F-ARSL	<i>Argyropelecus sladeni</i> Regan	Silvery Hatchetfish
F-ASRH	<i>Ascelichthys rhodorus</i> Jordan and Gilbert	Rosylip Sculpin
F-ASTA	<i>Asemichthys taylori</i> Gilbert	Spinynose Sculpin
F-ATAF	<i>Atherinops affinis</i> (Ayes)	Topsmelt
F-ATNO	<i>Atractoscion nobilis</i> (Ayes)	White Seabass
F-ATST	<i>Atheresthes stomias</i> (Jordan and Gilbert)	Arrowtooth Flounder
F-AUFL	<i>Aulorhynchus flavidus</i> Gill	Tubesnout
F-AVIN	<i>Avocettina infans</i> (Gunther)	Close-spine Snipe Eel
F-BAAB	<i>Bathyraja abyssicola</i> (Gilbert)	Deepsea Skate
F-BAAE	<i>Bathyraja aleutica</i> Gilbert	Aleutian Skate
F-BAAL	<i>Bathyagonus alascanus</i> (Gilbert)	Gray Starsnout
F-BACA	<i>Bathymaster caeruleofasciatus</i> Gilbert and Burke	Alaskan Ronquil
F-BAEX	<i>Bathylchnops exilis</i> Cohen	Javelin Spookfish
F-BAFL	<i>Bathophilus flemingi</i> Aron and McCrery	Highfin Dragonfish
F-BAIN	<i>Bathyagonus infraspinitus</i> (Gilbert)	Spinycheek Starsnout
F-BAIT	<i>Bathyraja interrupta</i> (Gill and Townsend)	Sandpaper Skate
F-BAMI	<i>Bathylagus milleri</i> Jordan and Gilbert	Stout Blacksmelt
F-BANI	<i>Bathyagonus nigripinnis</i> Gilbert	Blackfin Poacher
F-BAOC	<i>Bathylagus ochotensis</i> Schmidt	Popeye Blacksmelt

Alphabetical Sequence by Species Codes

F-BAPA	<i>Bathylagus pacificus</i> Gilbert	Slender Blacksmelt
F-BAPE	<i>BathYGONUS pentacanthus</i> (Gilbert)	Bigeye Poacher
F-BAPO	<i>Balistes polylepis</i> Steindachner	Finescale Triggerfish
F-BARU	<i>Barbourisia rufa</i> Parr	Velvet Whale Fish
F-BASI	<i>Bathymaster signatus</i> Cope	Searcher
F-BATR	<i>Bathyrāja trachura</i> (Gilbert)	Roughtail Skate
F-BEDE	<i>Benthalbella dentata</i> (Chapman)	Northern Pearleye
F-BEEL	<i>Benthodesmus elongatus</i> (Clarke)	Frostfish
F-BELI	<i>Benthabella linguoidens</i> (Mead and Bohlke)	Longfin Pearleye
F-BETE	<i>Benthodesmus tenuis</i> (Gunther)	Javelinfish
F-BLBI	<i>Blepsias bilobus</i> Cuvier	Crested Sculpin
F-BLCI	<i>Blepsias cirrhosus</i> (Pallas)	Silverspot Sculpin
F-BOBR	<i>Bothrocara brunneum</i> (Bean)	Twoline Eelpout
F-BOMO	<i>Bothrocara molle</i> Bean	Soft Eelpout
F-BOPU	<i>Bothrocara pusillum</i> (Bean)	Alaska Eelpout
F-BORE	<i>Bothrocara remigerum</i> Gilbert	Longsnout Eelpout
F-BOSW	<i>Bothragonus swani</i> (Steindachner)	Rockhead
F-BRFR	<i>Brachyistius frenatus</i> Gill	Kelp Perch
F-BRJA	<i>Brama japonica</i> Hilgendorf	Pacific Pomfret
F-BRMA	<i>Brosmophycis marginata</i> (Ayres)	Red Brotula
F-BRMR	<i>Bryozoichthys marjorius</i> McPhail	Pearly Prickleback
F-CAAU	<i>Carassius auratus</i> (Linnaeus)	Goldfish
F-CACA	<i>Carcharodon carcharias</i> (Linnaeus)	Great White Shark
F-CACM	<i>Catostomus commersoni</i> (Lacepede)	White Sucker
F-CACO	<i>Catostomus columbianus</i> (Eigenmann and Eigenmann)	Bridgelip Sucker
F-CACT	<i>Catostomus catostomus</i> (Forster)	Longnose Sucker
F-CACY	<i>Careproctus cypselurus</i> Jordan and Gilbert	Falcate Snailfish
F-CAGI	<i>Careproctus gilberti</i> Burke	Smalldisk Snailfish
F-CAMA	<i>Catostomus macrocheilus</i> Girard	Largescale Sucker
F-CAMC	<i>Caristius macropus</i> (Bellotti)	Manefish
F-CAME	<i>Careproctus melanurus</i> Gilbert	Blacktail Snailfish
F-CAOR	<i>Careproctus oregonensis</i> Stein	Smallfin Snailfish
F-CAOV	<i>Careproctus ovigerum</i> (Gilbert)	Abyssal Snailfish
F-CAPL	<i>Catostomus platyrhynchus</i> (Cope)	Mountain Sucker
F-CAPR	<i>Caulolatilus princeps</i> (Jenyns)	Ocean Whitefish
F-CEHO	<i>Ceratias holboelli</i> Kroeyer	Northern Seadevil
F-CEMA	<i>Cetorhinus maximus</i> (Gunnerus)	Basking Shark
F-CETO	<i>Ceratoscopelus townsendi</i> Eigenmann and Eigenmann	Dogtooth Lanternfish
F-CHDE	<i>Chirolophis decoratus</i> (Jordan and Snyder)	Decorated Warbonnet
F-CHMA	<i>Chauliodus macouni</i> Bean	Pacific Viperfish
F-CHME	<i>Chaenophryne melanorhabdus</i> Regan and Trewavas	Smooth Dreamer

Vertebrates of British Columbia

F-CHNU	<i>Chirolophis nugator</i> (Jordan and Williams)	Mosshead Warbonnet
F-CHPU	<i>Chitonotus pugetensis</i> (Steindachner)	Roughback Sculpin
F-CHTA	<i>Chirolophis tarsodes</i> (Jordan and Snyder)	Matcheck Warbonnet
F-CHVE	<i>Chesnona verrucosa</i> (Lockington)	Warty Poacher
F-CISO	<i>Citharichthys sordidus</i> (Girard)	Pacific Sanddab
F-CIST	<i>Citharichthys stigmaeus</i> Jordan and Gilbert	Speckled Sanddab
F-CLAC	<i>Clinocottus acuticeps</i> (Gilbert)	Sharpnose Sculpin
F-CLAS	<i>Clidoderma asperrimum</i> (Temminck and Schlegel)	Roughscale Sole
F-CLEM	<i>Clinocottus embryum</i> (Jordan and Starks)	Calico Sculpin
F-CLGL	<i>Clinocottus globiceps</i> (Girard)	Mosshead Sculpin
F-CLIO	<i>Clevelandia ios</i> (Jordan and Gilbert)	Arrow Goby
F-CLPA	<i>Clupea pallasii</i> Valenciennes	Pacific Herring
F-COAC	<i>Coryphaenoides acrolepis</i> (Bean)	Roughscale Grenadier
F-COAL	<i>Cottus aleuticus</i> Gilbert	Coastrange Sculpin
F-COAM	<i>Coryphaenoides armatus</i> (Hector)	Smooth Abyssal Grenadier
F-COAR	<i>Coregonus artedii</i> Lesueur	Cisco
F-COAS	<i>Cottus asper</i> Richardson	Prickly Sculpin
F-COAU	<i>Coregonus autumnalis</i> (Pallas)	Arctic Cisco
F-COBA	<i>Cottus bairdi</i> Bailey <i>ssp: hubbsi</i> Bailey and Demick	Mottled Sculpin Mottled Sculpin <i>hubbsi</i>
F-COCI	<i>Coryphaenoides cinereus</i> (Gilbert)	Popeye
F-COCL	<i>Coregonus clupeaformis</i> (Mitchill)	Lake Whitefish
F-COCN	<i>Cottus confusus</i> Bailey and Bond	Shorthead Sculpin
F-COCO	<i>Cottus cognatus</i> Richardson	Slimy Sculpin
F-COFI	<i>Coryphaenoides filifer</i> (Gilbert)	Filamented Grenadier
F-COLE	<i>Coryphaenoides leptolepis</i> Gunther	Ghostly Grenadier
F-CONA	<i>Coregonus nasus</i> (Pallas)	Broad Whitefish
F-CONI	<i>Coryphopterus nicholsi</i> (Bean)	Blackeye Goby
F-COPL	<i>Couesius plumbeus</i> (Agassiz) pop: Liard Hot Spring Chub	Lake Chub
F-COPU	<i>Cottus punctulatus</i> (Gill)	Rocky Mountain Sculpin
F-CORH	<i>Cottus rhotheus</i> (Smith)	Torrent Sculpin
F-CORI	<i>Cottus ricei</i> (Nelson)	Spoonhead Sculpin
F-COSA	<i>Cololabis saira</i> (Brevoort)	Pacific Saury
F-COSL	<i>Conocara salmoneum</i> (Gill & Townsend)	Salmon Slickhead
F-COSR	<i>Coregonus sardinella</i> Valenciennes	Least Cisco
F-CRAL	<i>Cryptacanthodes aleutensis</i> (Gilbert)	Dwarf Wrymouth
F-CRGI	<i>Cryptacanthodes giganteus</i> (Kittlits)	Giant Wrymouth
F-CUIN	<i>Culaea inconstans</i> (Kirtland)	Brook Stickleback
F-CYAG	<i>Cymatogaster aggregata</i> Gibbons	Shiner Perch
F-CYAT	<i>Cyclothone atraria</i> Gilbert	Yellow Bristlemouth
F-CYCA	<i>Cyprinus carpio</i> Linnaeus	Common Carp

Alphabetical Sequence by Species Codes

F-CYPL	<i>Cyclothone pallida</i> Brauer	Tan Bristlemouth
F-CYPS	<i>Cyclothone pseudopallida</i> Mukhacheva	Phantom Bristlemouth
F-CYSI	<i>Cyclothone signata</i> Garman	Showy Bristlemouth
F-DAOC	<i>Danaphos oculus</i> (Garman)	Bottlelight
F-DASE	<i>Dasycottus setiger</i> Bean	Spinyhead Sculpin
F-DAVI	<i>Dasyatis violacea</i> (Bonaparte)	Pelagic Stingray
F-DEAL	<i>Derepodichthys alepidotus</i> Gilbert	Cuskpout
F-DIFI	<i>Dicroline filamentosa</i> Garman	Threadfin Cusk-Eel
F-DITH	<i>Diaphus theta</i> Eigenmann and Eigenmann	California Headlightfish
F-DOLI	<i>Dolichopteryx sp.</i>	Spookfish
F-ELCA	<i>Elassodiscus caudatus</i> (Gilbert)	Humpback Snailfish
F-EMBA	<i>Embassichthys bathybius</i> (Gilbert)	Deepsea Sole
F-EMLA	<i>Embiotoca lateralis</i> Agassiz	Striped Seaperch
F-ENBI	<i>Enophrys bison</i> (Girard)	Buffalo Sculpin
F-ENLU	<i>Enophrys lucasi</i> (Jordan and Gilbert)	Leister Sculpin
F-ENMO	<i>Engraulis mordax</i> Girard	Northern Anchovy
F-EOEX	<i>Eopsetta exilis</i> (Lockington)	Slender Sole
F-EOJO	<i>Eopsetta jordani</i> (Lockington)	Petrale Sole
F-EPDE	<i>Eptatretus deani</i> (Evermann and Goldsborough)	Black Hagfish
F-EPST	<i>Eptatretus stouti</i> (Lockington)	Pacific Hagfish
F-ERZA	<i>Errex zachirus</i> (Lockington)	Rex Sole
F-ERZO	<i>Erilepis zonifer</i> (Lockington)	Skilfish
F-ESLU	<i>Esox lucius</i> Linnaeus	Northern Pike
F-EUOR	<i>Eumicrotremus orbis</i> (Günther)	Pacific Spiny Lumpsucker
F-GAAC	<i>Gasterosteus aculeatus</i> Linnaeus	Threespine Stickleback
F-GAMA	<i>Gadus macrocephalus</i> Tilesius	Pacific Cod
F-GAZY	<i>Galeorhinus zyopterus</i> Jordan and Gilbert	Soupin Shark
F-GELI	<i>Genyonemus lineatus</i> (Ayres)	White Croaker
F-GIME	<i>Gibbonsia metzi</i> Hubbs	Striped Kelpfish
F-GIMO	<i>Gibbonsia montereyensis</i> Hubbs	Crevice Kelpfish
F-GOGR	<i>Gonostoma gracile</i> Günther	Slender Fangjaw
F-GOMA	<i>Gobiesox maeandricus</i> (Girard)	Northern Clingfish
F-GYGA	<i>Gymnocanthus galeatus</i> Bean	Armorhead Sculpin
F-HAJO	<i>Halargyreus johnsoni</i> Günther	Dainty Mora
F-HEBO	<i>Hemitripterus bolini</i> (Myers)	Bigmouth Sculpin
F-HEDE	<i>Hexagrammos decagrammus</i> (Pallas)	Kelp Greenling
F-HEGR	<i>Hexanchus griseus</i> (Bonnaterre)	Sixgill Shark
F-HEHE	<i>Hemilepidotus hemilepidotus</i> (Tilesius)	Red Irish Lord
F-HELA	<i>Hexagrammos lagocephalus</i> (Pallas)	Rock Greenling
F-HEOC	<i>Hexagrammos octogrammus</i> (Pallas)	Masked Greenling
F-HERO	<i>Heterostichus rostratus</i> Girard	Giant Kelpfish
F-HESP	<i>Hemilepidotus spinosus</i> (Ayres)	Brown Irish Lord
F-HEST	<i>Hexagrammos stelleri</i> Tilesius	Whitespotted Greenling
F-HIAL	<i>Hiodon alosoides</i> (Rafinesque)	Goldeye

Vertebrates of British Columbia

F-HIEL	<i>Hippoglossoides elassodon</i> Jordan and Gilbert	Flathead Sole
F-HIST	<i>Hippoglossus stenolepis</i> Schmidt	Pacific Halibut
F-HOIN	<i>HOLTBYRNIA INNESI</i> (FOWLER)	Innes Tubeshoulder
F-HOLA	<i>Holtbyrnia latifrons</i> Sazonov	Teardrop Tubeshoulder
F-HYAR	<i>Hyperprosopon argenteum</i> Gibbons	Walleye Surfperch
F-HYCO	<i>Hydrolagus colliei</i> (Lay and Bennett)	Spotted Ratfish
F-HYEL	<i>Hyperprosopon ellipticum</i> (Gibbons)	Silver Surfperch
F-HYHA	<i>Hybognathus hankinsoni</i> Hubbs and Greene	Brassy Minnow
F-HYMO	<i>Hypsagonus mozinoi</i> (Wilimovsky and Wilson)	Kelp Poacher
F-HYPR	<i>Hypomesus pretiosus</i> (Girard) ssp: <i>pretiosus</i> (Girard)	Surf Smelt Surf Smelt <i>pretiosus</i>
F-HYQU	<i>Hypsagonus quadricornis</i> (Cuvier)	Fourhorn Poacher
F-ICAE	<i>Icosteus aenigmaticus</i> Lockington	Ragfish
F-ICBO	<i>Icelinus borealis</i> Gilbert	Northern Sculpin
F-ICBU	<i>Icelinus burchami</i> Evermann and Golbsborough	Dusky Sculpin
F-ICEL	<i>Ichthyococcus elongatus</i> Imai	Slim Lightfish
F-ICFI	<i>Icelinus filamentosus</i> Gilbert	Threadfin Sculpin
F-ICFM	<i>Icelinus fimbriatus</i> Gilbert	Fringed Sculpin
F-ICLO	<i>Icichthys lockingtoni</i> Jordan and Gilbert	Medusafish
F-ICSP	<i>Icelus spiniger</i> Gilbert	Thorny Sculpin
F-ICTE	<i>Icelinus tenuis</i> Gilbert	Spotfin Sculpin
F-IDAN	<i>Idiacanthus antrosomus</i> Gilbert	Pacific Dragonfish
F-ISOX	<i>Isurus oxyrinchus</i> Rafinesque	Shortfin Mako
F-JOZO	<i>Jordania zonope</i> Starks	Longfin Sculpin
F-KAPE	<i>Katsuwonus pelamis</i> (Linnaeus)	Skipjack Tuna
F-LAAY	<i>Lampetra ayresi</i> (Gunther)	River Lamprey
F-LADI	<i>Lamna ditropis</i> Hubbs and Follett	Salmon Shark
F-LAGU	<i>Lampris guttatus</i> (Brunnich)	Opah
F-LAJO	<i>Lampanyctus jordani</i> Gilbert	Brokenline Lanternfish
F-LAMA	<i>Lampetra macrostoma</i> Beamish	Cowichan Lake Lamprey
F-LARC	<i>Lampetra richardsoni</i> Vladykov and Follett pop: Morrison Creek Lamprey	Western Brook Lamprey
F-LARE	<i>Lampanyctus regalis</i> (Gilbert)	Pinpoint Lanternfish
F-LARI	<i>Lampanyctus ritteri</i> Gilbert	Broadfin Lanternfish
F-LATR	<i>Lampetra tridentata</i> (Gairdner)	Pacific Lamprey
F-LAUR	<i>Lampadena urophaos</i> Paxton	Taillight Lanternfish
F-LEAR	<i>Leptocottus armatus</i> Girard	Staghorn Sculpin
F-LEBI	<i>Lepidopsetta bilineatus</i> (Ayres)	Southern Rock Sole
F-LEBI-BI	ssp: <i>bilineata</i> (Ayres)	Southern Rock Sole <i>bilineata</i>
F-LEBI-PE	<i>perarcuata</i> (Cope)	Southern Rock Sole <i>perarcuata</i>
F-LEFR	<i>Leptagonus frenatus</i> (Gilbert)	Sawback Poacher
F-LEGI	<i>Lepomis gibbosus</i> (Linnaeus)	Pumpkinseed
F-LELE	<i>Lepidogobius lepidus</i> (Girard)	Bay Goby

Alphabetical Sequence by Species Codes

F-LEPO	<i>Lepidopsetta polyxystra</i> (Orr and Materese)	Northern Rock Sole
F-LERI	<i>Lestidiops ringens</i> (Jordan and Gilbert)	Slender Barracudina
F-LESC	<i>Leuroglossus schmidti</i> Rass	Northern Smoothtongue
F-LEST	<i>Leuroglossus stilbius</i> Gilbert	California Smoothtongue
F-LICA	<i>Liparis callyodon</i> (Pallas)	Spotted Snailfish
F-LICY	<i>Liparis cyclopus</i> Gunther	Ribbon Snailfish
F-LIDE	<i>Liparis dennyi</i> Jordan and Starks	Marbled Snailfish
F-LIFL	<i>Liparis florum</i> Jordan and Starks	Tidepool Snailfish
F-LIFU	<i>Liparis fucensis</i> Gilbert	Slipskin Snailfish
F-LIGI	<i>Liparis gibbus</i> Bean	Variogated Snailfish
F-LIGR	<i>Liparis greeni</i> (Jordan and Starks)	Lobefin Snailfish
F-LIMU	<i>Liparis mucosus</i> Ayres	Slimy Snailfish
F-LINA	<i>Lipariscus nanus</i> Gilbert	Pygmy Snailfish
F-LIPU	<i>Liparis pulchellus</i> Ayres	Showy Snailfish
F-LIRU	<i>Liparis rutteri</i> (Gilbert and Snyder)	Ringtail Snailfish
F-LITU	<i>Liparis tunicatus</i> Reinhardt	Kelp Snailfish
F-LOLO	<i>Lota lota</i> (Linnaeus)	Burbot
F-LULO	<i>Lumpenella longirostris</i> (Evermann and Goldsborough)	Longsnout Prickleback
F-LUIM	<i>Luvaris imperialis</i> Rafinesque	Louvar
F-LUMA	<i>Lumpenus maculatus</i> (Fries)	Daubed Shanny
F-LUSA	<i>Lumpenus sagitta</i> Wilimovsky	Snake Prickleback
F-LYBR	<i>Lycodes brevipes</i> Bean	Shortfin Eelpout
F-LYCA	<i>Lycenchelys camchaticus</i> Gilbert and Burke	Kamchatka Eelpout
F-LYCO	<i>Lycodes cortezianus</i> (Gilbert)	Bigfin Eelpout
F-LYCR	<i>Lycenchelys crotalinus</i> (Gilbert)	Snakehead Eelpout
F-LYDE	<i>Lycodapus dermatinus</i> Gilbert	Looseskin Eelpout
F-LYDI	<i>Lycodes diapterus</i> Gilbert	Black Eelpout
F-LYEN	<i>Lycodapus endemoscotus</i> Peden and Anderson	Deepwater Eelpout
F-LYPS	<i>Lycodapus psarostomatus</i> Peden and Anderson	Specklemouth Eelpout
F-LYFI	<i>Lycodapus fierasfer</i> Gilbert	Blackmouth Slipskin
F-LYJO	<i>Lycenchelys jordani</i> (Evermann and Goldsborough)	Shortjaw Eelpout
F-LYMA	<i>Lycodapus mandibularis</i> Gilbert	Pallid Slipskin
F-LYMI	<i>Lycenchelys micropora</i> Andriashev	Pale Eelpout
F-LYPA	<i>Lycodapus pachysoma</i> Peden and Anderson	Stout Slipskin
F-LYPC	<i>Lycodes pacificus</i> Collett	Blackbelly Eelpout
F-LYPL	<i>Lycodes palearis</i> Gilbert	Wattled Eelpout
F-LYPR	<i>Lycodapus parviceps</i> Gilbert	Stubraker Slipskin
F-MAAR	<i>Maulisia argipalla</i> Matsui and Rosenblatt	Pitted Tubeshoulder

Vertebrates of British Columbia

F-MADA	<i>Malacosteus danae</i> (Regan and Trewavas)	Shortnose Loosejaw
F-MAKI	<i>Malacocottus kincaidi</i> Gilbert and Thompson	Blackfin Blobsculpin
F-MAMA	<i>Margariscus margarita</i> (Cope)	Pearl Dace
F-MAMI	<i>Macropinna microstoma</i> Chapman	Barreleye
F-MAVI	<i>Mallotus villosus</i> (Muller)	Capelin
F-MAZO	<i>Malacocottus zonurus</i> Bean	Darkfin Sculpin
F-MECA	<i>Medialuna californiensis</i> (Steindachner)	Halfmoon
F-MELU	<i>Melamphaes lugubris</i> Gilbert	Highsnout Ridgehead
F-MEPA	<i>Melanostigma pammelas</i> Gilbert	Pacific Softpout
F-MEPR	<i>Merluccius productus</i> (Ayres)	Pacific Hake
F-MEZU	<i>Melanonus zugmayeri</i> Norman	Coalfish
F-MIDO	<i>Micropterus dolomieu</i> Lacepede	Smallmouth Bass
F-MIPA	<i>Microstomus pacificus</i> (Lockington)	Dover Sole
F-MIPR	<i>Microgadus proximus</i> Girard	Pacific Tomcod
F-MISA	<i>Micropterus salmoides</i> (Lacepede)	Largemouth Bass
F-MOMO	<i>Mola mola</i> (Linnaeus)	Ocean Sunfish
F-MOSA	<i>Morone saxatilis</i> (Walbaum)	Striped Bass
F-MYCA	<i>Mylocheilus caurinus</i> (Richardson)	Peamouth
F-MYPO	<i>Myoxocephalus polyacanthocephalus</i> (Pallas)	Great Sculpin
F-MYVE	<i>Myoxocephalus verrucosus</i> (Bean)	Warty Sculpin
F-NACA	<i>Nansenia candida</i> Cohen	Bluethroat Argentine
F-NACR	<i>Nansenia crassa</i> Lavenberg	Giant Bluethroat
F-NADU	<i>Naucrates ductor</i> (Linnaeus)	Pilotfish
F-NAOC	<i>Nautichthys oculofasciatus</i> (Girard)	Sailfin Sculpin
F-NARO	<i>Nautichthys robustus</i> Peden	Smallsail Sculpin
F-NEMA	<i>Neoscopelus macrolepidotus</i> Johnson	Glowingfish
F-NEPE	<i>Nectoliparis pelagicus</i> Gilbert and Burke	Tadpole Snailfish
F-NESC	<i>Nemichthys scolopaceus</i> Richardson	Slender Snipe Eel
F-NEST	<i>Nezumia stelgidolepis</i> (Gilbert)	California Grenadier
F-NOAT	<i>Notropis atherinoides</i> Rafinesque	Emerald Shiner
F-NOCE	<i>Notorynchus cepedianus</i> (Peron)	Sevengill Shark
F-NOCH	<i>Notacanthus chemnitzii</i> Bloch	Snubnosed Spinyeel
F-NOHU	<i>Notropis hudsonius</i> (Clinton)	Spottail Shiner
F-NOJA	<i>Notoscopelus japonicus</i> (Tanaka)	Spiny Lanternfish
F-NORE	<i>Notoscopelus resplendens</i> (Richardson)	Patchwork Lampfish
F-NORI	<i>Notolepis rissoi</i> (Bonaparte)	White Barracudina
F-OCIM	<i>Ocella impi</i> Gruchy	Pixy Poacher
F-ODTR	<i>Odontopyxis trispinosa</i> Lockington	Pygmy Poacher
F-OLMA	<i>Oligocottus maculosus</i> Girard	Tidepool Sculpin
F-OLRI	<i>Oligocottus rimensis</i> (Greeley)	Saddleback Sculpin
F-OLSN	<i>Oligocottus snyderi</i> Greeley	Fluffy Sculpin
F-ONBU	<i>Oneirodes bulbosus</i> Chapman	Bulbous Dreamer

Alphabetical Sequence by Species Codes

F-ONCL	<i>Oncorhynchus clarki</i> (Richardson)	Cutthroat Trout
F-ONCL-CL	ssp: <i>clarki</i> (Richardson)	Cutthroat Trout <i>clarki</i>
F-ONCL-LE	<i>lewisi</i> (Girard)	Cutthroat Trout <i>lewisi</i>
F-ONGO	<i>Oncorhynchus gorbuscha</i> (Walbaum)	Pink Salmon
F-ONKE	<i>Oncorhynchus keta</i> (Walbaum)	Chum Salmon
F-ONKI	<i>Oncorhynchus kisutch</i> (Walbaum)	Coho Salmon
F-ONMY	<i>Oncorhynchus mykiss</i> (Walbaum)	Rainbow Trout
F-ONNE	<i>Oncorhynchus nerka</i> (Walbaum)	Sockeye Salmon
	pop: Kokanee	
	Okanagan Kokanee	
F-ONTH	<i>Oneirodes thompsoni</i> (Schultz)	Spiny Dreamer
F-ONTS	<i>Oncorhynchus tshawytscha</i> (Walbaum)	Chinook Salmon
F-OPEL	<i>Ophiodon elongatus</i> Girard	Lingcod
F-OPMI	<i>Opostomias mitsuii</i> Imai	Pitgum Dragonfish
F-OSCA	<i>Osteodiscus cascadiae</i> Stein	Bigtailed Snailfish
F-OSMO	<i>Osmerus mordax</i> (Mitchill)	Rainbow Smelt
F-OXPI	<i>Oxylebius pictus</i> Gill	Painted Greenling
F-PAAT	<i>Paralepis atlantica</i> Kroyer	Duckbill Barracudina
F-PABA	<i>Pallasina barbata</i> (Steindachner)	Tube-nose Poacher
F-PABU	<i>Pachycara bulbiceps</i> (Garman)	Abyssal Eelpout
F-PACE	<i>Paraliparis cephalus</i> Gilbert	Swellhead Snailfish
F-PADE	<i>Paraliparis deani</i> Burke	Prickly Snailfish
F-PAGY	<i>Pachycara gymninium</i>	Nakedneck Eelpout
	Anderson and Peden	
F-PAHO	<i>Paricelinus hopliticus</i>	Thornback Sculpin
	Eigenmann and Eigenmann	
F-PALA	<i>Paraliparis latifrons</i> Garman	Bigpored Snailfish
F-PALE	<i>Pachycara lepinium</i> Anderson and Peden	Scalyneck Eelpout
F-PAME	<i>Paraliparis melanobranchus</i>	Phantom Snailfish
	Gilbert and Burke	
F-PAPA	<i>Paraliparis paucidens</i> Stein	Toothless Snailfish
F-PAPE	<i>Paraliparis pectoralis</i> Stein	Pectoral Snailfish
F-PARO	<i>Paraliparis rosaceus</i> Gilbert	Pink Snailfish
F-PAUL	<i>Paraliparis ulochir</i> (Gilbert)	Broadfin Snailfish
F-PEFL	<i>Perca flavescens</i> (Mitchill)	Yellow Perch
F-PEOM	<i>Percopsis omiscomaycus</i> (Walbaum)	Troutperch
F-PESI	<i>Peprilus simillimus</i> (Ayres)	Pacific Pompano
F-PEWH	<i>Pentaceros wheeleri</i> Hardy	North Pacific Pelagic Armorhead
F-PHCH	<i>Phytichthys chirus</i> (Jordan and Gilbert)	Ribbon Prickleback
F-PHCL	<i>Pholis clemensi</i> Rosenblatt	Longfin Gunnel
F-PHEO	<i>Phoxinus eos</i> (Cope)	Northern Redbelly Dace
F-PHFU	<i>Phanerodon furcatus</i> Girard	White Seaperch
F-PHLA	<i>Pholis laeta</i> (Cope)	Crescent Gunnel
F-PHNE	<i>Phoxinus neogaeus</i> (Cope)	Finescale Dace
F-PHOR	<i>Pholis ornata</i> (Girard)	Saddleback Gunnel
F-PHSC	<i>Pholis schultzi</i> Hubbs	Red Gunnel
F-PIPR	<i>Pimephales promelas</i> Rafinesque	Flathead Minnow

Vertebrates of British Columbia

F-PLAS	<i>Pleuronectes asper</i> Pallas	Yellowfin Sole
F-PLCO	<i>Pleuronichthys coenosus</i> Girard	C-0 Sole
F-PLDE	<i>Pleuronichthys decurrens</i> Jordan and Gilbert	Curlfin Sole
F-PLEV	<i>Plectobranthus evides</i> Gilbert	Bluebarred Prickleback
F-PLGR	<i>Platyobio gracilis</i> (Richardson)	Flathead Chub
F-PLIS	<i>Pleuronectes isolepis</i> (Lockington)	Butter Sole
F-PLMO	<i>Pleurogrammus monopterygius</i> (Pallas)	Atka Mackerel
F-PLST	<i>Platichthys stellatus</i> Pallas	Starry Flounder
F-PLVE	<i>Pleuronectes vetulus</i> (Girard)	English Sole
F-POAC	<i>Podothecus acipenserinus</i> (Pallas)	Sturgeon Poacher
F-POCH	<i>Polyacanthonotus challengerii</i> (Vaillant)	Longnose Tapirfish
F-POCR	<i>Poromitra crassiceps</i> (Gunther)	Crested Ridgehead
F-PONI	<i>Pomoxis nigromaculatus</i> (Lesueur)	Black Crappie
F-PONO	<i>Porichthys notatus</i> Girard	Plainfin Midshipman
F-PORO	<i>Poroclinus rothrocki</i> Bean	Whitebarred Prickleback
F-PRCO	<i>Prosopium coulteri</i> (Eigenmann and Eigenmann)	Pygmy Whitefish
F-PRCR	<i>Protomyctophum crockeri</i> (Bolin)	California Flashlightfish
F-PRCY	<i>Prosopium cylindraceum</i> (Pallas)	Round Whitefish
F-PRGL	<i>Prionace glauca</i> (Linnaeus)	Blue Shark
F-PRTH	<i>Protomyctophum thompsoni</i> (Chapman)	Northern Flashlightfish
F-PRWI	<i>Prosopium williamsoni</i> (Girard)	Mountain Whitefish
F-PSME	<i>Psettichthys melanostictus</i> Girard	Sand Sole
F-PSPA	<i>Psychrolutes paradoxus</i> Gunther	Tadpole Sculpin
F-PSPH	<i>Psychrolutes phrictus</i> Stein and Bond	Giant Blobsculpin
F-PSSI	<i>Psychrolutes sigalutes</i> (Jordan and Starks)	Soft Sculpin
F-PTGO	<i>Ptilichthys goodei</i> Bean	Quillfish
F-PTOR	<i>Ptychocheilus oregonensis</i> (Richardson)	Pikeminnow
F-PUPU	<i>Pungitius pungitius</i> (Linnaeus)	Ninespine Stickleback
F-RAAS	<i>Radulinus asprellus</i> Gilbert	Slim Sculpin
F-RABA	<i>Raja badia</i> Garman	Broad Skate
F-RABI	<i>Raja binoculata</i> Girard	Big Skate
F-RABO	<i>Radulinus boleoides</i> Gilbert	Darter Sculpin
F-RAIN	<i>Raja inornata</i> Jordan and Gilbert	California Skate
F-RARH	<i>Raja rhina</i> Jordan and Gilbert	Longnose Skate
F-REAU	<i>Remora australis</i> (Bennett)	Whalesucker
F-RERE	<i>Remora remora</i> (Linnaeus)	Sharksucker
F-REHI	<i>Reinhardtius hippolossoides</i> (Walbaum)	Greenland Halibut
F-RHAT	<i>Rhinoliparis attenuatus</i> Burke	Slim Snailfish
F-RHBA	<i>Rhinoliparis barbulifer</i> Gilbert	Longnose Snailfish
F-RHCA	<i>Rhinichthys cataractae</i> (Valenciennes)	Longnose Dace

Alphabetical Sequence by Species Codes

F-RHFA	<i>Rhinichthys falcatus</i> (Eigenmann and Eigenmann)	Leopard Dace
F-RHOS	<i>Rhinichthys osculus</i> Girard	Speckled Dace
F-RHRI	<i>Rhamphocottus richardsonii</i> Gunther	Grunt Sculpin
F-RHUM	<i>Rhinichthys umatilla</i> (Gilbert and Evermann)	Umatilla Dace
F-RHVA	<i>Rhacochilus vacca</i> (Girard)	Pile Perch
F-RIBA	<i>Richardsonius balteatus</i> (Richardson)	Redside Shiner
F-RIMU	<i>Rimicola muscarum</i> (Meek and Pierson)	Kelp Clingfish
F-ROJO	<i>Ronquilus jordani</i> (Gilbert)	Northern Ronquil
F-SAAB	<i>Sagamichthys abei</i> Parr	Shining Tubeshoulder
F-SACH	<i>Sarda chiliensis</i> (Cuvier)	Pacific Bonito
F-SACO	<i>Salvelinus confluentus</i> (Suckley)	Bull Trout
F-SAFO	<i>Salvelinus fontinalis</i> (Mitchell)	Brook Trout
F-SAMA	<i>Salvelinus malma</i> (Walbaum)	Dolly Varden
F-SANA	<i>Salvelinus namaycush</i> (Walbaum)	Lake Trout
F-SASA	<i>Salmo salar</i> Linnaeus	Atlantic Salmon
F-SASG	<i>Sardinops sagax</i> (Jenyns)	Pacific Sardine
F-SATR	<i>Salmo trutta</i> Linnaeus	Brown Trout
F-SCCE	<i>Scytalina cerdale</i> Jordan and Gilbert	Graveldiver
F-SCHA	<i>Scopelosaurus harryi</i> Mead	Scaly Waryfish
F-SCJA	<i>Scomber japonicus</i> Houttuyn	Chub Mackerel
F-SCMA	<i>Scorpaenichthys marmoratus</i> (Ayres)	Cabezon
F-SCMI	<i>Scopelogadus mizolepis</i> Gunther	Flabby Ridgehead
F-SEAI	<i>Sebastes altivelis</i> Gilbert	Longspine Thornyhead
F-SEAL	<i>Sebastes aleutianus</i> (Jordan and Evermann)	Rougheyeye Rockfish
F-SEAR	<i>Sebastes aurora</i> (Gilbert)	Aurora Rockfish
F-SEAS	<i>Sebastes alascanus</i> Bean	Shortspine Thornyhead
F-SEAT	<i>Sebastes alutus</i> (Gilbert)	Pacific Ocean Perch
F-SEAU	<i>Sebastes auriculatus</i> Girard	Brown Rockfish
F-SEBA	<i>Sebastes babcocki</i> (Thompson)	Redbanded Rockfish
F-SEBO	<i>Sebastes borealis</i> Barsukov	Shortraker Rockfish
F-SEBR	<i>Sebastes brevispinis</i> (Bean)	Silvergray Rockfish
F-SECA	<i>Sebastes caurinus</i> Richardson	Copper Rockfish
F-SECI	<i>Sebastes ciliatus</i> (Tilesius)	Dusky Rockfish
F-SECR	<i>Sebastes crameri</i> (Jordan)	Darkblotched Rockfish
F-SEDI	<i>Sebastes diploprora</i> (Gilbert)	Splitnose Rockfish
F-SEEL	<i>Sebastes elongatus</i> Ayres	Greenstriped Rockfish
F-SEEM	<i>Sebastes emphaeus</i> (Starks)	Puget Sound Rockfish
F-SEEN	<i>Sebastes entomelas</i> (Jordan and Gilbert)	Widow Rockfish
F-SEFL	<i>Sebastes flavidus</i> (Ayres)	Yellowtail Rockfish
F-SEGO	<i>Sebastes goode</i> (Eigenmann and Eigenmann)	Chilipepper
F-SEHE	<i>Sebastes helvomaculatus</i> Ayres	Rosethorn Rockfish
F-SEJE	<i>Serrivomer jespersenii</i> Bauchot-Boutin	Crossthorat Sawpalate
F-SEJO	<i>Sebastes jordani</i> (Gilbert)	Shortbelly Rockfish
F-SELA	<i>Seriola lalandi</i> Valenciennes	Yellowtail

Vertebrates of British Columbia

F-SEMA	<i>Sebastes maliger</i> (Jordan and Gilbert)	Quillback Rockfish
F-SEME	<i>Sebastes melanops</i> Girard	Black Rockfish
F-SEMI	<i>Sebastes miniatus</i> (Jordan and Gilbert)	Vermilion Rockfish
F-SEML	<i>Sebastes melanostomus</i> Eigenmann and Eigenmann	Blackgill Rockfish
F-SEMY	<i>Sebastes mystinus</i> (Jordan and Gilbert)	Blue Rockfish
F-SENE	<i>Sebastes nebulosus</i> Ayres	China Rockfish
F-SENI	<i>Sebastes nigrocinctus</i> Ayres	Tiger Rockfish
F-SEPA	<i>Sebastes paucispinis</i> Ayres	Bocaccio
F-SEPI	<i>Sebastes pinniger</i> (Gill)	Canary Rockfish
F-SEPL	<i>Sebastes polypsinis</i> (Taranetz and Moiseev)	Northern Rockfish
F-SEPO	<i>Seriphus politus</i> Ayres	Queenfish
F-SEPR	<i>Sebastes proriger</i> (Jordan and Gilbert)	Redstripe Rockfish
F-SERE	<i>Sebastes reedi</i> (Westrheim and Tsuyuki)	Yellowmouth Rockfish
F-SERF	<i>Sebastes rufus</i> Eigenman and Eigenmann	Bank Rockfish
F-SERU	<i>Sebastes ruberrimus</i> (Cramer)	Yelloweye Rockfish
F-SESA	<i>Sebastes saxicola</i> (Gilbert)	Stripetail Rockfish
F-SEVA	<i>Sebastes variegatus</i> Quast	Harlequin Rockfish
F-SEWI	<i>Sebastes wilsoni</i> (Gilbert)	Pygmy Rockfish
F-SEZA	<i>Sebastes zacentrus</i> (Gilbert)	Sharpchin Rockfish
F-SOPA	<i>Somniosus pacificus</i> Bigelow and Schroeder	Pacific Sleeper Shark
F-SPAR	<i>Sphyaena argentea</i> Girard	Pacific Barracuda
F-SPGR	<i>Spectrunculus grandis</i> (Gunther)	Giant Cuskeel
F-SPST	<i>Spirinchus starksi</i> (Fisk)	Night Smelt
F-SPTH	<i>Spirinchus thaleichthys</i> (Ayres)	Longfin Smelt
F-SQAC	<i>Squalus acanthias</i> Linnaeus	Spiny Dogfish
F-STLE	<i>Stenobranchius leucopsarus</i> (Eigenmann and Eigenmann)	Northern Lanternfish
F-STLU	<i>Stenodus leucichthys</i> (Guldenstadt)	Inconnu
F-STNA	<i>Stenobranchius nannochir</i> (Gilbert)	Garnet Lanternfish
F-STPS	<i>Sternoptyx pseudobscura</i> Baird	Highlight Hatchetfish
F-STPU	<i>Stichaeus punctatus</i> (Fabricius)	Arctic Shanny
F-STVI	<i>Stizostedion vitreum</i> (Mitchill)	Walleye
F-STXY	<i>Stellerina xyosterna</i> (Jordan and Gilbert)	Pricklebreast Poacher
F-SYAT	<i>Symphurus atricauda</i> (Jordan and Gilbert)	California Tonguefish
F-SYCA	<i>Symbolophorus californiensis</i> (Eigenmann and Eigenmann)	Bigfin Lanternfish
F-SYGI	<i>Synchirus gilli</i> Bean	Manacled Sculpin
F-SYLE	<i>Syngnathus leptorhynchus</i> Girard	Bay Pipefish
F-SYLU	<i>Synodus lucioceps</i> (Ayres)	Smallscale Lizardfish
F-TAAS	<i>Taractes asper</i> Lowe	Rough Pomfet
F-TABI	<i>Talismania bifurcata</i> (Parr)	Threadfin Slickhead

Alphabetical Sequence by Species Codes

F-TACR	<i>Tarletonbeania crenularis</i> (Jordan and Gilbert)	Southern Blue Lanternfish
F-TALY	<i>Taranetzella lyoderma</i> Andriashev	Ghostly Eelpout
F-TAMA	<i>Tactostoma macropus</i> Bolin	Longfin Dragonfish
F-TATA	<i>Tarletonbeania taylori</i> Mead	Northern Blue Lanternfish
F-TECU	<i>Tetragonurus cuvieri</i> Risso	Smalleye Squaretail
F-THAL	<i>Thunnus alalunga</i> (Bonnaterre)	Albacore
F-THAR	<i>Thymallus arcticus</i> (Pallas)	Arctic Grayling
F-THCH	<i>Theragra chalcogramma</i> (Pallas)	Walleye Polloch
F-THCO	<i>Thalassenchelys coheni</i> Castle and Raju	Transparent Eel
F-THPA	<i>Thaleichthys pacificus</i> (Richardson)	Eulachon
F-THTH	<i>Thunnus thynnus</i> (Linnaeus)	Bluefin Tuna
F-TITI	<i>Tinca tinca</i> (Linnaeus)	Tench
F-TOCA	<i>Torpedo californica</i> Ayres	Pacific Electric Ray
F-TRAL	<i>Trachipterus altivelis</i> Kner	King-of-the-salmon
F-TRMA	<i>Triglops macellus</i> (Bean)	Roughspine Sculpin
F-TRPI	<i>Triglops pingeli</i> Reinhardt	Ribbed Sculpin
F-TRSY	<i>Trachurus symmetricus</i> (Ayres)	Jack Mackerel
F-TRTR	<i>Trichodon trichodon</i> (Tilesius)	Pacific Sandfish
F-XEAT	<i>Xenomystax atrarius</i> Gilbert	Twinpored Eel
F-XELA	<i>Xeneretmus latifrons</i> (Gilbert)	Blacktip Poacher
F-XELE	<i>Xeneretmus leiops</i> Gilbert	Cutfin Poacher
F-XETR	<i>Xeneretmus triacanthus</i> (Gilbert)	Bluespotted Poacher
F-XIAT	<i>Xiphister atropurpureus</i> (Kittlitz)	Black Prickleback
F-XIGL	<i>Xiphias gladius</i> Linnaeus	Swordfish
F-XIMU	<i>Xiphister mucosus</i> (Girard)	Rock Prickleback
F-ZALA	<i>Zaniolepis latipinnus</i> Girard	Longspine Combfish
F-ZASI	<i>Zaprora silenus</i> Jordan	Prowfish
F-ZEPR	<i>Zesticulus profundorum</i> (Gilbert)	Flabby Sculpin
M-ALAL	<i>Alces alces</i> (Linnaeus)	Moose
M-ALAL-AN	ssp: <i>andersoni</i> Peterson	Moose <i>andersoni</i>
M-ALAL-GI	<i>gigas</i> Miller	Moose <i>gigas</i>
M-ALAL-SH	<i>shirasi</i> Nelson	Moose <i>shirasi</i>
M-ANPA	<i>Antrozous pallidus</i> (Le Conte) ssp: <i>pallidus</i> (Le Conte)	Pallid Bat Pallid Bat <i>pallidus</i>
M-APRU	<i>Aplodontia rufa</i> (Rafinesque)	Mountain Beaver
M-APRU-RA	ssp: <i>rainieri</i> Merriam	Mountain Beaver <i>rainieri</i>
M-APRU-RU	<i>rufa</i> (Rafinesque)	Mountain Beaver <i>rufa</i>
M-BAAC	<i>Balaenoptera acutorostrata</i> Lacépède ssp: <i>scammoni</i> Deméré	Minke Whale Minke Whale <i>scammoni</i>
M-BABO	<i>Balaenoptera borealis</i> Lesson ssp: <i>borealis</i> Lesson	Sei Whale Sei Whale <i>borealis</i>
M-BAGL	<i>Balaena glacialis</i> Muller ssp: <i>glacialis</i> Muller	Northern Right Whale Northern Right Whale <i>glacialis</i>
M-BAMU	<i>Balaenoptera musculus</i> (Linnaeus) ssp: <i>musculus</i> (Linnaeus)	Blue Whale Blue Whale <i>musculus</i>

Vertebrates of British Columbia

M-BAPH	<i>Balaenoptera physalus</i> (Linnaeus) ssp: <i>physalus</i> (Linnaeus)	Fin Whale Fin Whale <i>physalus</i>
M-BEBA	<i>Berardius bairdii</i> Stenejger	North Pacific Bottle-nosed Whale
M-BIBI	<i>Bison bison</i> (Linnaeus)	Bison
M-BIBI-AT	ssp: <i>athabascae</i> Rhoads	Bison <i>athabasca</i>
M-BIBI-BI	<i>bison</i> (Linnaeus)	Bison <i>bison</i>
M-CACA	<i>Castor canadensis</i> Kuhl	Beaver
M-CACA-BE	ssp: <i>belugae</i> Taylor	Beaver <i>belugae</i>
M-CACA-CA	<i>canadensis</i> Kuhl	Beaver <i>canadensis</i>
M-CACA-LE	<i>leucodontus</i> Gray	Beaver <i>leucodontus</i>
M-CACA-SA	<i>sagittatus</i> Benson	Beaver <i>sagittatus</i>
M-CALA	<i>Canis latrans</i> Say	Coyote
M-CALA-IN	ssp: <i>incolatus</i> Hall	Coyote <i>incolatus</i>
M-CALA-LE	<i>lestes</i> Merriam	Coyote <i>lestes</i>
M-CALU	<i>Canis lupus</i> Linnaeus	Grey Wolf
M-CALU-NU	ssp: <i>nubilus</i> Say	Grey Wolf <i>nubilus</i>
M-CALU-OC	<i>occidentalis</i> Richardson	Grey Wolf <i>occidentalis</i>
M-CAUR	<i>Callorhinus ursinus</i> (Linnaeus)	Northern Fur Seal
M-CEDA	<i>Cervus dama</i> Linnaeus ssp: <i>dama</i> Linnaeus	Fallow Deer Fallow Deer <i>dama</i>
M-CEEL	<i>Cervus elaphus</i> Linnaeus	Elk
M-CEEL-NE	ssp: <i>nelsoni</i> Bailey	Elk <i>nelsoni</i>
M-CEEL-RO	<i>roosevelti</i> Merriam	Elk <i>roosevelti</i>
M-CLGA	<i>Clethrionomys gapperi</i> (Vigors)	Southern Red-backed Vole
M-CLGA-AT	ssp: <i>athabascae</i> (Preble)	Southern Red-backed Vole <i>athabascae</i>
M-CLGA-CA	<i>cascadensis</i> Booth	Southern Red-backed Vole <i>cascadensis</i>
M-CLGA-CU	<i>caurinus</i> (Bailey)	Southern Red-backed Vole <i>caurinus</i>
M-CLGA-GA	<i>galei</i> (Merriam)	Southern Red-backed Vole <i>galei</i>
M-CLGA-OC	<i>occidentalis</i> (Merriam)	Southern Red-backed Vole <i>occidentalis</i>
M-CLGA-PH	<i>phaeus</i> (Swarth)	Southern Red-backed Vole <i>phaeus</i>
M-CLGA-SA	<i>saturatus</i> (Rhoads)	Southern Red-backed Vole <i>saturatus</i>
M-CLGA-ST	<i>stikinensis</i> Hall and Cockrum	Southern Red-backed Vole <i>stikinensis</i>
M-CLRU	<i>Clethrionomys rutilus</i> (Pallas) ssp: <i>dawsoni</i> (Merriam)	Northern red-backed Vole Northern red-backed Vole <i>dawsoni</i>
M-COTO	<i>Corynorhinus townsendii</i> (Cooper)	Townsend's Big-eared Bat
M-COTO-PA	ssp: <i>pallescens</i> (Miller)	Townsend's Big-eared Bat <i>pallescens</i>
M-COTO-TO	<i>townsendii</i> (Cooper)	Townsend's Big-eared Bat <i>townsendii</i>
M-DEDE	<i>Delphinus delphis</i> Linnaeus	Saddle-backed Dolphin
M-DIVI	<i>Didelphis virginiana</i> Kerr ssp: <i>virginiana</i> Linnaeus	North American Opossum North American Opossum <i>virginiana</i>
M-ENLU	<i>Enhydra lutris</i> (Linnaeus) ssp: <i>kenyoni</i> Wilson <i>et al.</i>	Sea Otter Sea Otter <i>kenyoni</i>
M-EPFU	<i>Eptesicus fuscus</i> (Palisot de Beauvois) ssp: <i>bernardinus</i> Rhoads	Big Brown Bat Big Brown Bat <i>bernardinus</i>
M-ERDO	<i>Erethizon dorsatum</i> (Linnaeus)	Porcupine
M-ERDO-MY	ssp: <i>myops</i> Merriam	Porcupine <i>myops</i>
M-ERDO-NI	<i>nigrescens</i> Allen	Porcupine <i>nigrescens</i>
M-ESRO	<i>Eschrichtius robustus</i> (Lilljeborg)	Gray Whale

Alphabetical Sequence by Species Codes

M-EUJU	<i>Eumetopias jubatus</i> (Schreber)	Northern Sea Lion
M-EUMA	<i>Euderma maculatum</i> (J.A. Allen)	Spotted Bat
M-GLMA	<i>Globicephala macrorhynchus</i> Gray	Short-finned Pilot Whale
M-GLSA	<i>Glaucomyx sabrinus</i> (Shaw)	Northern Flying Squirrel
M-GLSA-AL	ssp: <i>alpinus</i> (Richardson)	Northern Flying Squirrel <i>alpinus</i>
M-GLSA-CO	<i>columbiensis</i> Howell	Northern Flying Squirrel <i>columbiensis</i>
M-GLSA-FU	<i>fuliginosus</i> (Rhoads)	Northern Flying Squirrel <i>fuliginosus</i>
M-GLSA-LA	<i>laticeps</i> Howell	Northern Flying Squirrel <i>laticeps</i>
M-GLSA-OR	<i>oregonensis</i> (Bachman)	Northern Flying Squirrel <i>oregonensis</i>
M-GLSA-RE	<i>reductus</i> Cowan	Northern Flying Squirrel <i>reductus</i>
M-GLSA-ZA	<i>zaphaeus</i> (Osgood)	Northern Flying Squirrel <i>zaphaeus</i>
M-GRGR	<i>Grampus griseus</i> (Cuvier)	Risso's Dolphin
M-GUGU	<i>Gulo gulo</i> (Linnaeus)	Wolverine
M-GUGU-LU	ssp: <i>luscus</i> (Linnaeus)	Wolverine <i>luscus</i>
M-GUGU-VA	<i>vancouverensis</i> Goldman	Wolverine <i>vancouverensi</i>
M-KOSI	<i>Kogia sima</i> (Owen)	Dwarf Sperm Whale
M-LABL	<i>Lasiurus blossevillii</i> (Lesson and Garnot)	Western Red Bat
	ssp: <i>frantzi</i> (Peters)	Western Red Bat <i>frantzi</i>
M-LACI	<i>Lasiurus cinereus</i> (Palisot de Beauvois)	Hoary Bat
	ssp: <i>cinereus</i> Palisot de Beauvois	Hoary Bat <i>cinereus</i>
M-LANO	<i>Lasionycteris noctivagans</i> (Le Conte)	Silver-haired Bat
M-LAOB	<i>Lagenorhynchus obliquidens</i> Gill	Pacific White-sided Dolphin
M-LEAM	<i>Lepus americanus</i> Erxleben	Snowshoe Hare
M-LEAM-BA	ssp: <i>bairdii</i> Hayden	Snowshoe Hare <i>bairdii</i>
M-LEAM-CA	<i>cascadensis</i> Nelson	Snowshoe Hare <i>cascadensis</i>
M-LEAM-CO	<i>columbiensis</i> Rhoads	Snowshoe Hare <i>columbiensis</i>
M-LEAM-DA	<i>dalli</i> Merriam	Snowshoe Hare <i>dalli</i>
M-LEAM-PA	<i>pallidus</i> Cowan	Snowshoe Hare <i>pallidus</i>
M-LEAM-PI	<i>pineus</i> Dalquest	Snowshoe Hare <i>pineus</i>
M-LEAM-WA	<i>washingtonii</i> Baird	Snowshoe Hare <i>washingtonii</i>
M-LETO	<i>Lepus townsendii</i> Bachman	White-tailed Jackrabbit
	ssp: <i>townsendii</i> Bachman	White-tailed Jackrabbit <i>townsendii</i>
M-LETR	<i>Lemmus trimucronatus</i> (Richardson)	Brown Lemming
	ssp: <i>helvolus</i> (Richardson)	Brown Lemming <i>helvolus</i>
M-LIBO	<i>Lissodelphis borealis</i> (Peale)	Northern Right-whale Dolphin
M-LOCA	<i>Lontra canadensis</i> (Schreber)	River Otter
M-LOCA-MI	ssp: <i>mira</i> (Goldman)	River Otter <i>mira</i>
M-LOCA-PA	<i>pacifica</i> (Rhoads)	River Otter <i>pacifica</i>
M-LOCA-PE	<i>periclyzomae</i> (Elliot)	River Otter <i>periclyzomae</i>
M-LYCA	<i>Lynx canadensis</i> Kerr	Lynx
M-LYRU	<i>Lynx rufus</i> (Schreber)	Bobcat
M-LYRU-FA	ssp: <i>fasciatus</i> Rafinesque	Bobcat <i>fasciatus</i>
M-LYRU-PA	<i>pallescens</i> Merriam	Bobcat <i>pallescens</i>

Vertebrates of British Columbia

M-MAAM	<i>Martes americana</i> (Turton)	Marten
M-MAAM-AB	ssp: <i>abietinoides</i> Gray	Marten <i>abietinoides</i>
M-MAAM-AC	<i>actuosa</i> (Osgood)	Marten <i>actuosa</i>
M-MAAM-CA	<i>caurina</i> (Merriam)	Marten <i>caurina</i>
M-MAAM-NE	<i>nesophila</i> (Osgood)	Marten <i>nesophila</i>
M-MACA	<i>Marmota caligata</i> (Eschscholtz)	Hoary Marmot
M-MACA-CA	ssp: <i>caligata</i> (Eschscholtz)	Hoary Marmot <i>caligata</i>
M-MACA-CS	<i>cascadensis</i> Howell	Hoary Marmot <i>cascadensis</i>
M-MACA-OK	<i>okanagana</i> (King)	Hoary Marmot <i>okanagana</i>
M-MACA-OX	<i>oxytona</i> Hollister	Hoary Marmot <i>oxytona</i>
M-MACA-RA	<i>raceyi</i> Anderson	Hoary Marmot <i>raceyi</i>
M-MAFL	<i>Marmota flaviventris</i> (Audubon and Bachman)	Yellow-bellied Marmot
	ssp: <i>avara</i> (Bangs)	Yellow-bellied Marmot <i>avara</i>
M-MAMO	<i>Marmota monax</i> (Linnaeus)	Woodchuck
M-MAMO-CA	ssp: <i>canadensis</i> (Erxleben)	Woodchuck <i>canadensis</i>
M-MAMO-OC	<i>ochracea</i> Swarth	Woodchuck <i>ochracea</i>
M-MAMO-PE	<i>petrensis</i> Howell	Woodchuck <i>petrensis</i>
M-MAPE	<i>Martes pennanti</i> (Erxleben)	Fisher
M-MAPE-CO	ssp: <i>columbiana</i> Goldman	Fisher <i>columbiana</i>
M-MAPE-PA	<i>pacifica</i> (Rhoads)	Fisher <i>pacifica</i>
M-MAVA	<i>Marmota vancouverensis</i> Swarth	Vancouver Island Marmot
M-MECA	<i>Mesoplodon carlhubbsi</i> Moore	Arch-beaked Whale
M-MEME	<i>Mephitis mephitis</i> (Schreber)	Striped Skunk
M-MEME-HU	ssp: <i>hudsonica</i> Richardson	Striped Skunk <i>hudsonica</i>
M-MEME-SP	<i>spissigrada</i> Bangs	Striped Skunk <i>spissigrada</i>
M-MENO	<i>Megaptera novaeangliae</i> (Borowski)	Humpback Whale
M-MEST	<i>Mesoplodon stejnegeri</i> True	Bering Sea Beaked Whale
M-MIAN	<i>Mirounga angustirostris</i> (Gill)	Northern Elephant Seal
M-MILO	<i>Microtus longicaudus</i> (Merriam)	Long-tailed Vole
M-MILO-LI	ssp: <i>littoralis</i> Swarth	Long-tailed Vole <i>littoralis</i>
M-MILO-LO	<i>longicaudus</i> (Merriam)	Long-tailed Vole <i>longicaudus</i>
M-MILO-MA	<i>macurus</i> Merriam	Long-tailed Vole <i>macurus</i>
M-MILO-VE	<i>vellerosus</i> Allen	Long-tailed Vole <i>vellerosus</i>
M-MIMO	<i>Microtus montanus</i> (Peale)	Montane Vole
	ssp: <i>canescens</i> Bailey	Montane Vole <i>canescens</i>
M-MIOE	<i>Microtus oeconomus</i> (Pallas)	Tundra Vole
	ssp: <i>yakutatensis</i> Merriam	Tundra Vole <i>yakutatensis</i>
M-MIOR	<i>Microtus oregoni</i> (Bachman)	Creeping Vole
	ssp: <i>serpens</i> Merriam	Creeping Vole <i>serpens</i>
M-MIPE	<i>Microtus pennsylvanicus</i> (Ord)	Meadow Vole
M-MIPE-DR	ssp: <i>drummondii</i> (Audubon and Bachman)	Meadow Vole <i>drummondii</i>
	<i>modestus</i> (Baird)	Meadow Vole <i>modestus</i>
M-MIRI	<i>Microtus richardsoni</i> (DeKay)	Water Vole
M-MIRI-AR	ssp: <i>arvicoloides</i> (Rhoads)	Water Vole <i>arvicoloides</i>
M-MIRI-RI	<i>richardsoni</i> (DeKay)	Water Vole <i>richardsoni</i>

Alphabetical Sequence by Species Codes

M-MITO	<i>Microtus townsendii</i> (Bachman)	Townsend's Vole
M-MITO-CO	ssp: <i>cowani</i> Guiguet	Townsend's Vole <i>cowani</i>
M-MITO-CU	<i>cummingi</i> Hall	Townsend's Vole <i>cummingi</i>
M-MITO-LA	<i>laingi</i> Anderson and Rand	Townsend's Vole <i>laingi</i>
M-MITO-TE	<i>tetramerus</i> (Rhoads)	Townsend's Vole <i>tetramerus</i>
M-MITO-TO	<i>townsendii</i> (Bachman)	Townsend's Vole <i>townsendii</i>
M-MUER	<i>Mustela erminea</i> Linnaeus	Ermine
M-MUER-AN	ssp: <i>anguinae</i> Hall	Ermine <i>anguinae</i>
M-MUER-FA	<i>fallenda</i> Hall	Ermine <i>fallenda</i>
M-MUER-HA	<i>haidarum</i> (Preble)	Ermine <i>haidarum</i>
M-MUER-IN	<i>invicta</i> Hall	Ermine <i>invicta</i>
M-MUER-RI	<i>richardsonii</i> Bonaparte	Ermine <i>richardsonii</i>
M-MUFR	<i>Mustela frenata</i> Lichenstein	Long-tailed Weasel
M-MUFR-AL	ssp: <i>altifrontalis</i> Hall	Long-tailed Weasel <i>altifrontali</i>
M-MUFR-NE	<i>nevadensis</i> Hall	Long-tailed Weasel <i>nevadensis</i>
M-MUFR-OR	<i>oribasus</i> (Bangs)	Long-tailed Weasel <i>oribasus</i>
M-MUMU	<i>Mus musculus</i> Linnaeus	House Mouse
	ssp: <i>domesticus</i> Ruttj	House Mouse <i>domesticus</i>
M-MUNI	<i>Mustela nivalis</i> Linnaeus	Least Weasel
	ssp: <i>rixosa</i> (Bangs)	Least Weasel <i>rixosa</i>
M-MUVI	<i>Mustela vison</i> Schreber	Mink
M-MUVI-EN	ssp: <i>energumenos</i> (Bangs)	Mink <i>energumenos</i>
M-MUVI-EV	<i>evagor</i> Hall	Mink <i>evagor</i>
M-MYCA	<i>Myotis californicus</i>	California Myotis
	(Audubon and Bachman)	
M-MYCA-CA	ssp: <i>californicus</i>	California Myotis <i>californicus</i>
	(Audubon and Bachman)	
M-MYCA-CU	<i>caurinus</i> Miller	California Myotis <i>caurinus</i>
M-MYCI	<i>Myotis ciliolabrum</i> (Merriam)	Western Small-footed Myotis
	ssp: <i>melanorhinus</i> (Merriam)	Western Small-footed Myotis <i>melanorhinus</i>
M-MYEV	<i>Myotis evotis</i> (H. Allen)	Western Long-eared Myotis
M-MYEV-CH	ssp: <i>chrysonotus</i> (J.A. Allen)	Western Long-eared Myotis <i>chrysonotus</i>
M-MYEV-PA	<i>pacificus</i> Dalquest	Western Long-eared Myotis <i>pacificus</i>
M-MYKE	<i>Myotis keenii</i> (Merriam)	Keen's Long-eared Myotis
M-MYLU	<i>Myotis lucifugus</i> (Le Conte)	Little Brown Myotis
M-MYLU-AL	ssp: <i>alascensis</i> Miller	Little Brown Myotis <i>alascensis</i>
M-MYLU-CA	<i>carissima</i> Thomas	Little Brown Myotis <i>carissima</i>
M-MYLU-LU	<i>lucifugus</i> (Le Conte)	Little Brown Myotis <i>lucifugus</i>
M-MYSE	<i>Myotis septentrionalis</i> (Trouessart)	Northern Long-eared Myotis
M-MYTH	<i>Myotis thysanodes</i> Miller	Fringed Myotis
	ssp: <i>thysanodes</i> Miller	Fringed Myotis <i>thysanodes</i>
M-MYVO	<i>Myotis volans</i> (H. Allen)	Long-legged Myotis
	ssp: <i>longricus</i> True	Long-legged Myotis <i>longricus</i>
M-MYYU	<i>Myotis yumanensis</i> (H. Allen)	Yuma Myotis
M-MYYU-SA	ssp: <i>saturatus</i> Miller	Yuma Myotis <i>saturatus</i>
M-MYYU-SO	<i>sociabilis</i> Grinnell	Yuma Myotis <i>sociabilis</i>

Vertebrates of British Columbia

M-NECI	<i>Neotoma cinerea</i> (Ord)	Bushy-tailed Woodrat
M-NECI-CI	ssp: <i>cinerea</i> (Ord)	Bushy-tailed Woodrat <i>cinerea</i>
M-NECI-DR	<i>drummondii</i> (Richardson)	Bushy-tailed Woodrat <i>drummondii</i>
M-NECI-OC	<i>occidentalis</i> Baird	Bushy-tailed Woodrat <i>occidentalis</i>
M-NEGI	<i>Neurotrichus gibbsii</i> (Baird)	Shrew-mole
	ssp: <i>gibbsii</i> (Baird)	Shrew-mole <i>gibbsii</i>
M-OCCO	<i>Ochotona collaris</i> (Nelson)	Collared Pika
M-OCPR	<i>Ochotona princeps</i> (Richardson)	Common Pika
M-OCPR-BR	ssp: <i>brooksi</i> Howell	Common Pika <i>brooksi</i>
M-OCPR-BU	<i>brunnescens</i> Howell	Common Pika <i>brunnescens</i>
M-OCPR-CU	<i>cuppes</i> Bangs	Common Pika <i>cuppes</i>
M-OCPR-FE	<i>fenisex</i> (Lord)	Common Pika <i>fenisex</i>
M-OCPR-LI	<i>littoralis</i> Cowan	Common Pika <i>littoralis</i>
M-OCPR-PR	<i>princeps</i> (Richardson)	Common Pika <i>princeps</i>
M-OCPR-SA	<i>saturatus</i> Cowan	Common Pika <i>saturatus</i>
M-OCPR-SE	<i>septentrionalis</i> Cowan and Racey	Common Pika <i>septentrionalis</i>
M-ODHE	<i>Odocoileus hemionus</i> (Rafinesque)	Mule Deer
M-ODHE-CO	ssp: <i>columbianus</i> (Richardson)	Mule Deer <i>columbianus</i>
M-ODHE-HE	<i>hemionus</i> (Rafinesque)	Mule Deer <i>hemionus</i>
M-ODHE-SI	<i>sitkensis</i> Merriam	Mule Deer <i>sitkensis</i>
M-ODVI	<i>Odocoileus virginianus</i> (Zimmermann)	White-tailed Deer
M-ODVI-DA	ssp: <i>dacotensis</i> Goldman and Kellog	White-tailed Deer <i>dacotensis</i>
M-ODVI-OC	<i>ochrourus</i> Bailey	White-tailed Deer <i>ochrourus</i>
M-ONZI	<i>Ondatra zibethicus</i> (Linnaeus)	Muskrat
M-ONZI-OS	ssp: <i>osoyoosensis</i> (Lord)	Muskrat <i>osoyoosensis</i>
M-ONZI-SP	<i>spatulata</i> (Osgood)	Muskrat <i>spatulata</i>
M-ORAM	<i>Oreamnos americanus</i> (Blainville)	Mountain Goat
M-ORCU	<i>Oryctolagus cuniculus</i> (Linnaeus)	European Rabbit
M-OROR	<i>Orcinus orca</i> (Linnaeus)	Killer Whale
M-OVCA	<i>Ovis canadensis</i> Shaw	Bighorn Sheep
	ssp: <i>canadensis</i> Shaw	Bighorn Sheep <i>canadensis</i>
M-OVDA	<i>Ovis dalli</i> Nelson	Thinhorn Sheep
M-OVDA-DA	ssp: <i>dalli</i> Nelson	Thinhorn Sheep <i>dalli</i>
M-OVDA-ST	<i>stonei</i> Allen	Thinhorn Sheep <i>stonei</i>
M-PEKE	<i>Peromyscus keeni</i> (Rhoads)	Keen's Mouse
M-PEKE-AL	ssp: <i>algidus</i> Osgood	Keen's Mouse <i>algidus</i>
M-PEKE-CA	<i>cancrivorosus</i> McCabe and Cowar	Keen's Mouse <i>cancrivorosus</i>
M-PEKE-IN	<i>interdictus</i> Anderson	Keen's Mouse <i>interdictus</i>
M-PEKE-IS	<i>isolatus</i> Cowan	Keen's Mouse <i>isolatus</i>
M-PEKE-KE	<i>keeni</i> (Rhoads)	Keen's Mouse <i>keeni</i>
M-PEKE-MA	<i>macrorhinus</i> (Rhoads)	Keen's Mouse <i>macrorhinus</i>
M-PEKE-MR	<i>maritimus</i> McCabe and Cowan	Keen's Mouse <i>maritimus</i>
M-PEKE-OR	<i>oreas</i> Bangs	Keen's Mouse <i>oreas</i>
M-PEKE-PL	<i>pluvialis</i> McCabe and Cowan	Keen's Mouse <i>pluvialis</i>
M-PEKE-PR	<i>prevostensis</i> Osgood	Keen's Mouse <i>prevostensis</i>
M-PEKE-RU	<i>rubriventer</i> McCabe and Cowan	Keen's Mouse <i>rubriventer</i>

Alphabetical Sequence by Species Codes

M-PEMA	<i>Peromyscus maniculatus</i> (Wagner)	Deer Mouse
M-PEMA-AL	ssp: <i>alpinus</i> Cowan	Deer Mouse <i>alpinus</i>
M-PEMA-AR	<i>artemisiae</i> (Rhoads)	Deer Mouse <i>artemisiae</i>
M-PEMA-AU	<i>austerus</i> (Baird)	Deer Mouse <i>austerus</i>
M-PEMA-BO	<i>borealis</i> Mearns	Deer Mouse <i>borealis</i>
M-PEPA	<i>Perognathus parvus</i> (Peale)	Great Basin Pocket Mouse
M-PEPA-LA	ssp: <i>laingi</i> Anderson	Great Basin Pocket Mouse <i>laingi</i>
M-PEPA-LO	<i>lordi</i> (Gray)	Great Basin Pocket Mouse <i>lordi</i>
M-PHDA	<i>Phocoenoides dalli</i> (True)	Dall's Porpoise
M-PHIN	<i>Phenacomys intermedius</i> Merriam	Heather Vole
M-PHIN-IN	ssp: <i>intermedius</i> Merriam	Heather Vole <i>intermedius</i>
M-PHIN-LA	<i>laingi</i> Anderson	Heather Vole <i>laingi</i>
M-PHIN-LE	<i>levis</i> Howell	Heather Vole <i>levis</i>
M-PHIN-MA	<i>mackenzii</i> Preble	Heather Vole <i>mackenzii</i>
M-PHIN-OR	<i>oramontis</i> Rhoads	Heather Vole <i>oramontis</i>
M-PHMA	<i>Physeter macrocephalus</i> Linnaeus	Sperm Whale
M-PHPH	<i>Phocoena phocoena</i> (Linnaeus)	Harbour Porpoise
M-PHVI	<i>Phoca vitulina</i> Linnaeus	Harbour Seal
	ssp: <i>richardii</i> (Gray)	Harbour Seal <i>richards</i>
M-PRLO	<i>Procyon lotor</i> (Linnaeus)	Raccoon
M-PRLO-PA	ssp: <i>pacificus</i> Merriam	Raccoon <i>pacificus</i>
M-PRLO-VA	<i>vancouverensis</i> Nelson and Goldman	Raccoon <i>vancouverensi</i>
M-PSCR	<i>Pseudorca crassidens</i> (Owen)	False Killer Whale
M-PUCO	<i>Puma concolor</i> (Linnaeus)	Cougar
M-PUCO-MI	ssp: <i>missoulensis</i> (Goldman)	Cougar <i>missoulensis</i>
M-PUCO-OR	<i>oregonensis</i> (Rafinesque)	Cougar <i>oregonensis</i>
M-PUCO-VA	<i>vancouverensis</i> (Nelson and Goldman)	Cougar <i>vancouverensis</i>
M-RANO	<i>Rattus norvegicus</i> (Berkenhout)	Norway Rat
M-RARA	<i>Rattus rattus</i> (Linnaeus)	Black Rat
M-RATA	<i>Rangifer tarandus</i> (Linnaeus)	Caribou
M-RATA-CA	ssp: <i>caribou</i> (Gmelin)	Caribou <i>caribou</i>
M-RATA-DA	<i>dawsoni</i> Seton-Thompson	Caribou <i>dawsoni</i>
M-REME	<i>Reithrodontomys megalotis</i> (Baird)	Western Harvest Mouse
	ssp: <i>megalotis</i> (Baird)	Western Harvest Mouse <i>megalotis</i>
M-SCCA	<i>Sciurus carolinensis</i> Gmelin	Eastern Grey Squirrel
	ssp: <i>pennsylvanicus</i> Ord	Eastern Grey Squirrel <i>pennsylvanicus</i>
M-SCNI	<i>Sciurus niger</i> Linnaeus	Eastern Fox Squirrel
M-SCOR	<i>Scapanus orarius</i> True	Coast Mole
	ssp: <i>schefferi</i> Jackson	Coast Mole <i>schefferi</i>
M-SCTO	<i>Scapanus townsendii</i> (Bachman)	Townsend's Mole
	ssp: <i>townsendii</i> (Bachman)	Townsend's Mole <i>townsendii</i>
M-SOAR	<i>Sorex arcticus</i> Kerr	Black-backed Shrew
	ssp: <i>arcticus</i> Kerr	Black-backed Shrew <i>arcticus</i>
M-SOBE	<i>Sorex bendirii</i> (Merriam)	Pacific Water Shrew
	ssp: <i>bendirii</i> (Merriam)	Pacific Water Shrew <i>bendirii</i>

Vertebrates of British Columbia

M-SOCI	<i>Sorex cinereus</i> Kerr	Common Shrew
M-SOCI-CI	ssp: <i>cinereus</i> Kerr	Common Shrew <i>cinereus</i>
M-SOCI-ST	<i>streatori</i> Merriam	Common Shrew <i>streatori</i>
M-SOHO	<i>Sorex hoyi</i> Baird	Pygmy Shrew
	ssp: <i>hoyi</i> Baird	Pygmy Shrew <i>hoyi</i>
M-SOME	<i>Sorex merriami</i> Dobson	Merriam's Shrew
M-SOMO	<i>Sorex monticolus</i> Merriam	Dusky Shrew
M-SOMO-CA	ssp: <i>calvertensis</i> Cowan	Dusky Shrew <i>calvertensis</i>
M-SOMO-EL	<i>elassodon</i> Osgood	Dusky Shrew <i>elassodon</i>
M-SOMO-IN	<i>insularis</i> Cowan	Dusky Shrew <i>insularis</i>
M-SOMO-IS	<i>isolatus</i> Jackson	Dusky Shrew <i>isolatus</i>
M-SOMO-LO	<i>longicaudus</i> Merriam	Dusky Shrew <i>longicaudus</i>
M-SOMO-OB	<i>obscurus</i> Merriam	Dusky Shrew <i>obscurus</i>
M-SOMO-PR	<i>prevostensis</i> Osgood	Dusky Shrew <i>prevostensis</i>
M-SOMO-SE	<i>setosus</i> Elliot	Dusky Shrew <i>setosus</i>
M-SOPA	<i>Sorex palustris</i> Richardson	Common Water Shrew
M-SOPA-BR	ssp: <i>brooksi</i> Anderson	Common Water Shrew <i>brooksi</i>
M-SOPA-NA	<i>navigator</i> Baird	Common Water Shrew <i>navigator</i>
M-SOPR	<i>Sorex preblei</i> Jackson	Preble's Shrew
M-SOTR	<i>Sorex trowbridgii</i> Baird	Trowbridge's Shrew
	ssp: <i>trowbridgii</i> Baird	Trowbridge's Shrew <i>trowbridgii</i>
M-SOTU	<i>Sorex tundrensis</i> Merriam	Tundra Shrew
	ssp: <i>tundrensis</i> Merriam	Tundra Shrew <i>tundrensis</i>
M-SOVA	<i>Sorex vagrans</i> Baird	Vagrant Shrew
	ssp: <i>vagrans</i> Baird	Vagrant Shrew <i>vagrans</i>
M-SPCO	<i>Spermophilus columbianus</i> (Ord)	Columbian Ground Squirrel
	ssp: <i>columbianus</i> (Ord)	Columbian Ground Squirrel <i>columbianus</i>
M-SPGR	<i>Spilogale gracilis</i> Merriam	Western Spotted Skunk
	ssp: <i>latifrons</i> Merriam	Western Spotted Skunk <i>latifrons</i>
M-SPLA	<i>Spermophilus lateralis</i> (Say)	Golden-mantled Ground Squirrel
	ssp: <i>tescorum</i> (Hollister)	Golden-mantled Ground Squirrel <i>tescorum</i>
M-SPPA	<i>Spermophilus parryii</i> (Richardson)	Arctic Ground Squirrel
	ssp: <i>plesius</i> Osgood	Arctic Ground Squirrel <i>plesius</i>
M-SPSA	<i>Spermophilus saturatus</i> (Rhoads)	Cascade Mantled Ground Squirrel
M-STCO	<i>Stenella coeruleoalba</i> (Meyen)	Striped Dolphin
M-SYBO	<i>Synaptomys borealis</i> (Richardson)	Northern Bog Lemming
M-SYBO-AR	ssp: <i>artemisiae</i> Anderson	Northern Bog Lemming <i>artemisiae</i>
M-SYBO-BO	<i>borealis</i> (Richardson)	Northern Bog Lemming <i>borealis</i>
M-SYBO-CH	<i>chapmani</i> Allen	Northern Bog Lemming <i>chapmani</i>
M-SYBO-DA	<i>dalli</i> Merriam	Northern Bog Lemming <i>dalli</i>
M-SYBO-TR	<i>truei</i> Merriam	Northern Bog Lemming <i>truei</i>
M-SYFL	<i>Sylvilagus floridanus</i> (J.A. Allen)	Eastern Cottontail
M-SYFL-AL	ssp: <i>alacer</i> (Bangs)	Eastern Cottontail <i>alacer</i>
M-SYFL-ME	<i>mearnsi</i> (J.A. Allen)	Eastern Cottontail <i>mearnsi</i>
M-SYNU	<i>Sylvilagus nuttallii</i> (Bachman)	Nuttall's Cottontail
	ssp: <i>nuttallii</i> (Bachman)	Nuttall's Cottontail <i>nuttallii</i>

Alphabetical Sequence by Species Codes

M-TAAM	<i>Tamias amoenus</i> J.A. Allen	Yellow-pine Chipmunk
M-TAAM-AF	ssp: <i>affinis</i> Allen	Yellow-pine Chipmunk <i>affinis</i>
M-TAAM-FE	<i>felix</i> Rhoads	Yellow-pine Chipmunk <i>felix</i>
M-TAAM-LT	<i>luteiventris</i> Allen	Yellow-pine Chipmunk <i>luteiventris</i>
M-TAAM-LU	<i>ludibundus</i> (Hollister)	Yellow-pine Chipmunk <i>ludibundus</i>
M-TAAM-SE	<i>septentrionalis</i> (Cowan)	Yellow-pine Chipmunk <i>septentrionalis</i>
M-TADO	<i>Tamiasciurus douglasii</i> (Bachman)	Douglas' Squirrel
	ssp: <i>mollipilosus</i>	Douglas' Squirrel <i>mollipilosus</i>
	(Audubon and Bachman)	
M-TAHU	<i>Tamiasciurus hudsonicus</i> (Erxleben)	Red Squirrel
M-TAHU-CO	ssp: <i>columbiensis</i> Howell	Red Squirrel <i>columbiensis</i>
M-TAHU-LA	<i>lanuginosus</i> Bachman	Red Squirrel <i>lanuginosus</i>
M-TAHU-PE	<i>petulans</i> (Osgood)	Red Squirrel <i>petulans</i>
M-TAHU-PI	<i>picatus</i> (Swarth)	Red Squirrel <i>picatus</i>
M-TAHU-PR	<i>preblei</i> Howell	Red Squirrel <i>preblei</i>
M-TAHU-RI	<i>richardsoni</i> (Bachman)	Red Squirrel <i>richardsoni</i>
M-TAHU-ST	<i>streatori</i> (Allen)	Red Squirrel <i>streatori</i>
M-TAMI	<i>Tamias minimus</i> Bachman	Least Chipmunk
M-TAMI-BO	ssp: <i>borealis</i> Allen	Least Chipmunk <i>borealis</i>
M-TAMI-CA	<i>caniceps</i> (Osgood)	Least Chipmunk <i>caniceps</i>
M-TAMI-OR	<i>oreocetes</i> (Merriam)	Least Chipmunk <i>oreocetes</i>
M-TAMI-SE	<i>selkirki</i> (Cowan)	Least Chipmunk <i>selkirki</i>
M-TARU	<i>Tamias ruficaudus</i> (A. H. Howell)	Red-tailed Chipmunk
M-TARU-RU	ssp: <i>ruficaudus</i> (Howell)	Red-tailed Chipmunk <i>ruficaudus</i>
M-TARU-SI	<i>simulans</i> (Howell)	Red-tailed Chipmunk <i>simulans</i>
M-TATA	<i>Taxidea taxus</i> (Schreber)	Badger
	ssp: <i>jeffersonii</i> (Harlan)	Badger <i>jeffersonii</i>
M-TATO	<i>Tamias townsendii</i> Bachman	Townsend's Chipmunk
M-TATO-CO	ssp: <i>cooperi</i> Baird	Townsend's Chipmunk <i>cooperi</i>
M-TATO-TO	<i>townsendii</i> Bachman	Townsend's Chipmunk <i>townsendii</i>
M-THTA	<i>Thomomys talpoides</i> (Richardson)	Northern Pocket Gopher
M-THTA-CO	ssp: <i>cognatus</i> Johnstone	Northern Pocket Gopher <i>cognatus</i>
M-THTA-FU	<i>fuscus</i> Merriam	Northern Pocket Gopher <i>fuscus</i>
M-THTA-IN	<i>incensus</i> Goldman	Northern Pocket Gopher <i>incensus</i>
M-THTA-ME	<i>medius</i> Goldman	Northern Pocket Gopher <i>medius</i>
M-THTA-SA	<i>saturatus</i> Bailey	Northern Pocket Gopher <i>saturatus</i>
M-THTA-SE	<i>segregatus</i> Johnstone	Northern Pocket Gopher <i>segregatus</i>
M-URAM	<i>Ursus americanus</i> Pallas	Black Bear
M-URAM-AL	ssp: <i>altifrontalis</i> Elliot	Black Bear <i>altifrontalis</i>
M-URAM-CA	<i>carlottae</i> Osgood	Black Bear <i>carlottae</i>
M-URAM-CI	<i>cinnamomum</i>	Black Bear <i>cinnamomum</i>
	Audubon and Bachman	
M-URAM-KE	<i>kermodei</i> Hornaday	Black Bear <i>kermodei</i>
M-URAM-VA	<i>vancouveri</i> Hall	Black Bear <i>vancouveri</i>
M-URAR	<i>Ursus arctos</i> Linnaeus	Grizzly Bear
	ssp: <i>horribilis</i> Ord	Grizzly Bear <i>horribilis</i>

Vertebrates of British Columbia

M-VUVU	<i>Vulpes vulpes</i> (Linnaeus)	Red Fox
M-VUVU-AB	ssp: <i>abietorum</i> Merriam	Red Fox <i>abietorum</i>
M-VUVU-CA	<i>cascadensis</i> Merriam	Red Fox <i>cascadensis</i>
M-VUVU-MA	<i>macroura</i> Baird	Red Fox <i>macroura</i>
M-ZACA	<i>Zalophus californianus</i> (Lesson)	California Sea Lion
M-ZAHU	<i>Zapus hudsonius</i> (Zimmermann)	Meadow Jumping Mouse
M-ZAHU-AL	ssp: <i>alascensis</i> Merriam	Meadow Jumping Mouse <i>alascensis</i>
M-ZAHU-HU	<i>hudsonius</i> (Zimmermann)	Meadow Jumping Mouse <i>hudsonius</i>
M-ZAHU-TE	<i>tenellus</i> Merriam	Meadow Jumping Mouse <i>tenellus</i>
M-ZAPR	<i>Zapus princeps</i> J.A. Allen	Western Jumping Mouse
M-ZAPR-ID	ssp: <i>idahoensis</i> Davis	Western Jumping Mouse <i>idahoensis</i>
M-ZAPR-KO	<i>kootenayensis</i> Anderson	Western Jumping Mouse <i>kootenayensis</i>
M-ZAPR-SA	<i>saltator</i> Allen	Western Jumping Mouse <i>saltator</i>
M-ZATR	<i>Zapus trinotatus</i> Rhoads	Pacific Jumping Mouse
	ssp: <i>trinotatus</i> Rhoads	Pacific Jumping Mouse <i>trinotatus</i>
M-ZICA	<i>Ziphius cavirostris</i> G. Cuvier	Goose-beaked Whale
R-CHBO	<i>Charina bottae</i> (Blainville)	Rubber Boa
R-CHMY	<i>Chelonia mydas</i> (Linnaeus)	Green Turtle
R-CHPI	<i>Chrysemys picta</i> (Scheider)	Painted Turtle
	ssp: <i>bellii</i> (Gray)	Painted Turtle <i>bellii</i>
R-CLMA	<i>Clemmys marmorata</i> (Baird and Girard)	Western Pond Turtle
	ssp: <i>marmorata</i> (Baird and Girard)	Western Pond Turtle <i>marmorata</i>
R-COCO	<i>Coluber constrictor</i> Linnaeus	Racer
	ssp: <i>mormon</i> Baird and Girard	Racer <i>mormon</i>
R-COTE	<i>Contia tenuis</i> (Baird and Girard)	Sharp-tailed Snake
R-CRVI	<i>Crotalus viridis</i> (Rafinesque)	Western Rattlesnake
	ssp: <i>oreganus</i> Holbrook	Western Rattlesnake <i>oreganus</i>
R-DECO	<i>Dermochelys coriacea</i> (Linnaeus)	Leatherback
R-ELCO	<i>Elgaria coerulea</i> (Wiegmann)	Northern Alligator Lizard
	ssp: <i>principis</i> (Baird and Girard)	Northern Alligator Lizard <i>principis</i>
R-EUSK	<i>Eumeces skiltonianus</i> (Baird and Girard)	Western Skink
	ssp: <i>skiltonianus</i> (Baird and Girard)	Western Skink <i>skiltonianus</i>
R-HYTO	<i>Hypsiglena torquata</i> (Günther)	Night Snake
	ssp: <i>deserticola</i> Tanner	Night Snake <i>deserticola</i>
R-PHDO	<i>Phrynosoma douglasi</i> (Bell)	Pigmy Short-horned Lizard
R-PICA	<i>Pituophis catenifer</i> (Blainville)	Gopher Snake
R-PICA-CA	ssp: <i>catenifer</i> (Blainville)	Gopher Snake <i>catenifer</i>
R-PICA-DE	<i>deserticola</i> Stejneger	Gopher Snake <i>deserticola</i>
R-POMU	<i>Podarcis muralis</i> (Laurenti)	Common Wall Lizard
R-THEL	<i>Thamnophis elegans</i> (Baird and Girard)	Western Terrestrial Garter Snake
R-THEL-NI	ssp: <i>nigrescens</i> Johnson	Western Terrestrial Garter Snake <i>nigrescens</i>
R-THEL-VA	<i>vagrans</i> (Baird and Girard)	Western Terrestrial Garter Snake <i>vagrans</i>
R-THOR	<i>Thamnophis ordinoides</i> (Baird and Girard)	Northwestern Garter Snake
R-THSI	<i>Thamnophis sirtalis</i> (Linnaeus)	Common Garter Snake

Alphabetical Sequence by Species Codes

R-THSI-FI	ssp: <i>fitchi</i> Fox	Common Garter Snake <i>fitchi</i>
R-THSI-PA	<i>parietalis</i> (Say)	Common Garter Snake <i>parietalis</i>
R-THSI-PI	<i>pickeringii</i> (Baird and Girard)	Common Garter Snake <i>pickeringii</i>
R-TRSC	<i>Trachemys scripta</i> (Schoepff)	Slider
	ssp: <i>elegans</i> Wied	Slider <i>elegans</i>

Deviations from the Standard Species Codes

To avoid duplication of species and subspecies codes within each of the five major vertebrate groups, some codes do not follow the standard set of rules as outlined in the Introduction. The following species and subspecies have non-standard codes (listed alphabetically by code).

BIRDS

B-BNOW	Barn Owl	<i>Tyto alba</i>
B-BDOW	Barred Owl	<i>Strix varia</i>
B-BAYW	Bay-breasted Warbler	<i>Dendroica castanea</i>
B-BBWG	Black-backed Wagtail	<i>Motacilla lugens</i>
B-BKSW	Bank Swallow	<i>Riparia riparia</i>
B-BLGB	Blue Grosbeak	<i>Guiraca caerulea</i>
B-BLSH	Buller's Shearwater	<i>Puffinus bulleri</i>
B-BBNW	Blackburnian Warbler	<i>Dendroica fusca</i>
B-BKPW	Blackpoll Warbler	<i>Dendroica striata</i>
B-BRTR	Blue Rock-Thrush	<i>Moniticola solitarius</i>
B-BTNW	Black-throated Green Warbler	<i>Dendroica virens</i>
B-HEEG	Heerman's Gull	<i>Larus heermanni</i>
B-LKBU	Lark Bunting	<i>Calamospiza melanocorys</i>
B-LZBU	Lazuli Bunting	<i>Passerina amoena</i>
B-MACW	MacGillivray's Warbler	<i>Oporornis tolmiei</i>
B-MGNW	Magnolia Warbler	<i>Dendroica magnolia</i>
B-MGPL	Mongolian Plover	<i>Charadrius mongolus</i>
B-NOSL	Northern Shoveler	<i>Anas clypeata</i>
B-RNPL	Red-necked Phalarope	<i>Phalaropus fulicaria</i>
B-SAVS	Savannah Sparrow	<i>Passerculus sandwichensis</i>
B-SBSA	Spoonbill Sandpiper	<i>Eurynorhynchus pygmeus</i>
B-SHSA	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>
B-TRUS	Trumpeter Swan	<i>Cygnus buccinator</i>
B-WIPT-AE	Willow Ptarmigan <i>alexandrae</i>	<i>Lagopus lagopus alexandrae</i>
B-YEWG	Yellow Wagtail	<i>Motacilla flava</i>

Vertebrates of British Columbia

FISH

F-BAAE	<i>Bathyraja aleutica</i>	Aleutian Skate
F-BAIT	<i>Bathyraja interrupta</i>	Sandpaper Skate
F-BRMR	<i>Bryozoichthys marjorius</i>	Pearly Prickleback
F-CACM	<i>Catostomus commersoni</i>	White Sucker
F-CACT	<i>Catostomus catostomus</i>	Longnose Sucker
F-CAMC	<i>Caristius macropus</i>	Manefish
F-COCN	<i>Cottus confusus</i>	Shorthead Sculpin
F-COSL	<i>Conocara salmoneum</i>	Salmon Slickhead
F-COSR	<i>Coregonus sandinella</i>	Least Cisco
F-CYPL	<i>Cyclothone pallida</i>	Tan Bristlemouth
F-ICFM	<i>Icelinus fimbriatus</i>	Fringed Sculpin
F-LARC	<i>Lampetra richardsoni</i>	Western Brook Lamprey
F-LYPC	<i>Lycodes pacificus</i>	Blackbelly Eelpout
F-LYPL	<i>Lycodes palearis</i>	Wattled Eelpout
F-LYPR	<i>Lycodapus parviceps</i>	Stubraker Slipskin
F-SASG	<i>Sardinops sagax</i>	Pacific Sardine
F-SEAI	<i>Sebastolobus altivelis</i>	Longspine Thornyhead
F-SEAR	<i>Sebastes aurora</i>	Aurora Rockfish
F-SEAS	<i>Sebastolobus alascanus</i>	Shortspine Thornyhead
F-SEAT	<i>Sebastes alutus</i>	Pacific Ocean Perch
F-SEML	<i>Sebastes melanostomus</i>	Blackgill Rockfish
	Eigenmann and Eigenmann	
F-SEPL	<i>Sebastes polypsinis</i>	Northern Rockfish
F-SERF	<i>Sebastes rufus</i>	Bank Rockfish
	Eigenman and Eigenmann	
F-STLU	<i>Stenodus leucichthys</i>	Inconnu

MAMMALS

M-MYCA-CU	<i>Myotis californicus caurinus</i>	California Myotis <i>caurinus</i>
M-OCPR-BU	<i>Ochotona princeps brunnescens</i>	Common Pika <i>brunnescens</i>
M-MACA-CS	<i>Marmota caligata cascadenis</i>	Hoary Marmot <i>cascadenis</i>
M-TAAM-LT	<i>Tamias amoenus luteiventris</i>	Yellow-pine Chipmunk <i>luteiventris</i>
M-CLGA-CU	<i>Clethrionomys gapperi caurinus</i>	Southern Red-backed Vole <i>caurinus</i>
M-PEKE-MR	<i>Peromyscus keeni maritimus</i>	Keen's Mouse <i>maritimus</i>

Selected Domestic Animals

BIRDS

Black Swan	<i>Cygnus atratus</i> (Latham)
Common Peafowl	<i>Pavo cristatus</i> Linnaeus
Golden Pheasant	<i>Chrysolophus pictus</i> (Linnaeus)
Graylag Goose	<i>Anser anser</i> (Linnaeus)
Muscovy Duck	<i>Cairina moschata</i> (Linnaeus)
Silver Pheasant	<i>Lophura nycthemera</i> (Linnaeus)

MAMMALS

Cat	<i>Felis silvestris</i> Schreber ²²⁷
Cow	<i>Bos taurus</i> Linnaeus
Dog	<i>Canis familiaris</i> Linnaeus
Donkey	<i>Equus asinus</i> Linnaeus
Ferret	<i>Mustela furo</i> Linnaeus ²²⁸
Gerbil	<i>Meriones unguiculatus</i> (Milne-Edwards)
Goat	<i>Capra hircus</i> Linnaeus
Guinea Pig	<i>Cavia porcellus</i> (Linnaeus)
Hamster	<i>Mesocricetus auratus</i> (Waterhouse)
Horse	<i>Equus caballus</i> Linnaeus
Laboratory Mouse	<i>Mus musculus</i> Linnaeus
Laboratory Rat	<i>Rattus norvegicus</i> (Berkenhout)
Pig	<i>Sus scrofa</i> Linnaeus ²²⁹
Rabbit	<i>Oryctolagus cuniculus</i> (Linnaeus)
Sheep	<i>Ovis aries</i> Linnaeus

²²⁷ Some authorities treat the domestic cat as a distinct species *Felis catus*.

²²⁸ Regarded as conspecific with the polecat (*M. putorius*) by some authorities.

²²⁹ Includes the wild boar.

References

- Allan, M., P.T. Gregory and C.J. Prelypchan. 1993. The ecology of introduced common wall lizards (*Podarcis muralis*) in Saanich, Vancouver Island. Report to B.C. Min. Environ. 26pp.
- Allen, L.G., and G.B. Smith. 1988. Atlas and zoogeography of common fishes in the Bering Sea and northeastern Pacific. NOAA Tech. Rep. NMFS 66. Natl. Oceanic Atmos. Adm. Natl. Mar. Fish. Serv., Seattle, WA. 98115-0070.
- Allen, M.J., and G.B. Smith. 1988. Atlas and zoogeography of common fishes in the Bering Sea and North-eastern Pacific. U.S. Dep. Commerce, NOAA Tech. Rep. NMFS 66:1-151.
- Altman, B., and R. Sallabanks. 2000. Olive-sided Flycatcher (*Contopus cooperi*). In *The Birds of North America*, No. 502 (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- American Ornithologists' Union. 1983. Check-list of North American birds, 6th ed. Allen Press, Inc., Lawrence, KS. 877pp.
- American Ornithologists' Union. 1984. Report of meeting of the committee on classification and nomenclatures. *Auk* 101:348.
- American Ornithologists' Union. 1985. Thirty-fifth supplement to the American Ornithologists' Union check-list of North American birds. *Auk* 102:680-686.
- American Ornithologists' Union. 1987. Thirty-sixth supplement to the American Ornithologists' Union check-list of North American birds. *Auk* 104:591-596.
- American Ornithologists' Union. 1989. Thirty-seventh supplement to the American Ornithologists' Union check-list of North American birds. *Auk* 106:532-538.
- American Ornithologists' Union. 1993. Thirty-ninth supplement to the American Ornithologists' Union check-list of North American birds. *Auk* 110:675-682.
- American Ornithologists' Union. 1997. Forty-first supplement to the American Ornithologists' Union Check-list of North American birds. *Auk* 114:542-552.
- American Ornithologists' Union. 1998. Check-list of North American birds: The species of birds of North America from the Arctic through Panama, including the West Indies and Hawaiian Islands, 7th ed. Allen Press, Inc., Lawrence, KS. 829pp.
- American Ornithologists' Union. 2000. Forty-second supplement to the American Ornithologists' Union Check-list of North American birds. *Auk* 117:847-858.

- Anderson, M.E. 1989. Records of rare eelpouts of the genus *Lycodapus gilbert* in the north and southeastern Pacific Ocean, with an addition to the California marine fish fauna. Calif. Fish Game: 75(3):148-154. FR 35(1).
- Anderson, M.E. 1994. Systematics and osteology of the Zoarcidae (*Teleostei: Perciformes*). Ichthyol. Bull., J.L.B. Smith Inst. Ichthyol., Grahamstown, South Africa. 69:1-120.
- Anderson, M.E., and A.E. Peden. 1984. The eelpout genus *Pachycara* (Teleostei: Zoarcidae) in the northeastern Pacific Ocean, with descriptions of two new species. Proc. Cal. Acad. Sci. 46:(3)83-94.
- Anonymous. 1993. Beautiful British Columbia. An ugly devil from the deep. (*Ceratias* photographed by Gary Green.) Beautiful British Columbia Magazine 1993(3):47.
- Anonymous. 1996a. Rare fanged fish caught off B.C. Page A-17 in Vancouver Province, October 27, 1996.
- Anonymous. 1996b. Fangtooth is B.C.'s "new" species. Page 26 in The Westcoast Fisherman. Vancouver, BC. December 1996.
- Bailey, R.M., and M.V. Demick. 1949. *Cottus hubbsi*, a new cottid fish from the Columbia River system in Washington and Idaho. Occas. Pap. Mus. Zool. Univ. Mich., MI. 513:1-18.
- Baxter, R. 1994ms. Annotated Keys to the Fishes of Alaska (draft), Alaska Chapter, American Fisheries Society (review and working draft, March 18, 1994), (circulated November 17, 1994).
- Beamish, R.J., J.H. Houston and L.A. Chapman. 1999. Restricted document submitted to COSEWIC.
- Campbell, R.R. 1997. Rare and endangered fishes and marine mammals of Canada: COSEWIC Fish and Marine Mammal Subcommittee Status Reports XI. Can. Field-Nat. 111(2):249-257. April-June 1997.
- Campbell, R.W., and A.P. Harcombe. 1985. Wildlife habitat handbooks for British Columbia: standard taxonomic list and codes of amphibians, reptiles, birds and mammals., Min. Environ., Min. For., and Min. Prov. Sec. and Gov. Serv., Victoria, BC. WHR-20, Wildl. Rep. No. R-11, 86pp.
- Campbell, R.W., N.K. Dawe, I.McTaggart-Cowan, J.M. Cooper, G.W. Kaiser, A.C. Stewart and M.C.E. McNall. 2001. The Birds of British Columbia. Vol. 4 Passerines: wood-warblers through old world sparrows. UBC Press, Vancouver, BC. 741pp.
- Cannings, R.A., and A.P. Harcombe (eds.). 1990. The vertebrates of British Columbia, scientific and English names. Royal B. C. Mus. Heritage Rec. 20; Wildl. Rep. No. R24. Min. Municipality Affairs, Recreation and Culture and Min. Environ. Victoria, BC. 116pp.

- Cannings, R.J., and T. Angell. In press (2001). Western Screech-Owl (*Otus kennicottii*). In The Birds of North America, No. XXX (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- Cannings, S. 1993. Rare freshwater fish of British Columbia. B.C. Conserv. Data Centre Rep. 1. B.C. Min. Environ., Lands and Parks.
- Cannings, S.G., and J. Ptolemy. 1998. Rare freshwater fish of British Columbia. Min. Environ., Lands and Parks, Resour. Inv. Br., and Min. Fisheries, Fisheries Br. Victoria, BC. 214pp.
- Castle, P.H.J., and N.S. Raju. 1975. Some rare leptodephali from the Atlantic and Indo-Pacific oceans. Dana-Rep. Carlsberg Foundation. 85:1-25.
- Clemens, E.E., and G.V. Wilby. 1961. Fishes of the Pacific Coast of Canada. Bull. Fish. Res. Bd. Canada. 68:1- 443.
- Coffie, P.A. 1997. COSEWIC status report on Cultus Pygmy Sculpin. Committee on the Status of Endangered Wildlife in Canada. 20pp.
- Collins, J.T. 1997. Standard common and current scientific names for North American amphibians and reptiles. 4th ed. Soc. Stud. Amphib. Rept., Herpetol. Circ. 25:1-40.
- COSEWIC. 2000. Canadian Species at Risk, May 2000. Committee on the Status of Endangered Wildlife in Canada. 19pp.
- COSEWIC. 2001. Canadian Species at Risk, May 2001. Committee on the Status of Endangered Wildlife in Canada. 31pp.
- Cowan, I.McT., and C.J. Guiguet. 1965. The mammals of British Columbia, 3rd printing revised ed., Handb. 11. B.C. Prov. Mus., Victoria, BC. 414pp.
- Dill, P. Okanagan College, Kelowna, B.C. Unpubl. data.
- Dragoo, J.W., and R.L. Honeycutt. 1997. Systematics of mustelid-like carnivores. J. Mammal. 78:426-443.
- Dunn, J.R. 1983. Development and distribution of the young of Northern Smoothtongue, *Leuroglossus schmidti* (Bathylagidae), in the Northeast Pacific, with comments on the systematics of the genus *Leuroglossus* Gilbert. Fish Bull. (U.S.) 81:23-40.
- Eschmeyer, W.N., E.S. Herald and H. Hammann. 1983. A field Guide to Pacific Coast Fishes of North America, from the Gulf of Alaska to Baja California. The Peterson Field Guide Series. Houghton Mifflin Co., Boston, MA. 336pp.
- Fedorov, V., A. Goropashnaya, G.H. Jarrell and K. Fredga. 1999. Phylogeographic structure and mitochondrial DNA variation in true lemmings (*Lemmus*) from the Eurasian arctic. Biological J. Linnean Society 6:357-371.

- Fitch, J.E., and R.J. Lavenburg, 1968. Deep-water Teleostean Fishes of California. Univ. Calif. Press. 155pp.
- Frost, D.R., and R.M. Timm. 1992. Phylogeny of plecotine bats (Chiroptera: Vespertilionidae): summary of the evidence and proposal of a logically consistent taxonomy. *Am. Mus. Nat. Hist. Novitates* 3034:1-16.
- Fulton, J.D., and R.J. LeBrasseur. 1985. Interannual shifting of the Subarctic Boundary and some biological effects on juvenile salmonids. Pages 237-252 in W.W.S. Wooster and D.D. L. Fluharty, eds. *El Nino North: Nino Effects in the Eastern Subarctic Pacific Ocean*. Washington Sea Grant Program, Univ. Washington, Seattle, WA.
- Gillespie, G.E. 1993. An updated list of the fishes of British Columbia, and those of interest in adjacent waters, with numeric code designations. *Can. Tech Rep. Fish. Sci.* 1918:1-116.
- Gillespie, G.E., and M.W. Saunders. 1994. First verified record of the shortfin mako shark, *Isurus oxyrinchus*, and second records or range extensions for three additional species from British Columbia Waters. *Can. Field-Nat.* 108(3):347-350.
- Gotshall, D.W. 1981. Pacific coast inshore fishes. *Sea challengers*. Los Osos, CA. 96pp.
- Green, D.M. 1999. The amphibians of British Columbia: a taxonomic catalogue. *Min. Environ., Lands and Parks, Wildl. Br., Resour. Inv. Br., Victoria, BC. Wildl. Bull. No. B-87.* 24pp.
- Gregory, L.A., and P.T. Gregory. 1999. The reptiles of British Columbia: a taxonomic catalogue. *Min. Environ., Lands and Parks, Wildl. Br., Resour. Inv. Br., Victoria, BC. Wildl. Bull. No. B-88.* 30pp.
- Halkett, A. 1913. Check list of the fishes of the Dominion of Canada and Newfoundland. Kings Printer. Ottawa, ON. 138pp.
- Hart, J.L. 1973. Pacific fishes of Canada. *Bull. Fish Res. Board Can.* 180:1-740.
- Hay, D.E., R. Harbo, J. Boutillier, E. Wylie, L. Convey and P.B. McCarter. 1999. Assessment of Bycatch in the 1997 and 1998 shrimp Trawl Fisheries of British Columbia, with emphasis on Eulachons. *Canadian Stock Assessment Secretariat Research Document 99/179.* 44pp.
- Hogan, K.M., M.C. Hedin, H.S. Koh, S.K. Davis and I.F. Greenbaum. 1993. Systematic and taxonomic implications of karyotypic, electrophoretic, and mitochondrial-DNA variation in *Peromyscus* from the Pacific Northwest. *J. Mammal.* 74:819-831.
- Hughes, G.W. 1985. Northern range extension of the echeneid fish *Remora remora* in the Northeastern Pacific Ocean during a year of El Nino. *Can. Field Nat.* 99:541-542.
- Hughes, G.W. 1985. Northern range extension of the echeneid fish *Remora remora* in the north-eastern Pacific Ocean during a year of El Nino. *Can. Field-Nat.* 99:541-542.

- Jackman, T. R. 1998. Molecular and historical evidence for the introduction of clouded salamanders (genus *Aneides*) to Vancouver Island, British Columbia, Canada, from California. *Can. J. Zool.* 76(8):1570-1580.
- Jarrell, G.H., and K. Fredga. 1993. How many kinds of lemmings? A taxonomic overview. Pages 45-57 in N.C. Stenseth and E.D. Ims (eds.), *The biology of lemmings*. Academic Press, London. (Linnean Society Symposium Series; 15).
- Jean, Y., A.E. Peden and D.E. McAllister. 1981. English, French and scientific names of Pacific Fish of Canada. *BC Prov, Mus. Heritage Rec.* 13:1-51.
- Jones, C., R.S. Hoffmann, D.W. Rice, M.D. Engstrom, R.D. Bradley, D.J. Schmidly, C.A. Jones and R.J. Baker. 1997. Revised checklist of North American mammals north of Mexico, 1997. *Texas Tech. Univ., The Mus., Occas. Pap.* 173:1-19.
- Klimkiewicz, M.K., and C.S. Robbins. 1978. Standard abbreviations for common names of birds. *North Am. Bird Banding* 3(1):16-25.
- LeDuc, R.G., W.F. Perrin, and A.E. Dizon. 1999. Phylogenetic relationships among the delphinid cetaceans based on full cytochrome b sequences. *Marine Mammal Science* 15:619-648.
- Love, M. 2001 (WEBB page). The Fish List, A Checklist of Marine and Estuarine Fishes of the Northeast Pacific, from Alaska to Baja California. Version 10. http://id-www.ucsb.edu/lovelab/l_long.html
- Manning, R.W. 1993. Systematic and evolutionary relationships of the long-eared Myotis, *Myotis evotis* (Chiroptera:Vespertilionidae). *Texas Tech. Univ., The Mus., Spec. Publ.* 37:1-58.
- Matarese, A.C., A.W. Kendall, D.M. Blood and B.M. Vinter. 1989. Laboratory guide to early life history stages of Northeast Pacific fishes. *NOAA Tech. Rep. NMFS* 80:1-652.
- McAllister, D.E. 1990. A list of the Fishes of Canada. *Syllogeus, Natl. Mus. Nat. Sci., Ottawa, ON.* 64:1-309.
- McCallum, D.A., R. Grundel and D. Dahlsten. 1999. Mountain Chickadee (*Poecile gambeli*) In *The Birds of North America* No. 453 (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- McCart, P. 1965. Growth and morphometry of four British Columbia populations of pygmy whitefish (*Prosopium coulteri*). *J. Fish Res. Board Can.* 22(5):229-1259.
- McPhail, J.D. 1984. Ecology and evolution of sympatric sticklebacks (*Gasterosteus*): morphological and genetic evidence for a species pair in Enos Lake, British Columbia. *Can. J. Zool.* 62:1402-1408.
- McPhail, J.D. 1987. Status of the Salish Sucker (*Catostomus* sp.) in Canada. *Can. Field-Nat.* 101:231-236.

- McPhail, J.D., and C.C. Lindsey, 1986. Zoogeography of freshwater fishes of Cascadia (the Columbia system and rivers north of the Stikine). Pages 615-637 in C.H. Hocutt and E.O. Wiley, eds. The Zoogeography of North America Freshwater Fishes. John Wiley and Sons, Toronto, ON.
- Mecklenburg, C.W., T.A. Mecklenburg and L.K. Thorsteinson. 2002. Fishes of Alaska. American Fisheries Society. Bethesda, MD. 1100pp.
- Miller, D.J., and R.N. Lea. 1972. Guide to the Coastal Fishes of California. Calif. Dep. Fish and Game, Fish Bull. No. 157. 235pp.
- Moodie, G.E.E. 1984. Status of the giant (Mayer Lake) stickleback, *Gasterosteus* sp., on the Queen Charlotte Islands, British Columbia. Can. Field-Nat. 98:115-119.
- Moodie, G.E.E., and T.E. Reimchen. 1973. Endemism and conservation of sticklebacks in the Queen Charlotte Islands. Can. Field-Nat. 87:173-175.
- Moodie, G.E.E., and T.E. Reimchen. 1976. Glacial refugia, endemism, and stickleback populations of the Queen Charlotte Islands. Can. Field-Nat. 90:474.
- Morales, J.C., and J.W. Bickham. 1995. Molecular systematics of the genus *Lasiurus* (Chiroptera: Vespertilionidae) based on restriction-site maps of the mitochondrial ribosomal gene. J. Mammal. 76:730-743.
- Mukhacheva, V.A. 1964. The composition of species of the genus *Cyclothone* (Pisces, Gonostomatidae) in the Pacific Ocean. Pages 98-135 in T.S. Rass, ed. Fishes of the Pacific and Indian oceans. Akademiya NAUK SSR. Trudy Instituta Okeanologii Vol. 73 Israel Program for Scientific Translations, 1966.
- Nagorsen, D.W. 1990. The mammals of British Columbia: a taxonomic catalogue. Mem. No. 4. Victoria: Royal B.C. Museum. 140pp.
- Nagorsen, D.W., G.G.E. Scudder, D.J. Huggard, H. Stewart and N. Panter. 2001. Merriam's Shrew (*Sorex merriami*), and Preble's Shrew (*Sorex preblei*): two new mammals for Canada. Can. Field-Nat. 115:1-8.
- Nelson, J.S. 1994. Fishes of the world (3rd ed.). John Wiley. Toronto, ON. 600pp.
- Nielson, M., K. Lohman and J. Sullivan. 2001. Phylogeography of the tailed frog (*Ascaphus truei*): implications for the biogeography of the Pacific Northwest. Evolution 55:147-160.
- Nowak, R.M. 1995. Another look at wolf taxonomy. Pages 375-397 in L.N. Carbyn, S.H. Fritts and D.R. Seip, eds. Ecology and conservation of wolves in a changing world. Edited by Univ. Alta. Press, 620pp.
- Orr, J.W., A.C. Matarese and H.L. Mulligan. 1996. Systematics of North Pacific pleuronectids of the genus *Lepidopsetta*: Parts I & II. Morphological and genetic evidence for the resurrection of *Lepidopsetta peracuata* (Cope). Program and Abstracts, 76th Annu. Meet. Am. Soc. Ichthyol. and Herpet., June 13-19, 1996, New Orleans, LA.

- Orr, J.W., and A.C. Matarese. 2000. Revision of the genus *Lepidopsetta* Gill, 1862 (Teleostei: Pleuronectidae) based on larval and adult morphology, with a description of a new species from the North Pacific Ocean and Bering Sea. *Fish. Bull.* 98:539-582.
- Page, L.M., and M.B. Burr. 1991. Freshwater fishes. The Peterson Field Guide Series. Houghton Mifflin, Boston, MI. 432pp.
- Patterson, B.D., and L.R. Heaney. 1987. Preliminary analysis of geographic variation in red-tailed chipmunks (*Eutamias ruficaudus*). *J. Mammal.* 68:782-791.
- Pearcy, W.G., and A. Schoener. 1987. Changes in marine biota coincident with the 1982-83 El Nino in the northeastern subarctic Pacific Ocean. *J. Geophysical Res.* 92:(C13)14,417-14,428.
- Pearson, M. 1998. A review of the distribution, status, and biology of the endangered Salish Sucker (*Catostomus sp.*) and Nooksack Dace (*Rhinichthys sp.*). Fisheries Technical Circular, BC Min. Fisheries. No. 101. 24pp.
- Pearson, D.E., D.A. Douglas and B. Barss. 1993. Biological observations from the Cobb Seamount. *Fish. Bull. (US)* 91:573-576.
- Peden, A.E. 1975. Rare fishes including first records of thirteen species from British Columbia. *Syesis* 7:47-62.
- Peden, A.E. 1991. Updated report on status of shorthead sculpin (*Cottus confusus*) in Canada. Submitted to Comm. on the Status of Endangered Wildl. in Can., Comm. for Fish and Marine Mammals. Unpubl. rep.
- Peden, A.E. 1996. Fangtooth is B.C.'s "new" species. *The Westcoast Fisherman*, (Westcoast Publishing, Vancouver, BC). Dec. 1996:26.
- Peden, A.E. 1997a. Dreamers and sea devils. Pages 35-36 in *The Westcoast Fisherman*. (Westcoast Publishing, Vancouver, BC) February 1997.
- Peden, A.E. 1997b. The California slickhead, B.C.'s missing fish. Page 39 in *The Westcoast Fisherman*. (Westcoast Publishing, Vancouver, BC) March 1997.
- Peden, A.E. 2000ms. Updated COSEWIC status report on shorthead sculpin. Unpublished manuscript submitted to Committee on the Status of Endangered Wildlife in Canada.
- Peden, A.E. 2001ms. Status reports for Rocky Mountain sculpin [*Cottus bairdi punctulatus* (Gill)] of British Columbia and Alberta; Columbia sculpin [*C. bairdi hubbsi* (Bailey and Dimick)] of British Columbia.
- Peden, A.E., and G.S. Jamieson. 1988. New distributional records of marine fishes of Washington, British Columbia and Alaska. *Can. Field-Nat.* 102(3):491-494.

- Peden, A.E., and G.W. Hughes. 1988. Sympatry in four species of *Rhinichthys* (Pisces), including the first documented occurrences of *Rhinichthys umatilla* in the Canadian drainages of the Columbia River, Can. J. Zool. 66(8):1846-1856.
- Peden, A.E., G.W. Hughes and W.E. Roberts. 1989. Morphologically distinct populations of the shorthead sculpin, *Cottus confusus*, and mottled sculpin, *Cottus bairdi* (Pisces, Cottidae), near the western border of Canada and the United States. Can. J. Zool. 67:2711-2720.
- Peden, A.E., and K. Sendall. 2001ms. Confirmatory records of snailfishes (Liparidae) of British Columbia: including notes on life history of *Careproctus melanurus*, *Lipariscus nanus*, and *Paraliparis melanobranchus*; description of a new species of *Careproctus* ..., and first record of *C. cypselurus*, *Liparis gibbus* and *P. pectoralis*. Submitted to Can. Field-Nat. Unpubl. ms.
- Peden, A.E., and M.E. Anderson. 1981. *Lycodapus* (Pisces: Zoarcidae) of eastern Bering and nearby Pacific Ocean, with three new species and a revised key to the species. Can. J. Zool. 59(4):667-678.
- Peden, A.E., and T. Clermont. 1989. Updated Report on the status of shorthead sculpin (*Cottus confusus*) in Canada. Unpublished manuscript submitted for review to Committee on Status of Endangered Wildlife in Canada. 66pp.
- Peden, A.E., W. Ostermann and L.J. Pozar. 1985. Fishes observed at Canadian Weathership station Papa (50°N, 145°W) with notes on the trans-Pacific cruise of the CSS Endeavour. B.C. Prov. Mus. Heritage Rec. 18:1-50.
- Pyle, P. 1997. Identification guide to North American birds. Part 1: Columbidae to Ploceidae. Slate Creek Press, Bolinas, CA.
- Resources Inventory Committee. 2000. Vertebrates of BC: Scientific and English Names. Standards for Components of BC's Biodiversity No.2. Version 2.1. Min. Environ., Lands and Parks, Resour. Inv. Br., Victoria, BC. 210pp.
- Rice, D.W. 1998. Marine mammals of the world. Systematics and distribution. The Society for Marine Mammalogy, Special Publication 4:1-231.
- Ricker, W.E. 1960. A population of dwarf coastrange sculpins (*Cottus aleuticus*). J. Fish. Res. Board. Can. 17(6):929-932.
- Robbins, C.R., C.E. Bond, J.R. Brooker, E.A. Lachner, R.N. Lea and W.B. Scott. 1991. Common and Scientific names of fishes from the United States and Canada. Am. Fish. Soc. Spec. Publ. No. 20. Bethesda, MA. 183pp.
- Shackleton, D. 1999. Hoofed mammals of British Columbia. Royal B.C. Museum Handb. Vol 3. The mammals of British Columbia. Vancouver: UBC Press. 268pp.
- Short, L.L. 1982. Woodpeckers of the world. Delaware Mus. Nat. Hist. Monogr. Ser. No. 4.

- Smith, K.G., J.H. Withgott and P.G. Rodewald. 2000. Red-headed Woodpecker (*Melanerpes erythrocephalus*). In *The Birds of North America*, No. 518 (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- Stein, D.L. 1978. A review of the deepwater Liparididae (Pisces) from the coast of Oregon and adjacent waters. *Occas. Pap. Calif. Acad. Sci.* 127:1-55.
- Thomson, D.A., L.T. Findley and A.N. Kerstitch. 1979. Reef fishes of the Sea of Cortez. John Wiley and Sons: New York. 302pp.
- Todd, W.E.C. 1963. Birds of the Labrador Peninsula and adjacent areas. Univ. Toronto Press, Toronto, ON.
- Troffe, P.M. 2000. Fluvial mountain whitefish (*Prosopium williamsoni*) in upper Fraser River: a morphological, behavioural, and genetic comparison of foraging forms. Masters Thesis, Univ. BC. April 2000. 67pp.
- Tumlison, R., and M.E. Douglas. 1992. Parsimony analysis and the phylogeny of the plecotine bats (Chiroptera: Vespertilionidae). *J. Mammal.* 73:276-285.
- van Zyll de Jong, C.G. 1979. Distribution and systematic relationships of long-eared myotis in western Canada. *Can. J. Zool.* 57:987-994.
- van Zyll de Jong, C.G. 1984. Taxonomic relationships of Nearctic small-footed bats of the *Myotis leibii* group (Chiroptera: Vespertilionidae). *Can. J. Zool.* 62:2519-2526.
- van Zyll de Jong, C.G., and D.W. Nagorsen. 1994. A review of the distribution and taxonomy of *Myotis keenii* and *Myotis evotis* in British Columbia and the adjacent United States. *Can. J. Zool.* 72:1069-1078.
- Wehausen, J.D., and R.R. Ramey II. 2000. Cranial morphometrics and evolutionary relationships in the northern range of *Ovis canadensis*. *J. Mammalogy* 81:145-161.
- Wilimovsky, N.J. 1954. List of the fishes of Alaska. *Stanford Ichthyol. Bull.* 4(5): 279-294.
- Wilimovsky, N.J., A.E. Peden and J. Peppar. 1967. Systematics of six demersal fishes of North Pacific Ocean. *Fish. Res. Board. Tech. Rep.* 34:1-95.
- Wilson, D.E., and F.R. Cole. 2000. Common names of the mammals of the world. Smithsonian Institution Press, Washington, DC.
- Wilson, D.E. and D.M. Reeder, eds. 1993. Mammal species of the world. A taxonomic and geographic reference, 2nd ed. Smith. Inst. Press, Washington, DC. 1206pp.
- Wilson, D.E., M.A. Bogan, R.L. Brownell Jr., A.M. Burdin and M.K. Maminov. 1991. Geographic variation in sea otters, *Enhydra lutris*. *J. Mammal.* 72:22-36.
- Yatsu, A. 1981. A revision of the gunnel family Pholididae (Pisces: Blennioidei). *Bull. Natl. Sci. Mus. Ser. A (Zool).* 7(4):165-190.